



DEALER BEST PRACTICE SERIES

Simple / Efficient Tool for  
Cleaning Piston Pins

Maintenance and Repair      Application      Component Life Management      Component Renewal (CRC)      MARC Management

Simple / Efficient Tool for Cleaning Piston Pins..... 1

1.0 Introduction ..... 2

2.0 Best Practice Description ..... 2

3.0 Implementation Steps..... 4

4.0 Benefit..... 4

5.0 Resources Required..... 4

6.0 Supporting Attachments / References..... 4

7.0 Related Best Practices ..... 4

8.0 Acknowledgements ..... 4

DISCLAIMER: The information and potential benefits included in this document are based upon information provided by one or more Cat® dealers, and such dealer(s) opinion of “Best Practices”. Caterpillar makes no representation or warranty about the information contained in this document or the products referenced herein. Caterpillar welcomes additional “Best Practice” recommendations from our dealer network.

## 1.0 Introduction

For dealers that rebuild their own cylinder packs, piston pins often meet reuse criteria and only require a surface buff to clean the pin. Ferreyros uses a simple tool to hold the pin along with a bench grinder and 8T-7748 buffing wheel to clean piston pins.



## 2.0 Best Practice Description

The dealer fabricated tool to hold the piston pin while buffing the surface consists of two plastic handles and a threaded metal rod.



Assembled view

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Simple / Efficient Tool for Cleaning Piston Pins

DATE  
4/11/2017

CHG  
NO  
00

NUMBER  
1107-4.03-1141



Metal rod sized in diameter to fit the piston pin center bore. The length sized to match the piston pin length and allow handles to grip and hold the piston pin securely.



Plastic handles are threaded to assemble to the metal rod holding the piston pin.

|                                                                                                                 |                   |                 |                          |
|-----------------------------------------------------------------------------------------------------------------|-------------------|-----------------|--------------------------|
| THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR |                   |                 |                          |
| Simple / Efficient Tool for Cleaning Piston Pins                                                                | DATE<br>4/11/2017 | CHG<br>NO<br>00 | NUMBER<br>1107-4.03-1141 |

### 3.0 Implementation Steps

Fabricate tools sized for the engine models required. See SEBF8051 for reuse criteria, dimensions, and cleaning procedure.

### 4.0 Benefit

- Allows smooth and even polishing – better quality
- Easier to handle pin in the polishing process- better efficiency
- Technicians' hands are away from the polishing wheel

### 5.0 Resources Required

Minimal expense to fabricate the tool.

### 6.0 Supporting Attachments / References

### 7.0 Related Best Practices

### 8.0 Acknowledgements

This Best Practice was written by:

Dale Brehm  
Caterpillar Global Mining  
Brehm\_Dale\_E@cat.com

The idea for this Best Practice, belongs to:

Alexander Pino Sarmiento  
Fabian Farias Roque  
Ferreyros SAA

This Best Practice was revised by:

Aninu Mitacc Vizcardo  
Ferreyros SAA  
[amitacc@ferreyros.com.pe](mailto:amitacc@ferreyros.com.pe)

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Simple / Efficient Tool for Cleaning Piston Pins

DATE  
4/11/2017

CHG  
NO  
00

NUMBER  
1107-4.03-1141