



DEALER BEST PRACTICE SERIES

Managing Historical “Un-Cleansed”
Work Orders in Analyzer

Application Maintenance Site Management Component Rebuild Safety **MARC Management**

Managing Historical “Un-Cleansed” Work Orders in
Analyzer0

1.0 Introduction.....1

2.0 Best Practice Description.....1

3.0 Implementation Steps2

4.0 Benefits.....2

5.0 Resources Required2

6.0 Supporting Attachments / References3

7.0 Related Best Practices3

8.0 Acknowledgements.....3

DISCLAIMER: The information and potential benefits included in this document are based upon information provided by one or more Cat® dealers, and such dealer(s) opinion of “Best Practices”. Caterpillar makes no representation or warranty about the information contained in this document or the products referenced herein. Caterpillar welcomes additional “Best Practice” recommendations from our dealer network.

1.0 Introduction

One of the most important factors when utilizing Analyzer to manage a Maintenance and Repair Contract (MARC) is to ensure that work order data representing repair events is formatted properly and accurately. This document describes the Best Practice for cleaning the data and subsequently managing a backlog of “uncleansed” work-orders. This practice will ultimately reduce resource time required to perform this process, in cases where a MARC becomes active before set-up in Analyzer.

Any work order not meeting Analyzer’s data formatting requirements and/or not accurately representing the actual repair event is considered an un-cleansed work order.

In some cases, MARCS, which are to be managed using Analyzer, become active prior to the implementation or proper set-up in Analyzer. This situation creates a backlog of un-cleansed work orders that must be imported into Analyzer for projection purposes. The longer a MARC is active prior to the use of Analyzer, the larger this backlog of work orders becomes. Managing a small backlog (≤ 4 months of work orders and/or work orders for ≤ 6 machines) is less complicated and does not consume the amount of worker hours and resources of a large backlog (>4 months of work orders and/or work orders for >6 machines).

2.0 Best Practice Description

Currently, the process used to manage a backlog of un-cleansed work orders (large or small) for use in Analyzer has been to review each work order for formatting and repair event accuracy. Any discrepancy must then be corrected prior to Analyzer import.

The process outlined below, provides the user with recommended steps for managing a large backlog of work orders and eliminates the need to review each un-cleansed work order in order to achieve an accurate Analyzer projection. This process **does not** eliminate the need to provide Analyzer with the required component change-out information in the event a change-out has occurred.

1. Import backlogged work order data into Excel.
2. Group work order data by machine.
3. Sort each machine’s work order grouping by SMU.
4. Sum each machine’s work order grouping amounts.
5. In analyzer, create a component code of **9999 Legacy**.
6. Add this 9999 Legacy component to each of the existing budgets.
7. Create separate maintenance budgets for each machine by using the copy/paste function in Analyzer.
8. The 9999 Legacy component in the newly created maintenance budgets for each machine should have the following information entered:
 - Modifier Code = 00
 - Quantity Code = 0
 - System = $\checkmark$
 - First Change = The earliest SMU reading of the corresponding machine’s work orders.

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Managing Historical Uncleansed Work-orders in Analyzer	DATE 2/23/2015	CHG NO 01	NUMBER 1006-3.3-1031

- Interval = Any hour amount greater than the total expected machine hours (Contract End Hours: i.e. 999,999).
- Last Done = 0
- Budget Costs = Enter total work order amounts from corresponding machine's work order grouping.
- Duration = 0
- Field Hours = 0
- Shop Hours = 0
- Standard Job No. = Leave Blank

9. In each budget, all other components should have the following revision made:

- First Change = This will be the sum of the budgeted interval for the component and the SMU when the **most recent** component change-out occurred.
- Last Done = The SMU when the **most recent** component change-out occurred.

Note: It is imperative that work order coding issues are resolved to match the Analyzer budget as soon as possible, as this process should only be used as a one-time-only resolution.

3.0 Implementation Steps

This process should only be used when a MARC intended to be managed using Analyzer projections becomes active prior to the implementation and/or proper set up of Analyzer and a large backlog of un-cleansed work orders is created.

It should not be used to manage small work order backlogs. **It may also result in the inability to utilize Analyzer's component performance averaging calculations.**

4.0 Benefits

- Reduction in worker hours and resources required when cleansing individual backlogged work orders for Analyzer import resulting from a MARC becoming active prior to Analyzer implementation or proper set up.
- In addition, the dealer will be able to deploy Analyzer for management of the MARC in a timelier manner.

5.0 Resources Required

- Full implementation of Analyzer 1.6W is required. MS Access 2000 (full version), MS Excel
- Operations and Financial resources within the Dealership must be accessible to the user.
- Trained Analyzer users are critical to the success of this process. Users should have received some form of basic Analyzer training either internally or through Caterpillar.
- In addition, users should have a basic understanding of Microsoft Access (MS Access 2000 Level 1 & 2).

****** Analyzer users should have a full understanding of this best practice prior to its use as it does impact the users ability to use Analyzer's component performance averaging calculations.

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Managing Historical Uncleansed Work-orders in Analyzer	DATE 2/23/2015	CHG NO 01	NUMBER 1006-3.3-1031

6.0 Supporting Attachments / References

[Importing Historical Uncleansed WO in Analyzer.doc](#) – MS-Word document can be found in the Attachments Tab of the pdf file.

7.0 Related Best Practices

0906-3.3-1010 - Analyzer Validation Process

8.0 Acknowledgements

This Best Practice was written by:

Jeremy Middleton
Caterpillar Global Mining
Contract & Controls Analyst
Middleton_Jeremy_R@cat.com
+1-309-675-4531

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Managing Historical Uncleansed Work-orders in Analyzer	DATE 2/23/2015	CHG NO 01	NUMBER 1006-3.3-1031
---	-------------------	-----------------	-------------------------