



Pump Transport Apparatus

Maintenance and Repair

Application

Component Life Management

Component Renewal (CRC)

MARC Management

Pump Transport Apparatus 1

1.0 Introduction.....2

2.0 Best Practice Description2

3.0 Implementation Steps.....2

4.0 Benefits4

5.0 Resources Required.....4

6.0 Supporting Attachments / References5

7.0 Related Best Practices5

8.0 Acknowledgements5

DISCLAIMER: The information and potential benefits included in this document are based upon information provided by one or more Cat® dealers, and such dealer(s) opinion of “Best Practices”. Caterpillar makes no representation or warranty about the information contained in this document or the products referenced herein. Caterpillar welcomes additional “Best Practice” recommendations from our dealer network.

1.0 Introduction

Different types of pump groups come to our workshop for maintenance or overhaul. The pumps sent by the customer are unloaded from the transport vehicle with the forklift. Most of the time the pumps are placed inside the cage or on the pallet. In this way, it is shipped between workshops.

2.0 Best Practice Description

The pumps that come to our workshop are placed on a cage or pallet and moved between the workshops by pallet truck or forklift. During this delivery phase, the pumps are not stationary in the cage or on the pallet. At this stage, situations such as overturning and falling may occur in the pumps. These accidents can result in high costs. This study was carried out because the pumps did not stay in a fixed position in the cage before this transportation apparatus was made and they were damaged during transportation between workshops. A new tool has been made to prevent these situations. In the new process, an apparatus was made to carry the pumps. This carrying apparatus is suitable for pumps of all sizes. The pumps are placed on the transport apparatus and fixed with bolts. In this way, the pump will not be damaged even if events such as overturning or falling occur in the pump carrying apparatus.

3.0 Implementation Steps

Step 1: Pumps are prepared for shipping between workshops.

Step 2: Pump carrying apparatus is prepared.



THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Pump Transport Apparatus	DATE 4/11/2023	CHG NO 00	NUMBER 4.03-230411-1

Step 3: The pump to be transported is placed on the transport apparatus.



Step 4: After the pump is placed, it is fixed with bolts from the bottom of the transport apparatus.



THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Pump Transport Apparatus	DATE	CHG NO	NUMBER
	4/11/2023	00	4.03-230411-1

Step 5 : After the fixing process, the transport is easily performed. In case of overturning and falling, no damage will occur to the pump.



4.0 Benefits

- Safe transport
- Time is saved thanks to precautions
- It provides cost savings by preventing possible accidents
- Increasing credibility between the company and the customer

5.0 Resources Required

The production of the transport stand was made in our own workshop. The materials cost a total of 233.70 €. One person working in the welding room completed the production in 6 hours of work.

Since this apparatus is suitable for pumps of all sizes and weights, 1 piece was made. There will be no cost after that.

Item	Requirements
Material	233,70 €
Labor	1 worker x 6 hours

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Pump Transport Apparatus	DATE 4/11/2023	CHG NO 00	NUMBER 4.03-230411-1

6.0 Supporting Attachments / References

Drawings attached

7.0 Related Best Practices

NONE

8.0 Acknowledgements

This Best Practice was written by:

Esra Ulubay
CRC Planning Officer
Borusan Makina ve Güç Sistemleri

This Best Practice designed by:

Abdullah Akbenli
Expert Technician
Borusan Makina ve Güç Sistemleri

Project and Best Practice supported by:

Halit Yağız Vural
Workshop Engineer
Borusan Makina ve Güç Sistemleri

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Pump Transport Apparatus	DATE 4/11/2023	CHG NO 00	NUMBER 4.03-230411-1
--------------------------	-------------------	-----------------	-------------------------