

Working with External Database

Student Guide S1102504GC10



Copyright © 2021, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer adoption, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and /or adoptation of 1) Oracle programs (including any operating system, integrated software, any programs embedded, inside adoptation of 1) Oracle programs (including any operating system, integrated software, any programs embedded, inside data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks of or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1006092021



Introduction

- Database Management is a new OCI native service that will provide broad capabilities for managing and monitoring Oracle Databases.
- The service will support databases deployed external (on premises) and in the Oracle Cloud (OCI), such as VM/BM, ExaCS, ExaCC, and Autonomous DB.
- Database Management currently supports only External Oracle Databases, which are Oracle Databases located on premises.
- The Database Management service will offer capabilities for:
 - Fleet monitoring and management
 - Database Groups
 - SQL Jobs



Oracle has been a leader in Database Management for decades, and now these unique capabilities are available in Oracle Cloud.

The new Database Management service brings the best of Oracle's industry-leading capabilities from Oracle Enterprise Manager into Oracle Cloud.

This includes fleet-wide monitoring and management for all flavors of Oracle database, whether they live on premises or in the cloud. So, if you're using Database 11, 12, 18, 19, 21, or the Autonomous Database or the Exadata Cloud, you'll be able to get a comprehensive view of the performance of your Database fleet.

Database Management currently supports only External Oracle Databases, which are Oracle Databases located on premises.

Using Database Management, you can:

- Monitor the key performance and configuration metrics of your fleet of Oracle Databases. You
 can also compare and analyze database metrics over a selected period of time.
- Group your critical Oracle Databases, which reside across compartments into a Database Group, and monitor them.
- Create SQL jobs to perform administrative operations on a single Oracle Database or a Database Group.

Get Started with Database Management





The Oracle Cloud Infrastructure service that enables communication and data collection between Database Management Service and an External Database is the Management Agent Cloud Service. For this purpose, the Management Agent Cloud Service uses a Management Agent, which is installed on a host that has a connection to the External Oracle Database.

An Oracle Database must first be registered with the External Database service before Database Management can be enabled. We will make use of the External Database service to register your External Oracle Databases in Oracle Cloud Infrastructure.

Connectivity is established using the Management Agent Cloud Service via the agent.



ORACLE 2

Oracle Cloud Infrastructure Database Management Service

Installing and Configuring Management Agents for Database Management

Installing and Configuring Management Agents for Database Management



The Oracle Cloud Infrastructure service that enables communication and data collection between Database Management service and an External Database is the Management Agent Cloud Service. For this purpose, the Management Agent Cloud Service uses a management agent that is installed on a host that has a connection to the External Oracle Database.

An Oracle Database must first be registered with the External Database service before Database Management can be enabled. We will make use of the External Database service to register your External Oracle Databases in Oracle Cloud Infrastructure.

Connectivity is established using the Management Agent Cloud Service via the agent.

Installing and Configuring Management Agents for Database Management

| Prerequisite: Create a Dynamic Group and Policies for Agent Communication |
|---|
| Download the Agent Software from Management Agent Cloud Service in OCI |
| Install and Configure the Management Agent Software |
| Verify the Management Agent Installation |
| |



Essentially, for the installation and enablement of the EM App for Grafana, we will go through these three steps listed here, i.e., steps listed from 2 through 4.

Step #1 is more of a prerequisite; that is, the Grafana Server should be already installed and running on a local host where this app is being installed.

Now, in terms of Step #2, the user needs to download the app zip file from the Grafana download mentioned here .

In the next step, in terms of actual installation, the user needs to run the following command; do note that the actual full path of where the app zip file resides needs to be explicitly put here.

After that, the user needs to restart the Grafana Sever from the \$Grafana_Home/bin directory.

Lastly, the user needs to log in to the Grafana UI and follow the series of steps listed here to "enable" the app.

Set Up Oracle Cloud Infrastructure for Management Agents



To interact with the Oracle Cloud Infrastructure service end points, you must explicitly consent to let the management agents carry on the communication with the MACS. In this step, a dynamic group is created using the Identity and Access Management service from the OCI Console. This group includes all the management agents. This is a one-time setup step, as any new management agent being installed will automatically belong to this group based on resource-type matching rules definition of the dynamic group.


Set Up Oracle Cloud Infrastructure for Management Agents




Once the dynamic group is created, you need to create policies to allow the management agents to interact with the Management Agent service and to allow the management agents to upload data to the Oracle Cloud Infrastructure Monitoring service.

You may need to add similar policies if your service expects the management agent to deposit data to different services.

Download the Agent Software from Management Agent Cloud Service in OCI



Download the Management Agent Software



On the Management Agents home page, click **Downloads and Keys** from the left menu to view the Agent Software Download pane. On the Agent Software Download pane, select the operating system that the Management Agent will be installed on. For example, click **Agent for LiNUX** for Linux.

The Agent Software file is now saved on your host.

You need to create an agent install key before performing the Management Agent installation.

Install the Management Agent Software



Install and Configure the Management Agent Software

Install Management Agent – (Agent Version 201215.1850 and above).

```
$ sudo rpm -ivh oracle.mgmt agent.rpm
```

Create a response file named input.rsp using a text editor under /opt/oracle/mgmt_agent.

```
$ sudo -u mgmt_agent sh

managementAgentInstallKey = MS4wLHVzLWFzaGJlcm4tMSxvY21kMS50ZW5hbmN5
CredentialWalletPassword = Passw0rd#
```

Configure the management agent using the response file.

\$ sudo /opt/oracle/mgmt_agent/agent_inst/bin/setup.sh opts= /opt/oracle/mgmt_agent /input.rsp




The agent installation process does the following: A new user called mgmt_agent is created. This will be the management agent user. If mgmt_agent user already exists, the agent installation process will use it to install the agent software.

All agent files are copied and installed by mgmt_agent user. The agent install base directory is the directory where the agent is installed. The directory is created as part of the agent installation process under /opt/oracle/mgmt_agent directory.

The Management Agent installation script uses a response file to read the agent parameters specific to your environment.

Agent install key is required to validate the OCI region and the authenticity of the installation. For the password of the agent wallet, the user provides a custom password for the wallet to store sensitive information. Password minimum length is eight characters and must contain alphabetic characters combined with numbers or special characters.

Verify the Management Agent Software



Verify the Management Agent Software



On the main Management Agents page, click **Agents** from the left menu. From the Agents list, look for the agent that was recently installed using the **Created** column, which displays the date of the agent installation, or the **Host** column, which displays the host name where the agent was installed. The Availability column would be marked as Active.



Register and Connect to an External Database



Essentially, for the installation and enablement of the EM App for Grafana, we will go through these three steps listed here, i.e., steps listed from 2 through 4.

Step #1 is more of a prerequisite; that is, the Grafana Server should already be installed and running on a local host where this app is being installed.

Now, in terms of Step #2, the user needs to download the app zip file from the Grafana download mentioned here.

In the next step, in terms of actual installation, the user needs to run the following command; do note that the actual full path of where the app zip file resides needs to be explicitly put here.

After that, the user needs to restart the Grafana Sever from the \$Grafana_Home/bin directory.

Lastly, the user needs to log in to the Grafana UI and follow the series of steps listed here to "enable" the app.

Register an Oracle Database with the External Database Service by Creating a Handle



Register an Oracle Database with the External Database Service by Creating a Handle



Register an Oracle Database with the External Database





Register and Connect to an External Database



Essentially, for the installation and enablement of the EM App for Grafana, we will go through these three steps listed here, i.e., steps listed from 2 through 4.

Step #1 is more of a prerequisite; that is, the Grafana Server should already be installed and running on a local host where this app is being installed.

Now, in terms of Step #2, the user needs to download the app zip file from the Grafana download mentioned here .

In the next step, in terms of actual installation, the user needs to run the following command; do note that the actual full path of where the app zip file resides needs to be explicitly put here.

After that, the user needs to restart the Grafana Sever from the \$Grafana_Home/bin directory.

Lastly, the user needs to log in to the Grafana UI and follow the series of steps listed here to "enable" the app.




















Register and Connect to an External Database



Essentially, for the installation and enablement of the EM App for Grafana, we will go through these three steps listed here, i.e., steps listed from 2 through 4.

Step #1 is more of a prerequisite; that is. the Grafana Server should already be installed and running on a local host where this app is being installed.

Now, in terms of Step #2, the user needs to download the app zip file from the Grafana download mentioned here .

In the next step, in terms of actual installation, the user needs to run the following command; do note that the actual full path of where the app zip file resides needs to be explicitly put here.

After that, the user needs to restart the Grafana Sever from the \$Grafana_Home/bin directory.

Lastly, the user needs to log in to the Grafana UI and follow the series of steps listed here to "enable" the app.

Use Cases

Fleet monitoring and management within a compartment:

- · Overview of all my Database Fleet
- View Database Fleet dashboard to visualize the overall health of the fleet

Fleet monitoring and management across compartments—Database Groups:

- Monitor and manage Database Fleet across compartments using Database Groups
- Automate database fleet management for better operational efficiency (SQL Jobs)

Database Monitoring and Management—Single Database:

- Database Summary: Monitor Database metrics for a specific database
- Jobs: Run SQL Jobs specific to a database



















Using Database Management Service



Use Cases

Fleet monitoring and management within a compartment:

- Overview of all my Database Fleet
- · View Database Fleet dashboard to visualize the overall health of the fleet

Fleet monitoring and management across compartments—Database Groups

- Monitor and manage Database Fleet across compartments using Database Groups
- Automate database fleet management for better operational efficiency (SQL Jobs)

Database Monitoring and Management—Single Database

- Database Summary: Monitor database metrics for a specific database
- Jobs: Run SQL Jobs specific to a database



Fleet Monitoring and Management

- Unified NOC-style view of entire Oracle DB fleet
- Native OCI telemetry for DevOps events and monitoring
- Database Groups enable cross-compartment fleets
- · Fleet-level management
 - SQL job execution



