

Project Backend

AUTHORIZATION

Bearer Token

Token

Accounts

AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [Project Backend](#)

POST Sign up

```
http://127.0.0.1:8000/api/profile/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

username

zimo

Username

password

88888888

Password

email

Email



First name

last_name

Last name

phone_number

Phone number

avatar

Avatar

Example Request

Sign up

```
curl --location --request POST 'http://127.0.0.1:8000/api/profile/' \
--form 'username="zimo"' \
--form 'password="88888888"'
```

POST Log in

http://127.0.0.1:8000/api/login/

BODY formdata

username

zimo

Username

password

88888888

Password

Example Request

Log in

```
curl --location --request POST 'http://127.0.0.1:8000/api/login/' \
--form 'username="zimo"'
```



GET View my profile

http://127.0.0.1:8000/api/profile/

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

Example Request

View my profile

```
curl --location --request GET 'http://127.0.0.1:8000/api/profile/'
```

PATCH Edit my profile

http://127.0.0.1:8000/api/profile/

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

username

Username

password

88888888

Password

email

Email



First name

last_name

Last name

phone_number

Phone number

avatar

Avatar

Example Request

[Edit my profile](#)

```
curl --location --request PATCH 'http://127.0.0.1:8000/api/profile/' \
--form 'password="88888888"'
```

Studios

AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [Project Backend](#)

GET List studios

```
http://127.0.0.1:8000/api/studios/?name=UofT&amenities=dumbbell,pool&classes=HIIT&coaches=Zimo Li&lat=43.65107&lon=-79.347015
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

PARAMS

name



amenities

dumbbell,pool

List of amenities separated by commas

classes

HIIT

List of classes separated by commas

coaches

Zimo Li

List of coach names separated by commas

lat

43.65107

Latitude

lon

-79.347015

Longitude

Example Request

List studios

```
curl --location --request GET 'http://127.0.0.1:8000/api/studios/?name=UofT&amenities=dumbb
```

GET Get studio details

http://127.0.0.1:8000/api/studios/1/

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

```
curl --location --request GET 'http://127.0.0.1:8000/api/studios/1/'
```

Classes

AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [Project Backend](#)

GET List classes of a studio

```
http://127.0.0.1:8000/api/studios/1/classes/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

List classes of a studio

```
curl --location --request GET 'http://127.0.0.1:8000/api/studios/1/classes/'
```

GET Get class details

```
http://127.0.0.1:8000/api/studios/1/classes/1/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)



Example Request

Get class details

```
curl --location --request GET 'http://127.0.0.1:8000/api/studios/1/classes/1/'
```

GET List class schedules of a studio

```
http://127.0.0.1:8000/api/studios/1/schedules/?name=Yoga&coach=Zimo Li&start_time=2022-11-17T00:00:00Z&end_time=2022-11-30T00:00:00Z
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

PARAMS

name

Yoga

Class name

coach

Zimo Li

Coach name

start_time

2022-11-17T00:00:00Z

Beginning of time range

end_time

2022-11-30T00:00:00Z

End of time range

Example Request

List class schedules of a studio

```
curl --location --request GET 'http://127.0.0.1:8000/api/studios/1/schedules/?name=Yoga&coa
```



```
http://127.0.0.1:8000/api/studios/1/schedules/1/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

Get class schedule details

```
curl --location --request GET 'http://127.0.0.1:8000/api/studios/1/schedules/1/'
```

PATCH Enrol/drop one instance of a class

```
http://127.0.0.1:8000/api/studios/2/schedules/3/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

enrolled

true

Example Request

Enrol/drop one instance of a class

```
curl --location --request PATCH 'http://127.0.0.1:8000/api/studios/2/schedules/3/' \
--form 'enrolled="true"'
```

PATCH Enrol/drop all instances of a class



AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

enrolled

true

Example Request

Enrol/drop all instances of a class

```
curl --location --request PATCH 'http://127.0.0.1:8000/api/studios/1/classes/1/' \
--form 'enrolled="true"'
```

GET List my class schedules

http://127.0.0.1:8000/api/profile/schedules/

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

List my class schedules

```
curl --location --request GET 'http://127.0.0.1:8000/api/profile/schedules/'
```

Subscriptions

AUTHORIZATION

Bearer Token

GET List all plans

```
http://127.0.0.1:8000/api/subscriptions/plans/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

List all plans

```
curl --location --request GET 'http://127.0.0.1:8000/api/subscriptions/plans/'
```

GET Get plan details

```
http://127.0.0.1:8000/api/subscriptions/plans/1/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

Get plan details

```
curl --location --request GET 'http://127.0.0.1:8000/api/subscriptions/plans/1/'
```

GET Get my plan

```
http://127.0.0.1:8000/api/profile/plan/
```



Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

Get my plan

```
curl --location --request GET 'http://127.0.0.1:8000/api/profile/plan/'
```

PUT Subscribe to a plan

```
http://127.0.0.1:8000/api/profile/plan/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

plan

1

Plan ID

Example Request

Subscribe to a plan

```
curl --location --request PUT 'http://127.0.0.1:8000/api/profile/plan/' \
--form 'plan="1"'
```

DEL Unsubscribe to my plan

```
http://127.0.0.1:8000/api/profile/plan/
```



This request is using Bearer Token from collection [Project Backend](#)

Example Request

Unsubscribe to my plan

```
curl --location --request DELETE 'http://127.0.0.1:8000/api/profile/plan/'
```

GET Get my card

```
http://127.0.0.1:8000/api/profile/card/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

Example Request

Get my card

```
curl --location --request GET 'http://127.0.0.1:8000/api/profile/card/'
```

PUT Update my card

```
http://127.0.0.1:8000/api/profile/card/
```

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

card_number

8888888888888888



expiry_date

0999

Expiry date

cvv

123

CVV

Example Request

Update my card

```
curl --location --request PUT 'http://127.0.0.1:8000/api/profile/card/' \
--form 'card_number="8888888888888888"' \
--form 'expiry_date="0999"' \
--form 'cvv="123"'
```

DEL Remove my card

http://127.0.0.1:8000/api/profile/card/

AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

Example Request

Remove my card

```
curl --location --request DELETE 'http://127.0.0.1:8000/api/profile/card/'
```

GET Get my payments



AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [Project Backend](#)

BODY formdata

Example Request

Get my payments

```
curl --location --request GET 'http://127.0.0.1:8000/api/profile/payments/'
```