

Panasonic

使用说明书 Operating Instructions

(家用) 电动剃须刀 (Household) Rechargeable Shaver

型号 ES-RC40/ES-RC30 Model No.

中文 2

English

Panasonic ts-ftcdg



在使用本产品前,请仔细阅读本说明书并妥善保管,以备将来参考。

Before operating this unit, please read these instructions completely and save them for future use.



사

感谢您选购 Panasonic 剃须刀。请在使用前阅读所有 说明。

重要事项

本剃须刀内置充电电池。不要将其丢入火中,加热或在高温环境中充电、使用或保管。

▶ 使用前

ES-RC40/ES-RC30 干 / 湿两用剃须刀,可以使用刮胡 泡湿剃,也可以干剃。此剃须刀具有防水功能。可放 入水中清洗,也可在淋浴时使用。下图标志表示适合 用在洗澡或淋浴中。



使用刮胡泡湿剃三周后,您能体会到一些变化。由于您的皮肤和胡须约需一个月时间才能适应新的剃须方式。因此您可能需要一点时间来适应 Panasonic 干 / 湿两用剃须刀。

▶ 使用剃须刀

注意

因外刀网很薄,若使用不当就可能造成损坏。使用 剃须刀前,请确认外刀网是否损坏。如果外刀网已 损坏,请不要使用该剃须刀,因为这样会割伤皮肤。

- •请在出现异常或故障时终止使用。
- •不要与您的家人或其他人员共用。
- •本产品不宜供肢体、感官或精神上有残疾者、或缺

乏经验和知识者(包括儿童)使用,必须有监护者从旁监督并对本产品的使用加以指导,且对使用者的安全能承担责任。请避免儿童将本产品视为玩具,从而引发危险。

▶充电

- 切勿在浴室或淋浴房使用电源适配器。
- 请不要使用除 RE7-62 电源适配器以外的任何电源线或电源适配器进行充电。
- 将电源适配器插入家用电源插座内进行充电,操作时双手应保持干燥。
- 从家用电源插座上拔出电源适配器时,不要用力拉电源线,因为可能会损坏电源线,应抓紧电源适配器的插头部位。
- 电源线不能更换,如果电源线损坏,此电源适配器应废弃。

▶清洗剃须刀


- 可用清水清洗剃须刀,不要使用盐水或热水。不要 将剃须刀长时间浸泡在水中。
- 仅限使用稍稍蘸有自来水或肥皂水的软布清洁外壳。 不要使用稀释剂、汽油、酒精或其他化学物品。
- 不要用水清洗电源适配器。

▶ 存放剃须刀

- •请在使用后将剃须刀存放在低湿度的地方。
- •不要将剃须刀存放在阳光直射或有其他热源的地方。
- 存放剃须刀时,请将其从电源适配器中取出。
- •请妥善处理本产品的包装袋,避免婴幼儿窒息等意 外发生。请置于儿童触摸不到的地方。

•

各部分名称



⑥ 充电插孔

⑨ 电源线

♠ 旅行携帯小包

G 清洁刷

⑦ 修剪刀 ES-RC40

⑧ 修剪刀操纵杆ES-RC40

■ 电源适配器 (RE7-62)

⑩ 充电状态指示灯

- ▲ 保护盖
- **B** 外刀部
 - ① 外刃架
- ②外刀网
- ❷ 内刀头
- 0 机身
 - ③ 外刃架释放按钮
 - ④ 电源开关 [0/1]
 - ⑤ 电源指示灯

ES-RC40

充电

充电

如果感觉剃须刀速度下降,请按下列步骤给剃须刀充电。

- **1** 关闭剃须刀并如图示将其插入电源 适配器插孔,直到听到"咔嗒"一 声为止。
- **2** 将电源适配器插头插入家用电源插座里。



- •约8小时,即可完成充电。
- 充电状态指示灯在电源适配器接通电源后始终保持灯亮,直至断开电源后灯灭。
- 充电的推荐环境温度为0至40摄氏度。在温度过低或过高的条件下,电池性能可能会下降或无法充电。
- 购买后初次使用或半年以上未使用过,充电状态指示灯可能不会立即亮,继续充电几分钟后即正常。



中文








剃须

使用剃须刀



¶ 将电源开关向上推 动。


2 如上图所示握住剃须 刀剃须。

- •此时,电源指示灯蓝灯 亭。 **ES-RC40**
- •使用的最佳环境温度为 0 至 40 摄氏度。如果在推荐范围以外的温度下使用本产品,本产品可能停止工作。

轻轻地压向面部开始剃须。用另一只手绷紧脸上皮肤, 逆着胡须生长方向前后移动剃须刀。当皮肤适应剃须 刀之后您可以稍稍加大压力,但施加压力过大就可能 会造成皮肤伤害。

修剪下巴长须 ES-RC40

将修剪刀操纵杆推动到" mm1" 位置,修剪刀与外刀刃齐平并使修剪刀方向朝外移动,可同时剃除长须和短须。



修剪鬓角 ES-RC40

将修剪刀操纵杆推动到"**m**2"位置,使修剪刀与皮肤成直角位置后,向下移动可修剪鬓角。










清洁

清洗剃须刀

- 1. 从电源适配器插孔中取出剃须刀。
- 2. 在外刀网上涂抹少量洗手液和水。
- 3. 启动剃须刀并向外刀网撒些水。
- 4. 10 至 20 秒后关闭剃须刀。





3 1110

- 6. 用流动的水清洗剃须刀和外刀部。
- 7. 用干布拭去水珠。



- 8. 将外刀部和剃须刀完全擦干。
- 9. 将外刀部安装至剃须刀上。



剃须刀用水洗后,如果电源指示灯附着有水分,灯的 ES-RC40 亮度可能降低, 此现象并非异常。

使用清洁刷清洁

使用短刷,沿右图所示(A)的移动方向(A) 移动,清洁内刀头。

使用长刷,清洁外刀网,剃须刀机身和 修剪刀。

- •请勿沿(B)方向移动短刷,因为这样 将损坏内刀头而影响刀片的锋利度。
- 请勿使用短刷清洁外刀网。





更换外刀网和内刀头

外刀网	每年一次
内刀头	每两年一次

▶ 更换外刀网

1. 按下外刃架释放按钮并向上提起取出 外刀部。





中外

2. 如图示:轻轻按下外刀网。外刀网随后会从外刃架上弹起。



3. 新的外刀网应当稍稍弯曲并按入,直 至扣到外刃架中为止。



▶ 更换内刀头

1. 按下外刃架释放按钮并向上提起取出 外刀部。



- 2. 取出内刀头。
 - •不要触摸内刀头的边沿(金属部分), 以防止您的手受到损伤。
- 3. 插入内刀头,直至咔嗒一声为止。




更换部件在经销商或 Panasonic 认定维修店有售。

ES-RC40/ES-RC30 的	外刀网	WES9943
更换部件	内刀头	WES9942

内置式充电电池的取出方式

本产品内藏有充电电池,在消费者决定废弃本产品前,请务必将电池从本产品中取出。

- 分解本产品,取出电池前,一定要断开电源。
- 鼓励消费者在决定废弃本产品前,事先征求经销商或 Panasonic 认定维修店的意见,尽量延长本产品的使用 寿命。
- 当消费者决定废弃本产品又不想自行分解本产品取出电池时,鼓励消费者将本产品送往 Panasonic 认定维修店,由维修店对电池进行分解和回收。
- 电池务必废弃于政府规定的地方或回收处理单位。
- •按下图所示的 ① ~ ③ 的顺序拆开本产品,卸下电池。



环境保护与资源回收

此剃须刀使用镍氢电池。

如果您的国家有相关规定,请务必在指定处对旧电池 进行统一处理。



规格

产品名称		电动剃须刀
产品型号		ES-RC40/ES-RC30
电源适配器額	页定输入	220V∼ 50-60Hz 10mA
电源适配器额	页定输出	1. 3V=== 0. 11A
马达电压		1. 2V
充电时间		约8小时
原产地		中国
生产日期		请见商品上刻印
执行标准	中国国家 标准	GB4706. 1 附录 B GB4706. 9
	企业标准	Q/SXDGWB 6

本产品仅适合家庭使用。

中





Thank you for choosing a Panasonic shaver. Please read all instructions before use.

Important

This shaver has a built-in rechargeable battery. Do not throw into fire, apply heat, or charge, use, or leave in a high temperature environment.

▶ Before use

This WET/DRY shaver can be used for wet shaving with shaving lather or for dry shaving. You can use this watertight shaver in the shower and clean it in water. The following is the symbol of Wet shaver. The symbol means that the hand-held part may be used in a bath or shower.



Treat yourself to wet lather shaves for at least three weeks and notice the difference. Your Panasonic WET/DRY shaver requires a little time to get used to because your skin and beard need about a month to adjust to any new shaving method.

▶ Using the shaver

Caution

The outer foil is very thin and can be damaged if not used correctly. Check that the foil is not damaged before using the shaver. Do not use the shaver if the foil etc. is damaged as you will cut your skin.

- Terminate the usage when there is abnormality or failure.
- Do not share with your family or other people.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

► Charging the shaver

- Never use the AC adaptor in the bathroom or shower room.
- Do not use any AC adaptor other than this AC adaptor (RE7-62).
- Plug in the adaptor into a household outlet where there is no moisture and handle it with dry hands.
- Hold the adaptor when disconnecting it from the household outlet. If you tug on the power cord, you may damage it.



• The supply cord cannot be replaced. If the cord is damaged, the AC adaptor should be scrapped.


► Cleaning the shaver

- If you clean the shaver with water, do not use salt water or hot water. Do not soak the shaver in water for a long period of time.
- · Clean the housing only with a soft cloth slightly dampened with tap water or soapy tap water. Do not use thinner, benzine, alcohol or other chemicals.
- Do not wash the AC adaptor with water.

► Storing the shaver

- Store the shaver in a place with low humidity after use.
- Do not store the shaver where it will be exposed to direct sunlight or other heat sources.
- Remove the shaver from the AC adaptor when storing it.
- Please properly store or dispose the plastic bag of the appliance to avoid any accidents, such as infants suffocation, etc. Keep the plastic bag away from infants.

Parts identification



- A Protective cap
- Outer foil section
 - 1) Foil frame
 - ② Outer foil
- Inner blade
- Main body
 - (3) Foil frame release button
 - (4) Power switch [0/1]
 - (5) Switch on lamp ES-RC40

- (6) Appliance socket
- 7 Trimmer ES-RC40
- (8) Trimmer handle

ES-RC40

- AC adaptor (RE7-62)
 - (9) Power cord
 - (10) Charge indicator lamp
- Travel pouch
- G Cleaning brush





Charge

Charging the shaver

Perform the following steps to charge the shaver if it seems to lose the speed.

Turn off the shaver and insert it in the AC adaptor until it clicks as illustrated.



Plug in the adaptor into a household outlet.

The charge indicator lamp glows red.

- Charging is completed after approx. 8 hours.
- The charge indicator lamp glows and stays on until the adaptor is disconnected from a household outlet.
- Recommended ambient temperature for charging is 0-40 °C. The battery may not charge under extreme low or high temperatures.
- · When charging the shaver for the first time or when it has not been in use for more than 6 months, the charge indicator lamp may not glow. It will eventually glow if kept connected.

Shave

Using the shaver



- Slide the power switch upwards.
 - The switch on lamp glows blue. ES-RC40
- Hold the shaver as illustrated above and shave.
- Adequate ambient temperature for using is 0-40 °C. If you use the appliance in temperature outside of the recommended range, it may stop functioning.

Start out shaving by applying gentle pressure to your face. Stretch your skin with your free hand and move the shaver back and forth in the direction of your beard. You may gently increase the amount of pressure as your skin becomes accustomed to this shaver. Applying excessive pressure does not provide a closer shave.





Shaving longer, curly hairs under the chin ES-RC40

Slide the trimmer handle up to the "m1" position. This position makes the trimmer an intercept cutter, cutting long hairs while the outer foil shaves shorter hairs. Make sure that the trimmer is facing outward away from the neck.



Trimming sideburns ES-RC40

Slide the trimer handle up to the "mm2" position. Place at a right angle to your skin and move downwards to trim your sideburns.





Clean

Cleaning the shaver

- Remove the shaver from the AC adaptor.
- 2. Apply some hand soap and some water to the outer foil.
- 3. Turn the shaver on.
- 4. Turn the shaver off after 10-20 seconds.
- 5. Remove the outer foil section and turn the shaver on.
- Clean the shaver and the outer foil section with running water.
- 7. Wipe off any drops of water with a dry cloth.
- 8. Dry the outer foil section and the shaver completely.
- 9. Attach the outer foil section to the shaver.











Fnalish



After washing, water remaining on the switch on lamp may reduce the lamp brightness, but this is not a malfunction. **ES-RC40**

Cleaning with the brush

Clean the inner blade using the short brush by moving it in direction (A). Clean the outer foil, the shaver body and the trimmer using the long brush.



- Do not move the short brush in direction (B) as it will damage the inner blade and affect its sharpness.
- Do not use the short brush to clean the outer foils.





Replacing the outer foil and the inner blade

outer foil	once every year
inner blade	once every two years

► Replacing the outer foil

1. Press the foil frame release button and lift the outer foil section upwards.



Gently push the outer foil in the way as illustrated. Then it will pop up from the foil frame.




The new outer foil should be slightly bent and pushed in until it is hooked in the foil frame.



► Replacing the inner blade

1. Press the foil frame release button and lift the outer foil section upwards.




- 2. Remove the inner blade.
 - Do not touch the edges (metal parts) of the inner blade to prevent injury to your hand.
- 3. Insert the inner blade until it clicks.

► Replacement parts


Replacement parts are available at your dealer or Service Center.

Replacement parts	Outer foil	WES9943
for ES-RC40/ ES-RC30	Inner blade	WES9942



Remove the built-in rechargeable battery before disposing of the shaver. Please make sure that the battery is disposed of at an officially designated location if there is one. Do not dismantle or replace the battery so that you can use the shaver again. This could cause fire or an electric shock. Replace it at an authorized service center

- Remove the shaver from the AC adaptor when removing the battery.
- Perform steps (1) to (3) and lift the battery, and then remove it.




For environmental protection and recycling of materials

This shaver contains a Nickel-Metal Hydride battery. Please make sure that the battery is disposed of at an officially assigned location, if there is one in your country.

Specifications

Product nan	ne	Rechargeable Shaver
Product mod	del	ES-RC40/ES-RC30
Rated input		220V∼ 50-60Hz 10mA
Rated output	ıt	1.3V=== 0.11A
Motor voltag	je	1.2V===
Charging tin	ne	Approx. 8 hours
Place of orig	gin	China
Date of proc	luction	See engraving on the commodity.
Execution	Chinese standard	GB4706.1 appendix B GB4706.9
standard	Company standard	Q/SXDGWB 6

This product is intended for household use only.



保修证

ES-RC40-30 CH, indb

保修条款

有关保修期内Panasonic商品的保修(无偿修理),从购入之日起开始实施。

- 1.保修期内的商品只可在Panasonic认定维修店进行保修;保修时,请出示本保修证及购机发票
 - 以下两点需特别注意:
- a. 本保修证遗失后不再补发,请妥善保管。
- b.本保修证仅限于中华人民共和国国内有效(香港、澳门、台湾三地区暂不可使用)。
- 2.自购入之日起在以下期间内,在正常使用中发生故障的情况下进行保修。

••2年内无偿

整机(除商用产品)・・

- •••6个月 整机(商用产品)・・・
- 有偿提供 内刀头、外刀网、刀头、辅助装置、附件
- 3.属下列情况之一者,即使在保修期内,也不能以保修对待,但是可以实行收费修理:
- a. 未按商品使用说明书要求使用、维护、保管而造成损坏的;
- b. 因不正确操作、电源不正常、破损(如:摔落等)而造成损坏的;
- c. 不经Panasonic认定维修店维修人员拆动造成损坏的;
 - d. 不能出示本保修证及有效购机发票的;
- f. 因不可抗力因素(如雷电、地震、火灾、水灾等)造成损坏的。 e. 保修证上记录的信息与商品实物标识不符或者涂改的;
- 4.本保修条款只适用于消费者个人为生活消费需要而购买使用的场合,

不适用于经营性等使用。

中面	
五	制造编号:
札	制
] 电动剃须刀	ES-RC40/ES-RC30
[商品信息] 商品名称:	商品型号:

[保修回执] 以下回执是保修的重要依据,请勿自行撕下

4
保修结算
制活缩吧:
ES-RC40/ES-RC30
極品 野市・

₹ <u>₩</u>	1	保修:
	i	
	i	
	i	
	i	
	i i	
	i	
	i	
	i	
	i	
	i	
	i	
	- 1	
	- 1	
	- 1	
	1	
	1	
	1	
	1	
	- 1	
D	1	пІр
P	- 1	ᄱ
	1	制造编号
Ų	- 1	牭
3	- 1	亚
_	1	
	1	_
3	- 1	8
5	1	\ddot{c}
	- 1	S-RC40/ES-RC30
)	- 1	ι'n
ĺ	- 1	ш
5	- 1	0
ŀ	- 1	4
2	- 1	\approx
-	- 1	4
,	- 1	လ
1	- 1	Ш
	- 1	
	- 1	
	- 1	
	- 1	
P	1	пІр
11	- 1	꺜
Д	1	벡
Ė	1	먠
	1	商品型号
	- !	
	- !	

保修结算2	
制造编号:	
RC40/ES-RC30	
ES-	
商品型号	1 1 1 1 1 1 1
	- 1

制造编号:	制治编号:
ES-RC40/ES-RC30	ES-RC40/ES-RC30
商品型号:	- 中国





保修证管理编码印刷处:

本保修证内容如有变更恕不另行通知


[销售记录] 未完	未完整记录以下信息将可能无法进行保修	
销售日期:	发票号码:	安装調试日期: (盖章)
顾客姓名:	联系电话:	
顾客地址:		邮 编:
销售店名称:		
销售店地址:		邮 编:
[维修记录]		
维修店名称:	联系电话:	送修日:
维修店地址:		邮 编:
故障内容:	故障原因:	
维修内容:		
维修员签字:	交验日期:	
维修店名称:	联系电话:	送修日:
维修店地址:		邮 编:
故障内容:	故障原因:	
维修内容:		
维修员签字:	交验日期:	
维修店名称:	联系电话:	送修日:
维修店地址:		邮 编:
故障内容:	故障原因:	
维修内容:		
维修员签字:	+ - - - - - - - - - -	

松下电器 (中国) 有限公司

Panasonic官方网站: http://panasonic.cn













松下电工•万宝电器(广州)有限公司 (PEWWBG) Panasonic Electric Works Wanbao (Guangzhou) Co., Ltd.

工厂地址: 广州市番禺区市广路万宝基地

(Address): Wanbao Base, Shiguang Road, Panyu District, Guangzhou

电话 (Tel): (020)84770333 传真 (Fax): (020)84773033 邮政编码 (Post Code): 511495

原产地: 中国

中国印刷 Printed in China 00000000 X0009-0 发行: 2010年0月

F CH, EN