Part I: Reflections from HW1

- 0. Kaiwen Zheng, Haoyu Zhang, Xiao Tan
- 1. Discuss solutions with teammates, write part of report, and part of code.
- 2. have made.
- 3. I think include those not observed will be better. Because even train set could large, it may not include every case in this mode. Those unobserved case just have a very low possibility, not mean that they are not exist.
- 4.(a) underfitting
- (b) Yes, it is.
- (c) predict 100% will be better. Like negative examples are 75%, Based on $p^2+(1-p)^2$, when we assume it 100% negative, the negative possibility could be 75%. then, assume it 75% negative, it will be 75%*75%+25%*(1-75%) = 62.5% < 75%. so predict 100% negative will be better.
- (d) Our mode bias is -5, and Doctoral degree is 64, so it can be bias.
- (a)

```
636 31, Private, 1st-4th, Never-married, Other-service, White, Female, 25, El-Salvador, <=50K
22 23, Private, 5th-6th, Never-married, Other-service, White, Male, 40, El-Salvador, <=50K -1 -2.70033811743
1414 56, Private, 7th-8th, Never-married, Other-service, White, Female, 30, United-States, <=50K
-1 -2.69689502685
267 25, Private, 1st-4th, Never-married, Priv-house-serv, White, Female, 40, Guatemala, <=50K -1 -2.56561317198
717 55, Local-gov, 7th-8th, Never-married, Other-service, Black, Female, 40, United-States, <=50K
-1 -2.52229451263
185 50, Self-emp-inc, Prof-school, Married-civ-spouse, Prof-specialty, Asian-Pac-Islander, Male, 50, Philippines, >50K
1 1.31762662224
951 50, Self-emp-inc, Prof-school, Married-civ-spouse, Prof-specialty, White, Male, 45, United-States, >50K
1 1.31642855682
1148 50, Self-emp-inc, Prof-school, Married-civ-spouse, Prof-specialty, White, Male, 60, United-States, >50K
1 1.30556133688
730 47, Private, Prof-school, Married-civ-spouse, Prof-specialty, White, Male, 50, United-States, >50K 1 1.24280601975
87 52, Self-emp-inc, Prof-school, Married-civ-spouse, Exec-managerial, White, Male, 40, United-States, <=50K
-1 1.2304325978
```

(b)

Only the last predict is incorrect.

(c)

the most positive: the most negative one:

45 23
Federal-gov State-gov
Doctorate HS-grad

Doctorate HS-grad
Married-civ-spouse Never-married
Exec-managerial Other-service

White Other
Male Female
50 30
Italy South

(d)

```
24, Private, Bachelors, Married-civ-spouse, Tech-support, White, Male, 50, United-States, <=50K 0.330364894224
49, Local-gov, HS-grad, Married-civ-spouse, Protective-serv, White, Male, 40, United-States, >50K -0.180635360789
47, Private, Some-college, Married-civ-spouse, Tech-support, White, Male, 45, United-States, <=50K 0.332874485356
54, Self-emp-inc, 7th-8th, Married-civ-spouse, Machine-op-inspct, White, Male, 40, United-States, >50K -0.634818468446
56, Self-emp-not-inc, Some-college, Married-civ-spouse, Sales, White, Male, 45, United-States, <=50K 0.0625332938505
32, Private, Some-college, Married-civ-spouse, Exec-managerial, White, Male, 50, United-States, <=50K 0.242916232085
47, Local-gov, Masters, Married-civ-spouse, Prof-specialty, White, Male, 40, United-States, <=50K 0.614607300615
60, Private, HS-grad, Married-civ-spouse, Craft-repair, White, Male, 40, United-States, >50K
```

60, Private, HS-grad, Married-civ-spouse, Craft-repair, White, Male, 40, United-States, >50K -0.342181409269

39, Private, Bachelors, Married-civ-spouse, Craft-repair, White, Male, 40, United-States, <=50K 0.186929502423

39, Private, Some-college, Married-civ-spouse, Farming-fishing, White, Male, 50, United-States, >50K -0.186532597012

Part II: SVM Theory

1.

(a) maximize geometric margin

$$\max_{w} \frac{1}{\parallel w \parallel} s.t. \forall (x, y) \in D, y(w \cdot x) \ge 1$$

(b) minimize weight norm

$$\min_{w} \frac{1}{2} \| w \|^2 \ s.t. \forall (x, y) \in D, y(w \cdot x) \ge 1$$

2.

(a) if we replace the minimum functional margin of 1 by 10

Length of weight norm will be changed to 10 times.

(b) if we require the geometric margin to be at least 1

We can't because it depends on feature mapping, we can't decide produces of geometric margin.

3.

At most d+1, d is dimensions.

4.

a) F

maybe not a SVM mode. Even it is a SVM mode, it could be on the margin but not in support vector set.

b) T


it is true.


5.

- a) convex hull will be very hard to compute in high dimension;
- b) we don't need to figure out a whole convex hull, only the parts near margin, convex hull will make this problem complicate.

6.

(a) one constraint is active; (b) both constraints are active.





7.

2 support vectors

8.

The convex optimization easier than the general case since local minimum must be a global minimum, and first-order conditions are sufficient conditions for optimality.

9.

Not all QP instances are convex optimization, only those convex QP instances are convex optimization.

All linear programs instances are convex optimization.

SVM is SV set are convex set, and a convex problem is optimized a convex function over a convex set. So SVM is a convex problem.

10.

min
$$\chi^{2}$$

St. $1 \leq \chi \leq 2$

L($\chi_{1}, \alpha_{1}, \alpha_{2}$) = $\chi^{2} - \alpha_{1}(\chi - 1) = \alpha_{2}(2 - \chi)$
 $\frac{QL}{2\pi} = 2\chi - \alpha_{1} + \alpha_{2} \Rightarrow 0 \Rightarrow \chi - \frac{\alpha_{1} - \alpha_{2}}{2}$

So. $L(\chi_{1}, \alpha_{1}, \chi_{1}) = (\frac{\alpha_{1} - \alpha_{2}}{2})^{2} - \alpha_{1}(\frac{\alpha_{1} - \alpha_{2}}{2})^{2} - \alpha_{2}(\frac{\alpha_{1} - \alpha_{2}}{2})$
 $= \frac{\alpha_{1}^{2} + \alpha_{2}^{2} - 2\alpha_{1}\alpha_{2}}{4} - \frac{\alpha_{1}^{2}}{2} + \frac{\alpha_{1}\alpha_{2}}{2} + \alpha_{1} - 2\alpha_{2} + \frac{\alpha_{1}\alpha_{2}}{2}$
 $= -\frac{1}{4} C\alpha_{1} - \alpha_{2} + \frac{\alpha_{1}\alpha_{2}}{2} + \alpha_{1} - 2\alpha_{2}$
 $= -\frac{1}{4} (\alpha_{1} - \alpha_{2} - 2)^{2} + \alpha_{2} + \alpha_{1}$
 $= -\frac{1}{4} (\alpha_{1} - \alpha_{2} - 2)^{2} + \alpha_{2} + \alpha_{1}$

Therefore, when $\chi_{1} - \alpha_{2} = 2$ get max: $\chi = \frac{\alpha_{1} - \alpha_{2}}{2} = 1$
 $\chi = 1$ is the arther constraint,

11.

There exist μ_i can make inequities conditions in KKT become equities conditions. When there are no inequality constraints, the KKT conditions turn into Lagrange conditions, so we can solve this problem with Lagrange multipliers.

DEBRIEF SECTION

- 1. Discuss with other students. Kaiwen Zheng
- 2.8 hours
- 3. Difficult
- 4. just in right place
- 5. videos are really helpful for us to review.