排序器

bge-reranker

```python
from FlagEmbedding import FlagReranker
reranker = FlagReranker('BAAI/bge-reranker-base', use_fp16=True) # 将 use_fp16 设置为 True 可以加速计算，但会

score = reranker.compute_score(['query', 'passage'])
print(score) # -5.65234375

# 可以通过设置 "normalize=True" 将分数映射到 0-1 范围内，这将对分数应用一个 sigmoid 函数。
score = reranker.compute_score(['query', 'passage'], normalize=True)
print(score) # 0.003497010252573502

scores = reranker.compute_score([['what is panda?', 'hi'], ['what is panda?', 'The giant panda (Ailuropoda mel
print(scores) # [-8.1875, 5.26171875]

# 可以通过设置 "normalize=True" 将分数映射到 0-1 范围内，这将对分数应用一个 sigmoid 函数。
scores = reranker.compute_score([['what is panda?', 'hi'], ['what is panda?', 'The giant panda (Ailuropoda mel
print(scores) # [0.00027803096387751553, 0.9948403768236574]
```

错误

```
(mpsFileLoc): /AppleInternal/Library/BuildRoots/b11baf73-9ee0-11ef-b7b4-7aebe1f78c73/Library/Caches/com.apple.
(mpsFileLoc): /AppleInternal/Library/BuildRoots/b11baf73-9ee0-11ef-b7b4-7aebe1f78c73/Library/Caches/com.apple.
```

FlagEmbedding