重排器

bge-reranker

```python
from FlagEmbedding import FlagReranker
reranker = FlagReranker('BAAI/bge-reranker-base', use_fp16=True) # 將 use_fp16 設置為 True 可以加快計算速度，

score = reranker.compute_score(['query', 'passage'])
print(score) # -5.65234375

# 可以通過設置 "normalize=True" 將分數映射到 0-1 范圍內，這將對分數應用一個 sigmoid 函數。
score = reranker.compute_score(['query', 'passage'], normalize=True)
print(score) # 0.003497010252573502

scores = reranker.compute_score([['what is panda?', 'hi'], ['what is panda?', 'The giant panda (Ailuropoda mel
print(scores) # [-8.1875, 5.26171875]

# 可以通過設置 "normalize=True" 將分數映射到 0-1 范圍內，這將對分數應用一個 sigmoid 函數。
scores = reranker.compute_score([['what is panda?', 'hi'], ['what is panda?', 'The giant panda (Ailuropoda mel
print(scores) # [0.00027803096387751553, 0.9948403768236574]
```

錯誤

```
(mpsFileLoc): /AppleInternal/Library/BuildRoots/b11baf73-9ee0-11ef-b7b4-7aebe1f78c73/Library/Caches/com.apple.
(mpsFileLoc): /AppleInternal/Library/BuildRoots/b11baf73-9ee0-11ef-b7b4-7aebe1f78c73/Library/Caches/com.apple.
```

FlagEmbedding