

# بروكسي مع تونل

```
% GIT_TRACE=1 GIT_CURL_VERBOSE=1 git push
21:32:14.216308 exec-cmd.c:139      trace: resolved executable path from Darwin stack: /Applications/Xcode
21:32:14.216594 exec-cmd.c:238      trace: resolved executable dir: /Applications/Xcode.app/Contents/Devel
21:32:14.216949 git.c:460           trace: built-in: git push
21:32:14.218655 run-command.c:655   trace: run_command: unset GIT_PREFIX; ssh git@github.com 'git-receive-
Everything up-to-date
```

```
`git push`                                `ssh git@github.com`.                SSH                .
```

```
`corkscrew`                               SSH                .                macOS                Homebrew :
```

```
`brew install corkscrew`.
```

```
`~/ssh/config`:
```

```
```bash
```

```
Host *
```

```
    UseKeychain yes
```

```
    AddKeysToAgent yes
```

```
    IdentityFile ~/.ssh/id_rsa
```

```
    ProxyCommand corkscrew localhost 7890 %h %p
```

المخلص:

138.201.174.0 127.0.0.1:7890  
127.0.0.1:7890

9.8 1, 3.3.6 1: 127.0.0.1:7890 138.201.174.0 21: 127.0.0.1:7890 54: 127.0.0.1:7890 138.201.174.0 3: 127.0.0.1:7890 2: 127.0.0.1:7890 1: 127.0.0.1:7890 138.201.174.0 22 1: 127.0.0.1:7890 138.201.174.0 2.0 9.8 1: 127.0.0.1:7890 13.5 1: 127.0.0.1:7890 9.6 1 3 13.5 1: 127.0.0.1:7890 9.6 1 3 13.5 0 04000000 2: 5

2

[illegible]

[illegible]

[illegible]