
layer 07 | mlp.up_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.7.mlp.up_proj.dqweight
shape: 14336x4096
before_abs_max: 0.25
after_abs_max: 0.0625
before_zero_frac: 0.107471
after_zero_frac: 0.104111
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.25
0.20
0.15
0.10
0.05
0.00
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 07 | self_attn.k_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.7.self_attn.k_proj.dqweight
shape: 1024x4096
before_abs_max: 0.25
after_abs_max: 0.166992
before_zero_frac: 0.109735
after_zero_frac: 0.106627
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 07 | self_attn.o_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.7.self_attn.o_proj.dqweight
shape: 4096x4096
before_abs_max: 0.333984
after_abs_max: 0.25
before_zero_frac: 0.107316
after_zero_frac: 0.107049
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 09 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.9.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.667969
after_abs_max: 0.25
before_zero_frac: 0.10833
after_zero_frac: 0.103675
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 09 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.9.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.5
after_abs_max: 0.125
before_zero_frac: 0.109271
after_zero_frac: 0.105794
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 09 | self_attn.v_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.9.self_attn.v_proj.dqweight
shape: 1024x4096
before_abs_max: 0.0834961
after_abs_max: 0.0834961
before_zero_frac: 0.115693
after_zero_frac: 0.107813
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 14 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.14.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.5
after_abs_max: 0.166992
before_zero_frac: 0.109822
after_zero_frac: 0.10537
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 14 | self_attn.k_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.14.self_attn.k_proj.dqweight
shape: 1024x4096
before_abs_max: 0.333984
after_abs_max: 0.166992
before_zero_frac: 0.114849
after_zero_frac: 0.105899
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)

layer 14 | self_attn.q_proj | row_outliers (abs_max per output channel)




layer 15 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.15.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.5
after_abs_max: 0.166992
before_zero_frac: 0.107486
after_zero_frac: 0.103244
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 15 | self_attn.k_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.15.self_attn.k_proj.dqweight
shape: 1024x4096
before_abs_max: 0.333984
after_abs_max: 0.25
before_zero_frac: 0.110952
after_zero_frac: 0.106591
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 15 | self_attn.v_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.15.self_attn.v_proj.dqweight
shape: 1024x4096
before_abs_max: 0.125
after_abs_max: 0.0625
before_zero_frac: 0.117461
after_zero_frac: 0.105973
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.02
0.04
0.06
0.08
0.10
0.12
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 23 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.23.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.5
after_abs_max: 0.0834961
before_zero_frac: 0.104337
after_zero_frac: 0.103327
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
output channel index (normalized)


layer 23 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.23.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.333984
after_abs_max: 0.166992
before_zero_frac: 0.106836
after_zero_frac: 0.1059
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 23 | mlp.up_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.23.mlp.up_proj.dqweight
shape: 14336x4096
before_abs_max: 0.166992
after_abs_max: 0.0625
before_zero_frac: 0.104594
after_zero_frac: 0.103428
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.02
0.04
0.06
0.08
0.10
0.12
0.14
0.16
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 27 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.27.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.5
after_abs_max: 0.0834961
before_zero_frac: 0.104161
after_zero_frac: 0.102739
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
output channel index (normalized)


layer 27 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.27.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.333984
after_abs_max: 0.125
before_zero_frac: 0.106825
after_zero_frac: 0.105602
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 27 | self_attn.v_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.27.self_attn.v_proj.dqweight
shape: 1024x4096
before_abs_max: 0.25
after_abs_max: 0.0834961
before_zero_frac: 0.115466
after_zero_frac: 0.105273
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.25
0.20
0.15
0.10
0.05
0.00
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)