
layer 07 | mlp.up_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.7.mlp.up_proj.dqweight
shape: 14336x4096
before_abs_max: 0.273438
after_abs_max: 0.0625
before_zero_frac: 0.0671212
after_zero_frac: 0.0653338
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.0
0.2
0.4
0.6
0.8
1.0
output channel index (normalized)


layer 07 | self_attn.k_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.7.self_attn.k_proj.dqweight
shape: 1024x4096
before_abs_max: 0.249023
after_abs_max: 0.176758
before_zero_frac: 0.0665257
after_zero_frac: 0.0649405
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.0
0.2
0.4
0.6
0.8
1.0
output channel index (normalized)


layer 07 | self_attn.o_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.7.self_attn.o_proj.dqweight
shape: 4096x4096
before_abs_max: 0.292969
after_abs_max: 0.229492
before_zero_frac: 0.0654994
after_zero_frac: 0.0652413
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.0
0.2
0.4
0.6
0.8
1.0
output channel index (normalized)


layer 09 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.9.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.585938
after_abs_max: 0.229492
before_zero_frac: 0.0675409
after_zero_frac: 0.0652369
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.0
0.1
0.2
0.3
0.4
0.5
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 09 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.9.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.4375
after_abs_max: 0.136719
before_zero_frac: 0.0670627
after_zero_frac: 0.0653467
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 09 | self_attn.v_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.9.self_attn.v_proj.dqweight
shape: 1024x4096
before_abs_max: 0.0878906
after_abs_max: 0.0751953
before_zero_frac: 0.0699377
after_zero_frac: 0.0651081
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
0.08
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 14 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.14.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.458984
after_abs_max: 0.174805
before_zero_frac: 0.0674107
after_zero_frac: 0.0652876
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.0
0.1
0.2
0.3
0.4
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
0.0
0.1
0.2
0.3
0.4
0.0
0.2
0.4
0.6
0.8
1.0
output channel index (normalized)


layer 14 | self_attn.k_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.14.self_attn.k_proj.dqweight
shape: 1024x4096
before_abs_max: 0.359375
after_abs_max: 0.198242
before_zero_frac: 0.0692656
after_zero_frac: 0.0650496
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 14 | self_attn.q_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.14.self_attn.q_proj.dqweight
shape: 4096x4096
before_abs_max: 0.308594
after_abs_max: 0.141602
before_zero_frac: 0.0679881
after_zero_frac: 0.0651656
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 15 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.15.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.558594
after_abs_max: 0.142578
before_zero_frac: 0.0674351
after_zero_frac: 0.0652692
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.0
0.1
0.2
0.3
0.4
0.5
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 15 | self_attn.k_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.15.self_attn.k_proj.dqweight
shape: 1024x4096
before_abs_max: 0.359375
after_abs_max: 0.207031
before_zero_frac: 0.0672212
after_zero_frac: 0.0651238
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 15 | self_attn.v_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.15.self_attn.v_proj.dqweight
shape: 1024x4096
before_abs_max: 0.120117
after_abs_max: 0.0595703
before_zero_frac: 0.0713086
after_zero_frac: 0.0649571
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.02
0.04
0.06
0.08
0.10
0.12
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 23 | mlp.down_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.23.mlp.down_proj.dqweight
shape: 4096x14336
before_abs_max: 0.574219
after_abs_max: 0.0957031
before_zero_frac: 0.0659251
after_zero_frac: 0.0654376
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.0
0.1
0.2
0.3
0.4
0.5
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 23 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.23.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.404297
after_abs_max: 0.155273
before_zero_frac: 0.0657887
after_zero_frac: 0.065389
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)


layer 23 | mlp.up_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.23.mlp.up_proj.dqweight
shape: 14336x4096
before_abs_max: 0.172852
after_abs_max: 0.0610352
before_zero_frac: 0.0660589
after_zero_frac: 0.0654361
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.02
0.04
0.06
0.08
0.10
0.12
0.14
0.16
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
output channel index (normalized)

layer 27 | mlp.down_proj | row_outliers (abs_max per output channel)




layer 27 | mlp.gate_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.27.mlp.gate_proj.dqweight
shape: 14336x4096
before_abs_max: 0.373047
after_abs_max: 0.137695
before_zero_frac: 0.0659771
after_zero_frac: 0.0653447
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.0
0.2
0.4
0.6
0.8
1.0
output channel index (normalized)


layer 27 | self_attn.v_proj | row_outliers (abs_max per output channel)
before(identity)
tensor: model.layers.27.self_attn.v_proj.dqweight
shape: 1024x4096
before_abs_max: 0.231445
after_abs_max: 0.0854492
before_zero_frac: 0.0712285
after_zero_frac: 0.0652208
max_points: 4096
y_pad: 1.0
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.0
0.2
0.4
0.6
0.8
1.0
after(hadamard)
row abs_max (max_j |W[i,j]|)
0.00
0.05
0.10
0.15
0.20
0.0
0.2
0.4
0.6
0.8
1.0
output channel index (normalized)