Lab 3.1

Our First advice

- **In your project create a class com.student.aspect.StudentAspect**
- **Annotate it with @Named and @Aspect to indicate its Spring Managed and an Aspect**
- **Define a logger as follows (the port is slf4j.*);**

```
private Logger LOG =
LoggerFactory.getLogger(this.getClass().getSimpleName());
```

- **Now define a Pointcut to intercept any Class, any method, with any arguments in the package com.student.service**

```
@Pointcut("execution(* com.student.service.*.*(..))")
public void log() {
}
```

© LearnQuest 2021

Lab 03.1

Trigger the advice

- Now define two methods in the aspect that are tied to this Pointcut as a @Before and @After Advice respectively
- What we see are advices triggered before and after target bean methods;

```
Student get(long id);
Collection<Student> getAllStudents();
Collection<Student> getStudentsByDepartment(String department);
```

- Relaunch your Spring Boot Application and test using your Angular Client. Just by opening the enrollment.html page we see output in the logs

```
StudentAspect                              : Invoked Method Before->getAllStudents
StudentAspect                              : Invoked Method Before->getAllStudents
StudentAspect                              : Invoked Method After->getAllStudents
StudentAspect                              : Invoked Method After->getAllStudents
```

- Why twice?
- Once for the department drop down menu and once for the list of students

© LearnQuest 2021

Lab 3.1

Further advices

If you continue testing, you will see further output

```
StudentAspect                                  : Invoked Method Before->get
StudentAspect                                  : Invoked Method After->get
StudentAspect                                  : Invoked Method Before->getStudentsByDepartment
StudentAspect                                  : Invoked Method After->getStudentsByDepartment
```

© LearnQuest 2021