A

TAS-20 subscale scores by VVIQ Group (combined data from all studies)

$N_{Aphant.} = 92$, $N_{Hypophant.} = 38$, $N_{Typical.} = 334$, $N_{Hyperphant.} = 35$



Combined data from Burns et al. (2024), Monzel et al. (2024) & Ruby (2025)

B

Data from Burns et al. (2024)

$N_{Aphant.} = 60$, $N_{Hypophant.} = 15$, $N_{Typical.} = 102$, $N_{Hyperphant.} = 15$



C

Data from Monzel et al. (2024)

$N_{Aphant.} = 20$, $N_{Hypophant.} = 10$, $N_{Typical.} = 68$, $N_{Hyperphant.} = 7$



D

Data from Ruby (2025)

$N_{Aphant.} = 12$, $N_{Hypophant.} = 13$, $N_{Typical.} = 164$, $N_{Hyperphant.} = 13$



A

TAS-20 subscale scores by VVIQ Group (combined data from all studies)

$N_{Aphant.} = 92$, $N_{Hypophant.} = 38$, $N_{Typical.} = 334$, $N_{Hyperphant.} = 35$



Combined data from Burns et al. (2024), Monzel et al. (2024) & Ruby (2025)

B

Data from Burns et al. (2024)

$N_{Aphant.} = 60$, $N_{Hypophant.} = 15$, $N_{Typical.} = 102$, $N_{Hyperphant.} = 15$



C

Data from Monzel et al. (2024)

$N_{Aphant.} = 20$, $N_{Hypophant.} = 10$, $N_{Typical.} = 68$, $N_{Hyperphant.} = 7$



D

Data from Ruby (2025)

$N_{Aphant.} = 12$, $N_{Hypophant.} = 13$, $N_{Typical.} = 164$, $N_{Hyperphant.} = 13$