Lys

A simple Beamer and Rmarkdown template

Markus Freitag

(supervisor/co-author/etc.)

May 23, 2020

Institution or Company of High Esteem

Table of Contents

First Section

An Ode to IBM Plex

IBM Plex is an open source typeface designed by Mike Abbink at IBM: `https://www.ibm.com/plex/`.

Especially its “sans” variant is gorgeously clear for presentations (and, imho, even better than Firefox’s Fira font). Full math symbols will probably become available soon: `https://github.com/IBM/plex/issues/250`.

Until then, the LaTeX-package “mathastext” used in this template works fine, e.g.:

$$y_i \sim N(\mu, \sigma)$$

A First Frame

The first frame starts with some random items[1]:

- this is the first item
- this is the second item
- **the third item is highlighted**

Followed by an enumeration:

1. first
2. second
3. third

[1] Here is the footnote.

A Table

Tables should rarely be used in presentations:

Table 1: Your Caption

Tables	Are	Bad
col 1 is	left-aligned	$1600
col 2 is	centered	$12
col 3 is	right-aligned	$1

A Figure

Figure 1: Including a graphic.

A DAG



Figure 2: A dag.

Some Citations

Let’s quote (Holland 1986).

Code & Plots

Code Chunks

A code chunk:

```
g = ggplot(mtcars, aes(x=wt, y=mpg, color=cyl, size=cyl)) +
      geom_point() +
      theme(legend.position="none")
```

A Plot



Figure 3: A scatter plot

References

Holland, Paul W. 1986. “Statistics and Causal Inference.” *Journal of the American Statistical Association* 81 (396): 945–60. https://doi.org/10.1080/01621459.1986.10478354.