

Lys

A simple Beamer and Rmarkdown template

Markus Freitag

(supervisor/co-author/etc.)

oday

Institution or Company of High Esteem



Table of Contents

1. First Section

2. Code & Plots

First Section

An Ode to IBM Plex

IBM Plex is an open source typeface designed by Mike Abbink at IBM:
<https://www.ibm.com/plex/>.

Especially its “sans” variant is gorgeously clear for presentations (and, imho, even better than Firefox’s Fira font). Full math symbols will probably become available soon:
<https://github.com/IBM/plex/issues/250>.

Until then, the \LaTeX -package “mathastext” used in this template works fine, e.g.:

$$y_i \sim N(\mu, \sigma)$$

A First Frame

The first frame starts with some random items¹:

- this is the first item
- this is the second item
- **the third item is highlighted**

Followed by an enumeration:

1. first
2. second
3. third

¹Here is the footnote.

A Table

Tables should rarely be used in presentations:

Table 1: Your Caption

Tables	Are	Bad
col 1 is	left-aligned	\$1600
col 2 is	centered	\$12
col 3 is	right-aligned	\$1

A Figure



Figure 1: Including a graphic.

A DAG




Figure 2: A dag.

Some Citations

Let's quote (Holland 1986).

Code & Plots

Code Chunks

A code chunk:

```
g = ggplot(mtcars, aes(x=wt, y=mpg, color=cyl, size=cyl)) +  
  geom_point() +  
  theme(legend.position="none")
```

A Plot




Figure 3: A scatter plot

References

Holland, Paul W. 1986. "Statistics and Causal Inference." *Journal of the American Statistical Association* 81 (396): 945–60.
<https://doi.org/10.1080/01621459.1986.10478354>.