Visoka škola strukovnih studija za informacione I komunikacione tehnologije

Web programiranje 1



Mlađan Gavrilović 268/19

Sadržaj

| UVOD | 3 |
|--------------------------------|---|
| A) Korišćeni programski jezici | |
| B) Opis funkcionalnosti | |
| SITEMAP | |
| Kodovi | |
| Index.html | |
| Author.html | |
| Style.scss | |
| Main.js | |

UVOD

A) Korišćeni programski jezici:

Za izradu sajta korišćeni su sledeci programski i markup jezici:

- HTML
- BOOTSTRAP
- SASS
- JQUERY
- JAVASCRIPT
- XML(Sitemap)

Korišćeni pluginovi:

- Slick
- AOS Animate on scroll

B) Opis funkcionalnosti:

Meni: Navigacija je dinamički ispisana pomoću javascripta. Korišćen je "scroll-behavior: smooth" za skrolovanje na stranici, kao I "To the Top" dugme koje vraca na početak stranice.

Slajder: Slajder je napravljen pomoću Slick plugin-a. Na ekranima manjim od 900px slajderu se menja visibility. Dodate su dodatne opcije pomoću jquery-a.

Forma: Na keyup-u se pomoću regularnih izraza proveravaju uneti podaci. Pritiskom na taster 'Submit' proveravaju se podaci i izbacuje se alert o validnim ili invalidnim podacima.

Prozvodi: Proizvodi na index.html stranici su dinamički ispisani putem javascripta. Mogu da se izaberu kategorije pomoću switch

buttona iznad proizvoda (figures, hoodies, shirts). Prilikom pritiska na bilo koje dugme, dodaje se klasa active i brise se ova klasa sa predhodnog dugmeta.

Banner: Banner je dinamički učitan pomoću jquery-a, dodate su mu animacije pomocu AOS-a.

About us: Paragraf text koji se prosiruje klikom na dugme 'Show more' i smanjuje klikom na 'Hide'.

Footer: Dinamički ispisani linkovi.

Responsive: Sajt je optimizovan za sve uređaje. Korišćen je

BOOTSTRAP.

SITEMAP

Kodovi

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="keywords" content="game, games, riot, league of legends" />
    <meta name="description" content="League of Legends figure store. This is a s</pre>
chool project made by a fan of Riot Games." />
    <meta name="author" content="Mladjan Gavrilovic" />
    <script src="https://kit.fontawesome.com/510440c54e.js" crossorigin="anonymou</pre>
s"></script>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css"
    integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="an
onymous">
    <script src="https://code.jquery.com/jquery-3.4.1.min.js" integrity="sha256-</pre>
CSXorXvZcTkaix6Yvo6HppcZGetbYMGWSF1Bw8HfCJo="
    crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.mi</pre>
n.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="an
onymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.</pre>
min.js"
    integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="an
onymous"></script>
    <link href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet">
    <link rel="stylesheet" type="text/css" href="assets/css/slick.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/slick-theme.css"/>
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel="icon" href="assets/images/icon.ico" type="image/icon" />
    <title>League Store</title>
</head>
<body>
  <header>
```

```
<nav class="navbar navbar-light navbar-expand-lg" id="nav-top">
     <div class="container">
         <a href="#"><img src="assets/images/logo.png" alt="logo" class="navbar-</pre>
brand" id="logo"/></a>
         <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbarSupportedContent"
         aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
             <span id="menuButton" class="fa fa-bars"></span>
         <div class="collapse navbar-collapse" id="navbarSupportedContent">
             </div>
     </div>
  </nav>
   <div id='slider' class="single-item">
     <img class="sliderImg" src="assets/images/banner1.jpg" alt="Winter Ahri"/>
     <img class="sliderImg" src="assets/images/banner2.jpg" alt="Winter Poro"/>
     <img class="sliderImg" src="assets/images/banner3.jpg" alt="Dark Star Orian</pre>
na"/>
   </div>
  </header>
  <section id='aboutUs' class="container py-2">
   <h2 class='text-center py-2'>About Us</h2>
   Riot Games, Inc. is an American video game developer, publisher, and esport
s tournament organizer based in West Los Angeles, California. The company was fou
nded in September 2006 by University of Southern California roommates Brandon Bec
k and Marc Merrill.
   2">Riot Games is best known for League of Legends, a multiplayer online battle ar
ena game and the company's flagship product. Riot Games also operates various espo
rts tournaments for the game, including the League of Legends World Championship,
the Championship Series, the European Championship, and the Mid-
Season Invitational.
   2"> In League of Legends, players form a team of five and assume the role of a ch
```

```
ampion, characters with unique abilities, generally varying around a type of clas
s, and battle against a team of player- or computer-
controlled champions. In the main game mode, Summoner's Rift, the goal is to dest
roy the opposing team's "Nexus", a structure that lies at the heart of their base
 and is protected by defensive structures.
    <div class="flexWrap"><span id="showMore" class="link">Show more <i class="fa</pre>
s fa-caret-down"></i></span></div>
    center">After League of Legends was released in 2009. , Riot Games made a couple
of new games such as : 'Valorant' a first person shooter game, 'Legends of Runete
rra' a card game, 'Teamfight Tactics' an auto-
chess based game. They announced two more upcoming games and an animated movie.</
    <div class="flexWrap"><span id="hide" class="link">Hide <i class="fas fa-</pre>
caret-up"></i></span></div>
  </section>
      <main id="mainBlock" class="pt-3 pb-5">
          <section class="product-section">
              <div class="container">
                  <div class="heading-wrap text-center py-4">
                      <h1 class='d-inline-block bg-white'>Products</h3>
                  </div>
                  <div class="swapButton row py-2">
                 </div>
                  <div class="row best-sales py-4">
                 </div>
              </div>
          </section>
      </main>
      <section id="offer" class="bg-light py-3">
        <div class="container">
          <div class="row offerSec" >
          </div>
        </div>
      </section>
      <section id="contact">
        <div class="container py-4">
          <div class="heading-wrap text-center">
```

```
<h1 class='d-inline-block bg-white py-3'>Ask us anything</h3>
        </div>
          <form>
            <div class="row py-3">
              <div class="col">
                <input type="text" class="form-</pre>
control" id='ime' placeholder="First name*" onkeyup="imeCheck()">
              </div>
              <div class="col">
                <input type="text" class="form-</pre>
control" id='prezime' placeholder="Last name*" onkeyup="prezCheck()">
              </div>
            </div>
            <div class="row py-3">
              <div class="col">
                <input type="email" class="form-</pre>
control" id='email' placeholder="E-mail*" onkeyup="emailCheck()">
              </div>
              <div class="col">
                <input type="tel" class="form-</pre>
control" placeholder="Phone Number">
              </div>
            </div>
            <div class="row py-3">
              <div class="col-12">
                <div class="form-group">
                   <label for="exampleFormControlTextarea1">Got any questions?</la>
bel>
                   <textarea class="form-
control" id="questions" rows="3" onkeyup="treaCheck()"></textarea>
                </div>
              </div>
            </div>
            <div class="row py-3">
              <div class="col-12 d-flex justify-content-center">
                <button type="button" class="btn btn-outline-dark mr-</pre>
2" id='submitButtonCheckData' onclick="valid()">Submit</button>
                <button type="reset" class="btn btn-outline-dark ml-</pre>
2" id="resetData">Reset</button>
              </div>
            </div>
          </form>
        </div>
      </section>
```

```
<footer id='footerBar'>
        <a href='#nav-top'><button id="myBtn" title="Go to top"><i class="fas fa-</pre>
angle-double-up"></i></button></a>
        <div class="container">
          <div class="row justify-content-between">
          <div class="col-md-6 text-center py-1 footerLinks">
          </div>
          <div class="col-md-6 text-center pt-3 ">
            <h2 class="socials"></h2>
            <a href="https://www.facebook.com/" target="_blank"><i class="fab fa-</pre>
facebook-f"></i></a>
            <a href="https://www.twitter.com/" target="_blank"><i class="fab fa-</pre>
twitter"></i></a>
            <a href="https://www.instagram.com/" target="_blank"><i class="fab fa</pre>
-instagram"></i></a>
          </div>
          </div>
        </div>
        <div class="text-center">
            Copyright © Mladjan Gavrilovic 268/19
        </div>
      </footer>
      <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.</pre>
js"></script>
      <script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
      <script type="text/javascript" src="assets/js/slick.min.js"></script>
      <script src='assets/js/main.js' type="text/javascript"></script>
</body>
</html>
```

Author.html

```
<meta
     name="description"
     content="League of Legends figure store. This is a school project made by a
fan of Riot Games."
   <meta name="author" content="Mladjan Gavrilovic" />
     src="https://kit.fontawesome.com/510440c54e.js"
     crossorigin="anonymous"
   ></script>
   link
     rel="stylesheet"
     href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.
css"
     integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
     crossorigin="anonymous"
   <script
     src="https://code.jquery.com/jquery-3.4.1.min.js"
     integrity="sha256-CSXorXvZcTkaix6Yvo6HppcZGetbYMGWSF1Bw8HfCJo="
     crossorigin="anonymous"
   ></script>
   <script
     src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
     integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
     crossorigin="anonymous"
   ></script>
   <script
     src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
     integrity="sha384-
wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCEx13Og8ifwB6"
     crossorigin="anonymous"
   ></script>
   <link rel="stylesheet" href="assets/css/style.css" />
   <link rel="icon" href="assets/images/icon.ico" type="image/icon" />
   <title>League Store</title>
 </head>
 <body>
   <nav class="navbar navbar-light navbar-expand-lg" id="nav-top">
     <div class="container">
       <a href="index.html"
         ><img
```

```
src="assets/images/logo.png"
       alt="logo"
       class="navbar-brand"
       id="logo"
   /></a>
   <button
     class="navbar-toggler"
     type="button"
     data-toggle="collapse"
     data-target="#navbarSupportedContent"
     aria-controls="navbarSupportedContent"
     aria-expanded="false"
     aria-label="Toggle navigation"
     <span id="menuButton" class="fa fa-bars"></span>
   </button>
   <div class="collapse navbar-collapse" id="navbarSupportedContent">
     </div>
 </div>
</nav>
<main id="author">
 <div class="container-fluid py-5">
   <div class="container text-center">
     <h1>Mladjan Gavrilovic</h1>
     <h2>268/19</h2>
     <img src="assets/images/mepepega.jpg" alt="author" />
     <h3 class="pt-4">
       I'm a student of ICT collage in Belgrade, field of study: web
       programming. My passion is web developement and my goal is to be a
       full stack web developer. Up until now I've made 3 websites for
       school projects and I am happy to continue learning and advancing in
       the field.
     </h3>
   </div>
 </div>
</main>
<footer id="footerBar">
 <div class="container">
   <div class="row justify-content-between">
     <div class="col-md-6 text-center pb-1">
       <h2>Links</h2>
       <h3><a href="#">Docs</a></h3>
```

```
<h3><a href="#">Author</a></h3>
          <h3><a href="#">Sitemap</a></h3>
        </div>
        <div class="col-md-6 text-center pb-1">
          <h2 class="pb-4">Follow us on social media</h2>
          <a href="https://www.facebook.com/" target=" blank"</pre>
            ><i class="fab fa-facebook-f"></i</pre>
          ></a>
          <a href="https://www.twitter.com/" target=" blank"</pre>
            ><i class="fab fa-twitter"></i</pre>
          ></a>
          <a href="https://www.instagram.com/" target="_blank"</pre>
            ><i class="fab fa-instagram"></i</pre>
          ></a>
        </div>
      </div>
    </div>
    <div class="text-center">
      Copyright © Mladjan Gavrilovic 268/19
    </div>
  </footer>
 <script
    src="https://code.jquery.com/jquery-3.4.1.min.js"
    integrity="sha256-CSXorXvZcTkaix6Yvo6HppcZGetbYMGWSF1Bw8HfCJo="
    crossorigin="anonymous"
  ></script>
  <script src="assets/js/main.js" type="text/javascript"></script>
  <script src="assets/js/nav.js" type="text/javascript"></script>
</body>
```

Style.scss

```
@import url("https://fonts.googleapis.com/css?family=Montserrat&display=swap");

* {
  font-family: "montserrat";
  margin: 0px;
  padding: 0px;
}

$primary: #11111;
```

```
$white: #fff;
html {
  scroll-behavior: smooth;
#logo {
  height: 80px;
  width: 100;
header {
  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.5);
  nav {
    background-color: rgba($color: rgb(223, 223, 223), $alpha: 0.1);
  .single-item {
    @media screen and (max-width: 900px) {
      display: none;
    .slick-next,
    .slick-prev {
      z-index: 1;
    .slick-next:before,
    .slick-prev:before {
      font-size: 50px;
    .slick-next {
      right: 45px;
    .slick-prev {
      left: 20px;
#aboutUs {
 h2 {
    border-bottom: 1px solid black;
    padding-bottom: 15px;
    font-weight: bold;
  p {
    font-size: 18px;
```

```
.hidden {
    visibility: hidden;
  }
  .flexWrap {
    display: flex;
    justify-items: center;
  #showMore,
  #hide {
   display: inline-block;
    min-width: 20px;
    margin: 25px auto;
    cursor: pointer;
    font-size: 1.2rem;
    font-weight: bold;
    text-transform: uppercase;
  #hiddenPara,
  #hide {
    display: none;
  }
#mainBlock {
  width: 100%;
  .heading-wrap {
    position: relative;
    :before {
      background-color: $primary;
      content: "";
      display: block;
      height: 1px;
      margin-top: -1px;
      position: absolute;
      top: 50%;
      left: 0;
      width: 100%;
      z-index: -1;
    h1 {
      padding: 0em 1em;
      font-size: 2em;
      font-weight: bold;
  .row {
```

```
padding-top: 10px;
    .btn {
      font-weight: bold;
      text-transform: uppercase;
     font-size: 1.2em;
  .karticaFigure {
   box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
    .price {
      color: red;
#offer {
 i {
   font-size: 4em;
   text-align: center;
   padding: 0.3em 0em;
 }
#contact {
  .container {
   h1 {
      border-bottom: 1px solid black;
     margin-bottom: 1.5em;
    .regfail {
      display: block;
      width: 100%;
      height: calc(1.5em + 0.75rem + 2px);
      padding: 0.375rem 0.75rem;
      font-size: 1rem;
      font-weight: 400;
      line-height: 1.5;
      color: #495057;
      background-color: #fff;
      background-clip: padding-box;
      border: 1px solid red;
      border-radius: 0.25rem;
      transition: border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;
    .regfail:focus {
```

```
color: #495057;
      background-color: #fff;
      border-color: red;
      outline: 0;
      box-shadow: 0 0 0 0.2rem rgba(255, 0, 0, 0.25);
    .form-control:focus {
      color: #495057;
      background-color: #fff;
      border-color: $primary;
      outline: 0;
      box-shadow: 0 0 0 0.2rem rgba(3, 3, 3, 0.25);
#footerBar {
  background-color: #111111;
 #myBtn {
    position: fixed;
    bottom: 20px;
    right: 30px;
    z-index: 99;
   border: 2px solid #333;
    outline: none;
    background-color: rgba($color: $white, $alpha: 0);
    color: #333;
    cursor: pointer;
    padding: 5px 15px;
   border-radius: 10px;
    font-size: 1.8em;
  #myBtn:hover {
    background-color: rgba($color: $white, $alpha: 0.3);
  margin-top: auto;
  .container {
   background-color: #111111;
   padding: 20px 0px;
    border-bottom: 1px solid white;
   h2 {
      font-size: 1.5em;
      color: $white;
```

```
text-decoration: underline;
   h3 {
      font-size: 1.2em;
   a {
     color: $white;
     i {
       font-size: 2.5em;
       margin: 2px 10px;
   a:hover {
     text-decoration: none;
      color: rgba(255, 255, 255, 0.75);
    }
 p {
   margin-bottom: 0px;
   padding: 5px 0px;
  }
#author {
 min-height: 60vh;
  .container {
   border: 2px solid $primary;
```

Main.js

```
$(document).ready(function () {
  displayNav();
  aboutParagraph();
  swapProducts();
```

```
printFigures();
  displayOffer();
  displayFooterNav();
  AOS.init();
});
function imeCheck() {
  var nameReg = /^[A-ZŠŽĐĆČ]{1}[a-zšžđćč]{1,}$/;
  var ime = document.getElementById("ime").value;
  var imeStyle = document.getElementById("ime");
  if (!nameReg.test(ime) || ime.length < 1) {</pre>
    imeStyle.classList.remove("form-control");
    imeStyle.classList.add("regfail");
  } else {
    imeStyle.classList.remove("regfail");
    imeStyle.classList.add("form-control");
function prezCheck() {
  var nameReg = /^[A-ZŠŽĐĆČ]{1}[a-zšžđćč]{2,}$/;
  var prezime = document.getElementById("prezime").value;
  var prezimeStyle = document.getElementById("prezime");
  if (!nameReg.test(prezime) || prezime.length < 2) {</pre>
    prezimeStyle.classList.remove("form-control");
    prezimeStyle.classList.add("regfail");
  } else {
    prezimeStyle.classList.remove("regfail");
    prezimeStyle.classList.add("form-control");
  }
function emailCheck() {
  var emailReg = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
  var email = document.getElementById("email").value;
  var emailStyle = document.getElementById("email");
  if (!emailReg.test(email) || email.length < 5) {</pre>
    emailStyle.classList.remove("form-control");
    emailStyle.classList.add("regfail");
  } else {
    emailStyle.classList.remove("regfail");
    emailStyle.classList.add("form-control");
```

```
function treaCheck() {
  var textReg = /[A-zŠšŽžĐđĆćČč\s,0-9\.\?\\\/;\()\n\!]{0,300}/;
  var textTrea = document.getElementById("questions").value;
  var textTreaStyle = document.getElementById("questions");
 if (!textReg.test(textTrea) && textTrea.length > 0) {
    textTreaStyle.classList.remove("form-control");
    textTreaStyle.classList.add("regfail");
 } else {
    textTreaStyle.classList.remove("regfail");
    textTreaStyle.classList.add("form-control");
function valid() {
 let emailStyle = $("#email");
 let textTrea = $("#questions");
 let prezime = $("#prezime");
 let ime = $("#ime");
  treaCheck();
  imeCheck();
  prezCheck();
  emailCheck();
 if (
    emailStyle.hasClass("regfail") ||
    textTrea.hasClass("regfail") ||
    prezime.hasClass("regfail") ||
    ime.hasClass("regfail")
  ) {
    alert("Invalid contact information, please try again!");
  } else alert("You've sent an e-mail. Thank you for your time!");
function displayNav() {
  var headerNav = document.querySelector("#nav");
  headerNav.innerHTML = "";
  var navElements = ["Home", "About", "Products", "Contact"];
  var hrefs = [
    "index.html#nav-top",
    "index.html#aboutUs",
    "index.html#mainBlock",
```

```
"index.html#contact",
  1;
 for (i = 0; i < navElements.length; i++) {</pre>
    headerNav.innerHTML += `
    <a class="nav-link" href="${hrefs[i]}">${navElements[i]}</a>
`;
  }
function swapProducts() {
  var buttonSwap = document.querySelector(".swapButton");
  buttonSwap.innerHTML = "";
  var swapElements = ["Figures", "Hoodies", "Shirts"];
  var elementFunctions = ["printFigures()", "printHoodies()", "printShirts()"];
 for (i = 0; i < swapElements.length; i++) {</pre>
    buttonSwap.innerHTML += `<button id='${swapElements[i]}' class='col-sm-</pre>
12 col-md-4 col-lg-4 p-4 btn btn-
light' onclick='${elementFunctions[i]}'>${swapElements[i]}</button>`;
 let figureElement = document.getElementById("Figures");
  figureElement.classList.add("active");
 let hoodieElement = document.getElementById("Hoodies");
  let shirtsElement = document.getElementById("Shirts");
  figureElement.addEventListener("click", function () {
    figureElement.classList.add("active");
    hoodieElement.classList.remove("active");
    shirtsElement.classList.remove("active");
  });
  hoodieElement.addEventListener("click", function () {
    figureElement.classList.remove("active");
    hoodieElement.classList.add("active");
    shirtsElement.classList.remove("active");
 });
  shirtsElement.addEventListener("click", function () {
    figureElement.classList.remove("active");
    hoodieElement.classList.remove("active");
    shirtsElement.classList.add("active");
  });
function printFigures() {
  var products = document.querySelector(".best-sales");
 products.innerHTML = "";
 var productsElements = [
```

```
"figure1",
            "figure2",
            "figure3",
            "figure7",
            "figure8",
            "figure9",
      var model = [
            "Dunkmaster Darius",
            "Twisted Fate Classic",
            "Star Guardian Zoe",
            "DJ Sona",
            "Yassuo Classic",
            "Pizza Delivery Sivir",
      ];
      var price = [65, 50, 60, 65, 50, 55];
      for (i = 0; i < productsElements.length; i++) {</pre>
            products.innerHTML += `<div class="col-sm-6 col-md-6 col-lg-4 mb-4 aos-</pre>
init aos-animate" data-aos="fade-up">
            <div class="block-4 text-center karticaFigure border">
                        <figure class="block-4-image m-0">
                        <img src="assets/images/figures/${productsElements[i]}.png" alt="${productsElements[i]}.png" a
tsElements[i]}" class="img-fluid">
                        </figure>
                        <div class="block-4-text">
                        <h2 class="text-uppercase mb-2 font-weight-bold">Riot</h2>
                        <h3 class='mb-4'>${model[i]}</h3>
                        <h3 class='mb-4'>Price: <span class='price'>${price[i]}$</span></h3>
                        </div>
            </div>
</div>`;
     }
function printHoodies() {
      var products = document.querySelector(".best-sales");
      products.innerHTML = "";
      var productsElements = [
            "hoodie1",
            "hoodie2",
            "hoodie3",
            "hoodie4",
            "hoodie5",
            "hoodie6",
```

```
];
      var model = [
            "Thresh Hook",
            "Inside Every Gnar",
            "Corki Flyer",
            "Arcade Pullover",
            "Darius 'Dunked'",
            "GG WP",
      1;
     var price = [90, 75, 75, 70, 80, 80];
      for (i = 0; i < productsElements.length; i++) {</pre>
            products.innerHTML += `<div class="col-sm-6 col-md-6 col-lg-4 mb-4 aos-</pre>
init aos-animate" data-aos="fade-up">
            <div class="block-4 text-center karticaFigure border">
                        <figure class="block-4-image m-0">
                        <img src="assets/images/hoodies/${productsElements[i]}.png" alt="${productsElements[i]}.png" a
tsElements[i]}" class="img-fluid">
                       </figure>
                        <div class="block-4-text">
                        <h2 class="text-uppercase mb-2 font-weight-bold">Riot</h2>
                        <h3 class='mb-4'>${model[i]}</h3>
                        <h3 class='mb-4'>Price: <span class='price'>${price[i]}$</span></h3>
                        </div>
            </div>
</div>`;
      }
function printShirts() {
      var products = document.querySelector(".best-sales");
      products.innerHTML = "";
      var productsElements = [
            "shirt1",
            "shirt2",
            "shirt3",
            "shirt4",
            "shirt5",
            "shirt6",
      ];
      var model = [
            "Dunkmaster Jersey",
            "PROJECT: Katarina",
            "True Damage Ekko",
            "Blitzcrank Hook City",
```

```
"Minion 'Deal With It' Tee",
    "Jinx 'BYE BYE' Tee",
  ];
  var price = [70, 60, 65, 70, 60, 70];
  for (i = 0; i < productsElements.length; i++) {</pre>
    products.innerHTML += `<div class="col-sm-6 col-md-6 col-lg-4 mb-4 aos-</pre>
init aos-animate " data-aos="fade-up">
      <div class="block-4 text-center karticaFigure border">
          <figure class="block-4-image m-0">
          <img src="assets/images/shirts/${productsElements[i]}.png" alt="${produ</pre>
ctsElements[i]}" class="img-fluid">
          </figure>
          <div class="block-4-text">
          <h2 class="text-uppercase mb-2 font-weight-bold">Riot</h2>
          <h3 class='mb-4'>${model[i]}</h3>
          <h3 class='mb-4'>Price: <span class='price'>${price[i]}$</span></h3>
          </div>
      </div>
  </div>`;
$(".single-item").slick({
  autoplay: true,
  autoplaySpeed: 2000,
  speed: 2500,
  zIndex: 0,
  dots: true,
  arrows: true,
});
function aboutParagraph() {
  let para = $(".hidden");
  let showButton = $("#showMore");
  let hideButton = $("#hide");
  showButton.click(function () {
    para.slideDown(500);
    showButton.slideUp(600);
    hideButton.slideDown(600);
    hideButton.css("display", "inline-block");
    para.css("visibility", "visible");
  });
  hideButton.click(function () {
    para.slideUp(500);
    showButton.slideDown(600);
```

```
hideButton.slideUp(600);
    para.css("visibility", "hidden");
 });
function displayOffer() {
 let ele = $(".offerSec");
  ele.html("");
 let html = "";
 let offerVal = [
    "Delivery all across the world!",
    "Top quality products, guaranteed!",
    "Affordable to everyone, even non League fans!",
    "Great staff and service support!",
  ];
 let offerIcons = [
    "fas fa-truck",
    "fas fa-check-square",
   "fas fa-dollar-sign",
   "fas fa-users",
 1;
 let animateFrom = [
    "fade-down-right",
   "fade-down-right",
   "fade-down-left",
   "fade-down-left",
 ];
  for (i = 0; i < offerVal.length; i++) {</pre>
   html += `<div class="col-lg-3 col-md3" data-aos="${animateFrom[i]}" data-aos-</pre>
duration="1000" data-aos-offset="200" >
    <div class="card" >
      <i class="${offerIcons[i]}"></i></i></or>
     <div class="card-body">
        ${offerVal[i]}
      </div>
    </div>
  </div>`;
  ele.html(html);
function displayFooterNav() {
 let linksClass = $(".footerLinks");
 let footerLinks = ["Docs", "Author", "Sitemap"];
 let linkTo = ["docs.pdf", "author.html", "sitemap.xml"];
```

```
let html = "";
for (i = 0; i < footerLinks.length; i++) {
    html += `<h3><a href="${linkTo[i]}" target="_blank">${footerLinks[i]}</a></h3
>`;
    }
    linksClass.html(html);
}
```