

ARLIZ

[A JOURNEY THROUGH ARRAYS]

Mahdi

In Praise of Arliz

MAHDI

This book evolves. Every insight gained whether a circuit, a structure,
or a simple idea is absorbed and integrated.

FIRST EDITION

May 28, 2025

© 2025 Mahdi Genix

Released under the MIT License

*To those who build from first principles.
To the silent thinkers who design before they speak.
To the ones who see in systems
not just machines, but metaphors.
This is for you.*

Preface

Every book has its own story, and this book is no exception. If I were to summarize the process of creating this book in one word, that word would be improvised. Yet the truth is that Arliz is the result of pure, persistent curiosity that has grown in my mind for years. What you are reading now could be called a technical book, a collection of personal notes, or even a journal of unanswered questions and curiosities. But I officially call it a *book*, because it is written not only for others but for myself, as a record of my learning journey and an effort to understand more precisely the concepts that once seemed obscure and, at times, frustrating.

The story of Arliz began with a simple feeling: **curiosity**. Curiosity about what an array truly is. Perhaps for many this question seems trivial, but for me this word encountered again and again in algorithm and data structure discussions always raised a persistent question.

Every time I saw terms like array, stack, queue, linked list, hash table, or heap, I not only felt confused but sensed that something fundamental was missing. It was as if a key piece of the puzzle had been left out. The first brief, straightforward explanations I found in various sources never sufficed; they assumed you already knew exactly what an array is and why you should use it. But I was looking for the *roots*. I wanted to understand from zero what an array means, how it was born, and what hidden capacities it holds.

That realization led me to decide: *If I truly want to understand, I must start from zero.*

There is no deeper story behind the name Arliz. There is no hidden philosophy or special inspiration just a random choice. I simply declared: *This book is called Arliz.* You may pronounce it "Ar-liz," "Array-Liz," or any way you like. I personally say "ar-liz." That is all simple and arbitrary.

But Arliz is not merely a technical book on data structures. In fact, **Arliz grows alongside me.**

Whenever I learn something I deem worth writing, I add it to this book. Whenever I feel a section could be explained better or more precisely, I revise it. Whenever a new idea strikes mean algorithm, an exercise, or even a simple diagram to clarify a struc-

tureI incorporate it into Arliz.

This means Arliz is a living project. As long as I keep learning, Arliz will remain alive. The structure of this book has evolved around a simple belief: true understanding begins with context. Thats why Arliz doesnt start with code or syntax, but with the origins of computation itself. We begin with the earliest tools and ideascounting stones, the abacus, mechanical gears, and early notions of logiclong before transistors or binary digits came into play. From there, we follow the evolution of computing: from ancient methods of calculation to vacuum tubes and silicon chips, from Babbages Analytical Engine to the modern microprocessor. Along this journey, we discover that concepts like arrays arent recent inventionsthey are the culmination of centuries of thought about how to structure, store, and process information.

In writing this book, I have always tried to follow three principles:

- **Simplicity of Expression:** I strive to present concepts in the simplest form possible, so they are accessible to beginners and not superficial or tedious for experienced readers.
- **Concept Visualization:** I use diagrams, figures, and visual examples to explain ideas that are hard to imagine, because I believe visual understanding has great staying power.
- **Clear Code and Pseudocode:** Nearly every topic is accompanied by code that can be easily translated into major languages like C++, Java, or C#, aiming for both clarity and practicality.

An important note: many of the algorithms in Arliz are implemented by myself. I did not copy them from elsewhere, nor are they necessarily the most optimized versions. My goal has been to understand and build them from scratch rather than memorize ready-made solutions. Therefore, some may run slower than standard implementationsor sometimes even faster. For me, the process of understanding and constructing has been more important than simply reaching the fastest result.

Finally, let me tell you a bit about myself: I am **Mehdi**. If you prefer, you can call me by my alias: *Genix*. I am a student of Computer Engineering (at least at the time of writing this). I grew up with computersfrom simple games to typing commands in the terminaland I have always wondered what lies behind this screen of black and green text. There is not much you need to know about me, just that I am someone who works with computers, sometimes gives them commands, and sometimes learns from them.

I hope this book will be useful for understanding concepts, beginning your learning

journey, or diving deeper into data structures.

Arliz is freely available. You can access the PDF, LaTeX source, and related code at:

<https://github.com/m-mdy-m/Arliz>

In each chapter, I have included exercises and projects to aid your understanding. Please do not move on until you have completed these exercises, because true learning happens only by solving problems.

I hope this book serves you well whether for starting out, reviewing, or simply satisfying your curiosity. And if you learn something, find an error, or have a suggestion, please let me know. As I said: *This book grows with me.*

Acknowledgments

I would like to express my gratitude to everyone who supported me during the creation of this book. Special thanks to the open-source community for their invaluable resources and to all those who reviewed early drafts and provided feedback.

Contents

Contents	vi
I The Birth of Computing: From Mechanical to Electronic	1
1 What Does It Mean to Compute?	4
1.1 The Human Urge to Measure and Represent	4
1.1.1 The Birth of Abstraction: From Reality to Symbol	6
1.1.2 Quantity, Quality, and the Need for Order	6
1.1.3 The Cognitive Origins of Structured Thinking	6
1.2 From Counting Stones to Conceptual Models	6
1.2.1 Tally Marks and Primitive State	6
1.2.2 Abstraction and the Birth of Mathematical Thought	6
1.3 Mathematical Roots of Arrays	6
1.3.1 Sets, Sequences, and Order	6
1.3.2 The Notion of Indexing and Mapping	6
1.3.3 From Euclid to Euler: Structure in Mathematical Systems	6
2 Ancient Tools of Structured Computation	7
2.1 The Abacus: Humanity's First Array-Like Structure	8
2.1.1 Mesopotamian Origins and Clay Tokens	8
2.1.2 Chinese Suanpan: Parallel Processing in Wood	8
2.1.3 Roman and Japanese Variants	8
2.1.4 Philosophical Implications of the Abacus	8
2.2 Ancient Number Tables: Proto-Arrays in Practice	8
2.2.1 Babylonian Mathematical Tablets	8
2.2.2 Egyptian Mathematical Papyri	8
2.3 Chinese Rod Numerals and Matrix Operations	8
2.3.1 The Rod Numeral System	8
2.3.2 Ancient Matrix Calculations	8

2.3.3	Multiplication Matrices and Lookup Tables	8
3	Medieval and Renaissance: Systematization of Knowledge	9
3.1	Islamic Golden Age Contributions	10
3.1.1	Al-Khwarizmi and Algorithmic thinking	10
3.1.2	Mathematical Tables and Astronomical Calculations	10
3.2	Renaissance Calculating Tools	10
3.2.1	Calculating Rods and Napier's Bones	10
3.2.2	Mathematical Tables Revolution	10
3.3	The Emergence of Systematic Notation	10
3.3.1	Symbolic Algebra Development	10
3.3.2	Coordinate Systems and Cartesian Innovation	10
4	Mechanical Computation: The Dream of Automated Thinking	11
4.1	Early Mechanical Calculators	12
4.1.1	Blaise Pascal's Pascaline	12
4.1.2	Leibniz's Stepped Reckoner	12
4.2	Charles Babbage's Visionary Machines	12
4.2.1	The Difference Engine	12
4.2.2	The Analytical Engine: First Programmable Computer	12
4.3	Ada Lovelace: The First Programmer	12
4.3.1	Understanding the Analytical Engine	12
4.3.2	Lovelace's Algorithm	12
5	The Electromechanical Revolution	13
5.1	From Mechanical to Electrical	14
5.1.1	Telegraph and Early Electrical Logic	14
5.1.2	Hollerith's Tabulating Machine	14
5.2	Early 20th Century Computing Machines	14
5.2.1	Konrad Zuse's Z-Series	14
5.2.2	Harvard Mark I and IBM's Contribution	14
6	The Birth of Electronic Computing	15
6.1	The Vacuum Tube Revolution	16
6.1.1	From Mechanical to Electronic Switching	16
6.1.2	ENIAC: Electronic Numerical Integrator and Computer	16
6.2	The Stored Program Concept	16
6.2.1	Von Neumann Architecture	16

6.2.2	EDVAC and the Architecture Revolution	16
7	Digital Logic: The Foundation of Modern Arrays	17
7.1	Boolean Algebra and Logical Operations	18
7.1.1	George Boole's Mathematical Logic	18
7.1.2	Claude Shannon's Digital Circuit Theory	18
7.2	Transistors: The Atomic Units of Computation	18
7.2.1	From Vacuum Tubes to Solid State	18
7.2.2	Logic Gates Implementation	18
7.3	Building Complex Circuits	18
7.3.1	Adders and Arithmetic Logic Units	18
7.3.2	Memory Cells and Storage Elements	18
8	Number Systems and Data Representation	19
8.1	Historical Counting Systems	20
8.1.1	Unary and Tally Systems	20
8.1.2	Positional Number Systems	20
8.2	Binary: The Language of Digital Machines	20
8.2.1	Why Binary for Digital Systems?	20
8.2.2	Binary Arithmetic Operations	20
8.2.3	Signed Number Representation	20
8.3	Floating-Point: Representing the Continuous	20
8.3.1	Fixed-Point Limitations	20
8.3.2	IEEE 754 Standard	20
8.4	Character Encoding Evolution	20
8.4.1	From Morse Code to ASCII	20
8.4.2	Unicode: Universal Character Representation	20
9	Memory: The Canvas Where Arrays Live	21
9.1	Historical Storage Evolution	22
9.1.1	Physical Storage Media Timeline	22
9.1.2	Storage Hierarchy Development	22
9.2	Modern Memory Architecture	22
9.2.1	Register Files and Cache Systems	22
9.2.2	Main Memory Organization	22
9.3	Address Space and Virtual Memory	22
9.3.1	Physical vs. Virtual Addressing	22
9.3.2	Memory Protection and Isolation	22

9.4	Memory Layout in Program Execution	22
9.4.1	Program Memory Segments	22
9.4.2	Memory Allocation Strategies	22
9.5	Array Storage and Memory Layout	22
9.5.1	Contiguous Memory Allocation	22
9.5.2	Multi-Dimensional Array Storage	22
9.5.3	Array Bounds and Safety	22

Part I

The Birth of Computing: From Mechanical to Electronic

Introduction

Long before a single line of code was ever written long before electricity, transistors, or even the concept of modern logic circuit humans felt an innate drive to calculate, record, and model the world around them. Computing is not a recent invention. It is one of humanity's oldest intellectual pursuits, rooted in necessity and evolved through creativity. Before we dive into complex abstractions like arrays or data structures, we must ask a deeper, almost philosophical question: **What does it mean to compute?**

This part of the book invites you on a journey not just through the machinery and breakthroughs that brought us the modern computer, but through the evolution of human thought about numbers, representation, and control. Arrays, as we will later explore in depth, are not merely structures to store data. They are reflections of how we've ordered information for thousands of years. Their logic is built upon ancient insight on sets, sequences, and patterns and they embody the fundamental human need to represent, repeat, and manipulate structured information.

Our journey begins in ancient times, long before Christ, with devices like the abacus, first appearing over 2,500 years ago in Mesopotamia and later refined by Chinese, Roman, and Japanese cultures. The abacus was not just a calculator it was an embodiment of the concepts of **state**, **position**, and **transformation**, principles that continue to underpin all modern computation. It allowed people to model quantities, track multiple values in parallel (an early echo of array indexing), and perform operations based on positional representation.

From these early tools, we progress into the classical mathematical age, where the Greeks formalized logic, and concepts like **sets** and **ordered lists** began to take philosophical shape. While not arrays in the modern sense, these ideas laid the intellectual groundwork for thinking about groups of data grouped, related, or sequential that could be acted upon as a whole. The set, in particular, became a foundational concept in mathematics and later in programming: an abstract container for elements that obey rules and enable operations. The leap from abstract sets to concrete arrays reflects one of the key transitions in computational history from idea to implementation.

In the 17th century, visionaries like Blaise Pascal and Gottfried Wilhelm Leibniz attempted to automate arithmetic with mechanical devices. These weren't just clever tools they were the first signs of a dream to make thinking itself mechanical. Charles Babbage expanded this dream with his Analytical Engine in the 19th century, envisioning a machine that could be programmed and reprogrammed a concept that wouldn't become reality until a century later. Ada Lovelace, who worked with Babbage, went even further. She grasped that machines could go beyond numbers: they could pro-

cess symbolic logic, follow instructions, and even imitate aspects of reasoning. She anticipated the algorithm as a mental construct, not just a set of steps.

As we move forward into the 20th century, the invention of electromechanical and electronic machines using relays, vacuum tubes, and later transistors marked a revolution. No longer limited by gears and levers, computers became faster, more reliable, and more abstract. The idea of a **stored program** emerged, allowing machines to modify their behavior dynamically. This wasn't just a technical innovation; it was a conceptual transformation. Programs became data, and data became active. Arrays, now implemented in memory, could be changed, traversed, and manipulated at runtime opening the door to software as we know it today.

Eventually, we arrive at logic gates, boolean algebra, and the transistor—the atomic units of modern computation. These are more than circuits; they are the physical embodiment of logical thought: conditions, branching, repetition. From gates we build circuits, from circuits microprocessors, and from those, machines that can simulate anything we can formalize.

Before concluding this part, we will look closely at how data is represented: binary numbers, encoding schemes, floating-point formats, and character representations. These are not just technical tools; they are perspectives. They define the limits of what a machine can know, express, and manipulate. And finally, we arrive at memory where arrays live, grow, and function. Memory is not just storage; it is the canvas of computation. It is where change happens and where order emerges.

If you are excited to write code, build systems, and jump into implementation, you are free to skip ahead. But if you stay with us for this brief but essential historical and conceptual journey, you will see programming not just as control over a machine, but as part of a much older story: the story of how humans learned to structure thought, encode logic, and make abstract ideas come alive.

Let us begin at the beginning. With sand, stone, wood, and brass. And with minds bold enough to imagine machines that think.

Chapter 1

What Does It Mean to Compute?

1.1 The Human Urge to Measure and Represent

1.1.1 The Birth of Abstraction: From Reality to Symbol

1.1.2 Quantity, Quality, and the Need for Order

1.1.3 The Cognitive Origins of Structured Thinking

1.2 From Counting Stones to Conceptual Models

1.2.1 Tally Marks and Primitive State

The Concept of Discrete Representation

Position and Value: Early Insights

One-to-One Correspondence

1.2.2 Abstraction and the Birth of Mathematical Thought

From Concrete to Abstract Numbers

The Emergence of Zero and Infinity

Symbolic Manipulation vs. Physical Reality

1.3 Mathematical Roots of Arrays

1.3.1 Sets, Sequences, and Order

Euclid's Elements: Systematic Organization

The Concept of Mathematical Collections

Ordered vs. Unordered Structures

Chapter 2

Ancient Tools of Structured Computation

2.1 The Abacus: Humanity's First Array-Like Structure

2.1.1 Mesopotamian Origins and Clay Tokens

Token Systems as Discrete Data Storage

Positional Value and Place Representation

The Transition from Tokens to Beads

2.1.2 Chinese Suanpan: Parallel Processing in Wood

Bi-quinary System Implementation

Multi-Column Operations and Carry Logic

The Art of Mental-Physical Coordination

2.1.3 Roman and Japanese Variants

Soroban: Precision and Efficiency

Cultural Adaptations and Regional Optimizations

Speed Computing Techniques

2.1.4 Philosophical Implications of the Abacus

State, Transformation, and Memory

Parallel Computation in Ancient Times

The Abacus as a Programming Interface

2.2 Ancient Number Tables: Proto-Arrays in Practice

2.2.1 Babylonian Mathematical Tablets

Chapter 3

Medieval and Renaissance: Systematization of Knowledge

3.1 Islamic Golden Age Contributions

3.1.1 Al-Khwarizmi and Algorithmic thinking

The Word Algorithm and Its Origins

Systematic Problem-Solving Procedures

Algebra as Structured Manipulation

3.1.2 Mathematical Tables and Astronomical Calculations

Zij Tables: Astronomical Arrays

Trigonometric Function Tables

Precision and Interpolation Techniques

3.2 Renaissance Calculating Tools

3.2.1 Calculating Rods and Napier's Bones

John Napier's Logarithmic Innovation

Physical Implementation of Multiplication

Modular Arithmetic Tools

3.2.2 Mathematical Tables Revolution

Printed Logarithm Tables

Trigonometric Function Collections

Navigation and Scientific Computation

Chapter 4

Mechanical Computation: The Dream of Automated Thinking

4.1 Early Mechanical Calculators

4.1.1 Blaise Pascal's Pascaline

Mechanical Carry Implementation

Decimal Wheel Systems

The Challenge of Mechanical Precision

4.1.2 Leibniz's Stepped Reckoner

Four-Function Arithmetic Machine

The Leibniz Wheel Innovation

Mechanical Logic and Binary Concepts

4.2 Charles Babbage's Visionary Machines

4.2.1 The Difference Engine

Polynomial Calculation Automation

Method of Finite Differences

Precision Manufacturing Challenges

4.2.2 The Analytical Engine: First Programmable Computer

Separation of Processing and Memory

The Mill and the Store

Punched Card Programming

Chapter 5

The Electromechanical Revolution

5.1 From Mechanical to Electrical

5.1.1 Telegraph and Early Electrical Logic

Boolean Algebra in Physical Form

Relay-Based Switching Systems

Binary State Representation

5.1.2 Hollerith's Tabulating Machine

1890 US Census Automation

Punched Card Data Processing

Statistical Analysis Machines

5.2 Early 20th Century Computing Machines

5.2.1 Konrad Zuse's Z-Series

Z1: Mechanical Binary Computer

Z3: First Working Programmable Computer

Binary Floating-Point Arithmetic

Program Storage and Control

5.2.2 Harvard Mark I and IBM's Contribution

Electromechanical Programming

Grace Hopper and Early Programming

Large-Scale Scientific Computation

Chapter 6

The Birth of Electronic Computing

6.1 The Vacuum Tube Revolution

6.1.1 From Mechanical to Electronic Switching

Thermionic Valve Principles

Digital Logic Implementation

Speed and Reliability Improvements

6.1.2 ENIAC: Electronic Numerical Integrator and Computer

First General-Purpose Electronic Computer

Programming by Rewiring

Parallel Processing Concepts

The Programming Challenge

6.2 The Stored Program Concept

6.2.1 Von Neumann Architecture

Programs as Data

Single Memory Space

Sequential Instruction Execution

The Fetch-Decode-Execute Cycle

6.2.2 EDVAC and the Architecture Revolution

Binary Number System Adoption

Memory Hierarchy Concepts

Chapter 7

Digital Logic: The Foundation of Modern Arrays

7.1 Boolean Algebra and Logical Operations

7.1.1 George Boole's Mathematical Logic

True/False as Mathematical Objects

AND, OR, NOT Operations

Logical Equivalence and Simplification

7.1.2 Claude Shannon's Digital Circuit Theory

Electrical Circuits as Logical Systems

Switching Theory and Boolean Algebra

The Bridge Between Math and Hardware

7.2 Transistors: The Atomic Units of Computation

7.2.1 From Vacuum Tubes to Solid State

Bell Labs and the Transistor Invention

Semiconductor Physics Basics

Switching Speed and Power Efficiency

7.2.2 Logic Gates Implementation

NAND and NOR as Universal Gates

Gate Delay and Propagation

Combinational vs. Sequential Logic

Chapter 8

Number Systems and Data Representation

8.1 Historical Counting Systems

8.1.1 Unary and Tally Systems

One-to-One Correspondence

Physical Limitation and Scaling

The Need for Positional Systems

8.1.2 Positional Number Systems

Babylonian Base-60 System

Decimal System Development

Binary Concepts in Ancient Cultures

8.2 Binary: The Language of Digital Machines

8.2.1 Why Binary for Digital Systems?

Physical Implementation Advantages

Noise Immunity and Reliability

Boolean Logic Correspondence

8.2.2 Binary Arithmetic Operations

Addition and Subtraction

Multiplication and Division

Bitwise Operations

Chapter 9

Memory: The Canvas Where Arrays Live

9.1 Historical Storage Evolution

9.1.1 Physical Storage Media Timeline

Punched Cards and Paper Tape

Magnetic Drum Memory

Ferrite Core Memory

Semiconductor Memory Revolution

9.1.2 Storage Hierarchy Development

Access Time vs. Capacity Trade-offs

Cost per Bit Evolution

Volatility and Persistence

9.2 Modern Memory Architecture

9.2.1 Register Files and Cache Systems

CPU Register Organization

Cache Levels and Hierarchy

Cache Coherency Protocols

Translation Lookaside Buffers

9.2.2 Main Memory Organization

DRAM Technology and Refresh

Memory Banks and Interleaving