

SpringerLink

Try the new
 SpringerLink
Beta

Institutional Login

Recognized as:

Islamic Azad University
(121-99-277)

668058 IIN Groups
(139-48-889)

Azad Open University Iran
(171-94-628)

Welcome!

To use the personalized
features of this site, please
log in or register.

If you have forgotten your
username or password, we
can help.

My Menu

Marked Items

Alerts

Order History


Saved Items

All

Favorites

Content Types Subject Collections

Back to: All Content Items
Journal Article



Weighted Steiner Connected Dominating Set and its Application to Multicast Routing in Wireless MANETs

Journal	Wireless Personal Communications
Publisher	Springer Netherlands
ISSN	0929-6212 (Print) 1572-834X (Online)
DOI	10.1007/s11277-010-9936-4
Subject Collection	Engineering
SpringerLink Date	Wednesday, February 24, 2010

Online First

PDF (744.8 KB)



Javad Akbari Torkestani¹ and
Mohammad Reza Meybodi^{2, 3}

- (1) Department of Computer Engineering, Islamic Azad University, Arak Branch, Arak, Iran
- (2) Department of Computer Engineering and IT, Amirkabir University of Technology, Tehran, Iran
- (3) School of Computer Science, Institute for Studies in Theoretical Physics and Mathematics (IPM), Tehran, Iran

Published online: 24 February 2010

Abstract

In this paper, we first propose three centralized learning automata-based heuristic algorithms for approximating a near optimal solution to the minimum weight Steiner connected dominating set (WSCDS) problem. Finding the Steiner connected dominating set of the network graph is a promising approach for multicast routing in wireless ad-hoc networks. Therefore, we present a distributed implementation of the last approximation algorithm proposed in this paper (Algorithm III) for multicast routing in wireless mobile ad-hoc networks. The proposed WSCDS algorithms are compared with the well-known existing algorithms and the obtained results show that Algorithm III outperforms the others both in terms of the dominating set size and running time. Our simulation experiments also show the superiority of the proposed multicast routing algorithm over the best previous methods in terms of the packet delivery ratio,



multicast route lifetime, and end-to-end delay.

Keywords Steiner connected dominating set - Multicast routing - Learning automata - Wireless mobile Ad-hoc networks

✉ **Javad Akbari Torkestani (Corresponding author)**
Email: j-akbari@iau-arak.ac.ir

✉ **Mohammad Reza Meybodi**
Email: mmeybodi@aut.ac.ir



Javad Akbari Torkestani

received the B.S. and M.S. degrees in Computer Engineering in Iran, in 2001 and 2004, respectively. He also received the Ph.D. degree in Computer Engineering from Science and Research University, Iran, in 2009. Currently, he is an assistant professor in Computer Engineering Department at Arak Azad University, Arak, Iran. Prior to the current position, he joined the faculty of the Computer Engineering Department at Arak Azad University as a lecturer. His research interests include wireless networks, mobile ad hoc networks, fault tolerant systems, learning systems, parallel algorithms, and soft computing.



Mohammad Reza Meybodi






received the B.S. and M.S. degrees in Economics from Shahid Beheshti University in Iran, in 1973 and 1977, respectively. He also received the M.S. and Ph.D. degree from Oklahoma University, USA, in 1980 and 1983, respectively in Computer Science. Currently, he is a full professor in Computer Engineering Department, Amirkabir University of Technology, Tehran, Iran. Prior to current position, he worked from 1983 to 1985 as an assistant professor at Western Michigan University, and from 1985 to 1991 as an associate professor at Ohio University, USA.





His research interests include wireless networks, fault tolerant systems, learning systems, parallel algorithms, soft computing and software development.



References

1. Nadeem T., Parthasarathy S. (2006) Mobility control for throughput maximization in ad-hoc networks. *Wireless Communication and Mobile Computing* 6: 951–967

2. Guha S., Khuller S. (1998) Approximation algorithms for connected dominating Sets. *Algorithmica* 20(4): 374–387
  
3. Wu, Y., Xu, Y., Chen, G., & Wang, K. (2004). On the construction of virtual multicast backbone for wireless ad-hoc networks. In *IEEE international conference on mobile ad-hoc and sensor systems*, pp. 294 –303.
4. Lim H., Kim C. (2001) Flooding in wireless ad-hoc networks. *Journal of Computer Communications* 24: 353–363

5. Robins, G., & Zelikovsky, A. (2000). Improved steiner tree approximation in graphs. In *Proceedings of the 11th annual ACM-SIAM symposium on discrete algorithms*, pp. 770–779.
6. Singh, G., & Vellanki, K. (1998). A distributed protocol for constructing multicast trees. In *Proceedings of the international conference on principles of distributed systems*, France.
7. Muhammad, R. B. (2006). Distributed steiner tree algorithm and its application in ad-hoc wireless networks. In *Proceedings of the 2006*



international conference on wireless networks (ICWN'06), USA, pp. 173–178.

8. Muhammad R. B. (2007) A distributed graph algorithm for geometric routing in ad-hoc wireless networks. *Journal of Networks* 2(6): 50–57



9. Aggarwal D., Dubey C. K., Mehta S. K. (2006) Algorithms on Graphs with Small Dominating Targets. *ISAAC* 4288: 141–152 LNCS



10. Lee, S. J., Gerla, M., & Chiang, C. C. (1999). On-demand multicast routing protocol. In *Proceedings of IEEE WCNC'99*, pp. 1298–1302. New Orleans, LA.

11. Chiang C. C., Gerla M., Zhang L. (1998) Forwarding group multicast protocol (FGMP) for multihop, mobile wireless networks. *Journal of Cluster Computing* 1(2): 187–196



12. Su W., Lee S. J., Gerla M. (2001) Mobility prediction and routing in ad-hoc wireless networks. *International Journal of Network Management* 11: 3–30



13. An B., Papavassiliou S. (2003) MHMR: Mobility-based hybrid multicast routing protocol in mobile ad-hoc wireless networks. *Wireless Communication and Mobile Computing* 3: 255–270



14. Guo S., Yang O. (2008) Maximizing multicast communication lifetime in wireless mobile ad-hoc networks. *IEEE Transactions on Vehicular Technology* 57: 2414–2425



15. Haleem, M., & Chandramouli, R. (2005). Adaptive downlink scheduling and rate selection: A cross layer design, special issue on mobile computing and networking. *IEEE Journal on Selected Areas in Communications*, 23(6).



16. Nicopolitidis P., Papadimitriou G. I., Pomportsis A. S. (2006) Exploiting locality of demand to improve the performance of wireless data broadcasting. *IEEE Transactions on Vehicular Technology* 55(4): 1347–1361



17. Nicopolitidis P., Papadimitriou G. I., Pomportsis A. S. (2003) Learning-automata-based polling protocols for wireless LANs. *IEEE Transactions on Communications* 51(3): 453–463





18. Nicopolitidis P., Papadimitriou G. I., Pomportsis A. S. (2004) Distributed


















protocols for ad-hoc wireless LANs: A learning-automata-based approach. *Ad-Hoc Networks* 2(4): 419–431




19. Nicopolitidis, P., Papadimitriou, G.I., Obaidat, M. S., & Pomportsis, A. S. (2005). Carrier-sense-assisted Adaptive Learning MAC Protocol for Distributed Wireless LANs. *International Journal of Communication Systems*, Wiley 18(7), 657–669.
20. Ramana, B. V., & Murthy, C. S. R. (2005). Learning-TCP: A novel learning automata based congestion window updating mechanism for ad-hoc wireless networks. In *12th IEEE International Conference on High 13 Performance Computing*, pp. 454–464.
21. Beigy, H., & Meybodi, M. R. (2008). Learning automata-based Dynamic guard channel algorithms. In *Journal of High Speed Networks*, (to appear).
22. Beigy H., Meybodi M. R. (2005) A general call admission policy for next generation wireless networks. *Computer Communications* 28: 1798–1813
23. Beigy H., Meybodi M. R. (2005) An adaptive call admission algorithm for cellular networks. *Computers and Electrical Engineering* 31: 132–151
24. Beigy, H., & Meybodi, M. R. (2002). A learning automata-based dynamic guard channel scheme. In *Lecture notes on information and communication technology* vol. 2510, pp. 643–650. Springer.
25. Akbari Torkestani, J., & Meybodi, M. R. (2010). An efficient cluster-based CDMA/TDMA scheme for wireless mobile ad-hoc networks: A learning automata approach. *Journal of Network and Computer applications*, (in press).
26. Akbari Torkestani, J., & Meybodi, M. R. (2010). An intelligent backbone formation algorithm for wireless ad-hoc networks based on distributed learning automata. *Computer Networks*, Elsevier Publishing Company, (in press).
27. Akbari Torkestani J., Meybodi M.R. (2010) Mobility-based multicast routing algorithm in wireless mobile ad-hoc networks: A learning automata approach. *Journal of Computer Communications* 33: 721–735
28. Wu J., Dai F., Gao M., Stojmenovic I. (2002) On calculating power-aware connected dominating sets for efficient routing in ad-hoc wireless networks. *Journal of Communications and Networks* 4(1): 1–12
29. Wu, J., & Li, H. (1999). On calculating connected dominating set for efficient routing in ad-hoc wireless networks. In *Proceedings of the 3rd international workshop on discrete algorithms and methods for mobile computing and communication*, pp. 7–14.



30. Wang, Y., Wang, W., & Li, X.-Y. (2005). Distributed low-cost backbone formation for wireless ad-hoc networks. In *Proceedings of the sixth ACM international symposium on mobile ad-hoc networking and computing (MobiHoc 2005)*, pp. 2–13.
31. Han B. (2009) Zone-based virtual backbone formation in wireless ad-hoc networks. *Ad-Hoc Networks* 7: 183–200

32. Alzoubi K. M., Wan P. -J., Frieder O. (2003) Maximal independent set, weakly connected dominating set, and induced spanners for mobile ad-hoc networks. *International Journal of Foundations of Computer Science* 14(2): 287–303
  
33. Clark B. N., Colbourn C. J., Johnson D. S. (1990) Unit Disk Graphs. *Discrete Mathematics* 86: 165–177
  
34. Marathe M. V., Breu H., Hunt H. B., Ravi S. S., Rosenkrantz D. J. (1995) Simple Heuristics for Unit Disk Graphs. *Networks* 25: 59–68
  
35. Chen, Y. Z., & Listman, A. L. (2002). Approximating minimum size weakly connected dominating sets for clustering mobile ad-hoc networks. In *Proceedings of the third ACM international symposium on mobile ad-hoc networking and computing (MobiHoc 2002)*, pp. 157–164.
36. Torkestani, J. A., & Meybodi, M. R. (2009). Approximating the minimum connected dominating set in stochastic graphs based on learning automata. In *Proceedings of international conference on information management and engineering (ICIME 2009)*, pp. 672–676. Malaysia.
37. Narendra K. S., Thathachar K. S. (1989) Learning automata: An introduction. Printice-Hall, New York
38. Thathachar M. A. L., Sastry P. S. (1997) A hierarchical system of learning automata that can learn the globally optimal path. *Information Science* 42: 743–766

39. Thathachar M. A. L., Harita B. R. (1987) Learning automata with changing number of actions. *IEEE Transactions on Systems, Man, and Cybernetics* SMG17: 1095–1100
40. Thathachar M. A. L., Phansalkar V. V. (1995) Convergence of teams and hierarchies of learning automata in connectionist systems. *IEEE Transactions on Systems, Man, and Cybernetics* 24: 1459–1469
 



41. Lakshmivarahan S., Thathachar M. A. L. (1995) Bounds on the convergence probabilities of learning automata. *IEEE Transactions on Systems, Man, and Cybernetics* SMC-6: 756–763



42. Narendra K. S., Thathachar M. A. L. (1980) On the behavior of a learning automaton in a changing environment with application to telephone traffic routing. *IEEE Transactions on Systems, Man, and Cybernetics* SMC-10(5): 262–269



43. Torkestani, J. A., & Meybodi, M. R. (2009). Solving the minimum spanning tree problem in stochastic graphs using learning automata. In *Proceedings of international conference on information management and engineering (ICIME 2009)*. pp. 643–647. Malaysia.

44. IEEE Computer Society LAN MAN Standards Committee, *Wireless LAN Medium Access Protocol (MAC) and Physical Layer (PHY) specification*, IEEE Standard 802.11-1997, The Institute of Electrical and Electronics Engineers, New York (1997).

45. Akbari Torkestani, J., & Meybodi, M. R. (2010). Clustering the wireless ad-hoc networks: A distributed learning automata approach. *Journal of Parallel and Distributed Computing*, Elsevier Publishing Company (in press).

46. Akbari Torkestani, J., & Meybodi, M. R. (2010). A new vertex coloring algorithm based on variable action-set learning automata. *Journal of Computing and Informatics* (in press).

Frequently asked questions | General information on journals and books | Send Contact

© Springer. Part of Springer Science+Business Media

Privacy, Disclaimer, Terms and Conditions, © Copyright Information

MetaPress Privacy Policy

Remote Address: 80.191.104.1 • Server: MPWEB26

HTTP User Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; InfoPath.2)

