



Taylor & Francis Online

Access provided by Amir Kabir University




Log in

| Register



Cart



Journal

International Journal of Computer Mathematics >

Latest Articles

[Submit an article](#)[Back to journal](#)

Enter keywords, authors, DOI e

This Journal



15

Views

0

CrossRef citations

0

Altmetric

Original Articles

A cross-layer optimization framework for joint channel assignment and multicast routing in multi-channel multi-radio wireless mesh networks

Mohsen Jahanshahi ✉, Mehdi Dehghan & Mohammad Reza Meybodi



Pages 1-29 | Received 08 Aug 2014, Accepted 21 Jul 2016, Accepted author version posted online: 22 Aug 2016, Published online: 27 Dec 2016

[Download citation](#)<http://dx.doi.org/10.1080/00207160.2016.1227431>

Select Language ▼

ABSTRACT

Existing literature on multicast routing protocols in wireless mesh networks (WMNs) from the view point of the links involved in routing are divided into two categories: schemes are aimed at multicast construction with minimal interference which is known as NP hard problem. In contrast, other methods develop network-coding-based solutions with the main objective of throughput maximization, which can effectively reduce the complexity of finding the optimal routing solution from exponential to polynomial time. The proposed framework in this paper is placed in the second category. In multi-channel multi-radio WMNs (MCMR WMNs), each node is equipped with multiple radios, each tuned on a different channel. In this paper, for the first time, we propose a cross-layer convex optimization framework for joint channel assignment and multicast throughput maximization in MCMR WMNs. The proposed method is composed of two phases: in the first phase, using cellular learning automata, channels are assigned to the links established between the radios of the nodes in a



channel assignment scheme is utilized in the second phase for throughput maximization within an iterative optimization framework based on Lagrange relaxation and primal problem decomposition. We have conducted many experiments to contrast the performance of our solution against many representative approaches.

KEYWORDS: [Wireless mesh network](#), [multi-channel](#), [multi-radio](#), [channel assignment](#), [multicast routing](#), [primal decomposition](#)

2010 AMS SUBJECT CLASSIFICATIONS: [68T05](#), [68Q32](#), [68Q80](#)

institution

[Shibboleth](#)
[OpenAthens](#)

Log in to Taylor & Francis Online

☐ Remember Me

[Forgot password?](#)

Log in

Or purchase it

Article [Add to cart](#)

Purchase

24 hours access for USD 50.00

* Local tax will be added as applicable

Browse journals by subject

[Back to top](#) ^

Area Studies

Arts

Behavioral Sciences

Bioscience

Built Environment

Communication Studies

Computer Science

Development Studies

Earth Sciences

Economics, Finance,
Business & Industry

Education

Engineering &
Technology

Environment &
Agriculture

Environment and
Sustainability

Food Science &
Technology

Geography

Health and Social Care

Humanities

Information Science

Language & Literature

Law

Mathematics &
Statistics

Medicine, Dentistry,
Nursing & Allied Health

Museum and Heritage
Studies

Physical Sciences

Politics & International
Relations

Social Sciences

Sports and Leisure

Tourism, Hospitality
and Events

Urban Studies

Information for

Authors

Editors

Librarians

Societies

Open access

Overview

Open journals

Open Select

Cogent OA

Help and info

Help

FAQs

Press releases

Contact us

Connect with Taylor &
Francis



