Name	: Mr. RADHESHYAM MITTAL		
Lab No.	: 456465579	Age	: 63 Years
Ref By	: SELF	Gender	: Male
Collected	: 3/4/2024 8:40:00AM	Reported	: 3/4/2024 4:55:21PM
A/c Status	: P	Report Status	: Final
Collected at	: PAWAR DIAGNOSTIC Wadgaon Sheri pune,Punyanagari soc,Ayappa tample,Wadgaon Sheri PUNE 411014	Processed at	: LPL-PUNE LAB Ground floor, Anand Emerald, Sakore Nagar, Near Symbiosis University , Airport Road Pune-411014

MC-2762

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD (HPLC, NGSP certified)			
HbA1c	**6.5**	%	4.00 - 5.60
Estimated average glucose (eAG)	140	mg/dL	

Interpretation

HbA1c result is suggestive of Diabetes/ well controlled Diabetes in a known Diabetic

Interpretation as per American Diabetes Association (ADA) Guidelines

Reference Group	Non diabetic adults >=18 years	At risk (Prediabetes)	Diagnosing Diabetes	Therapeutic goals for glycemic control
HbA1c in %	4.0-5.6	5.7-6.4	>= 6.5	<7.0

Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1C MEASUREMENT	FACTORS THAT AFFECT INTERPRETATION OF HBA1C RESULTS
Hemoglobin variants,elevated fetal hemoglobin (HbF) and chemically modified derivatives of hemoglobin (e.g. carbamylated Hb in patients with renal failure) can affect the accuracy of HbA1c measurements	Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g.,recovery from acute blood loss, hemolytic anemia, HbSS, HbCC, and HbSC) will falsely lower HbA1c test results regardless of the assay method used.Iron deficiency anemia is associated with higher HbA1c

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.
Tel: 011-4988-5050, *Fax:* +91-11-2788-2134, *E-mail:* customer.care@lalpathlabs.com