

# **E-Commerce API Documentation**

### **Authentication**

```
POST /token/ - Get JWT token pair
Request Body:
"email": "user@example.com",
 "password": "password123"
Response:
"access": "<access_token>",
 "refresh": "<refresh_token>"
Register
POST /register/ - Register a new user
Request Body:
 "email": "newuser@example.com",
 "password": "secret123",
 "is_customer": true
Response:
 "id": 3,
 "email": "newuser@example.com",
 "is_customer": true
}
L Current Logged-In User
GET /user/me/ - Requires Auth Token
```

```
Response:
 "id": 1,
```

```
"email": "user@example.com",
"is_customer": true,
"is_admin": false
```

### **Categories**

GET /categories/ - Public access

POST /categories/ - Requires authentication



#### **Products**

GET /products/ - Public access (use ?category=<category\_id> to filter)

POST /products/ - Requires authentication

#### Cart

GET /carts/ - Requires authentication

#### + Add to Cart

POST /cart/add/ - Requires authenticated customer

```
Request Body:
 "product": 2,
"quantity": 3
}
```

#### **Gart Items**

GET /cart-items/ - Requires authentication

PATCH /cart-items/<id>/ - Update quantity

#### **Orders**

GET /orders/ - Requires authentication (Admin sees all, customer sees own)

```
POST /orders/ - Requires authentication
Request Body:
{
```

```
"shipping_address": 1 }
```

# **Shipping Addresses**

GET /addresses/ - Requires authentication

POST /addresses/ - Requires authentication

## **Users (Admin Only)**

GET /users/ - Requires admin

# **☑** Role-Based Access Summary

Endpoint	Admin	Customer	Unauthenticated
/token/			
/register/			
/user/me/		abla	×
/categories/		abla	✓ (GET)
/products/	$\square$		✓ (GET)
/carts/		abla	×
/cart/add/	×		×
/cart-items/			×
/orders/	$\square$		×
/addresses/			×
/users/	$\square$	×	×