



SIMATS Online Programming Lab

C PROGRAMMING



M Nishanth
192511154RB



CO4 - AT2 - CASE STUDY

[← Back](#)

QUESTIONS

Q1

CO4 - AT2 - CASE STUDY

25 marks

**Q2**

CO4 - AT2 - CASE STUDY

25 marks

**Q3**

CO4 - AT2 - CASE STUDY

25 marks

**Q4**

CO4 - AT2 - CASE STUDY

25 marks



4/4 answered

Q1 CO4 - AT2 - CASE STUDY

25 marks

A large enterprise resource planning application is built from multiple source files, including modules for sales, inventory, and finance, and all of these modules must reference a common variable that stores the current fiscal year. The variable is defined once in one source file but must be read and, in some cases, modified by functions compiled separately in other source files. Without proper declaration, each module would either fail to compile or maintain its own inconsistent copy of the fiscal year. The design must ensure a single, consistent value is shared across the entire application. Question: Identify which storage class allows the fiscal-year variable to be accessed across multiple source files, and explain the role of extern in achieving this shared access.

Your Code

```
1 #include <stdio.h>
2
3
4 int fiscal_year = 2026;
5
6
```

```
7 void displayYear()
8 {
9     extern int fiscal_year;
10    printf("Fiscal Year: %d\n", fiscal_year)
11 }
12
13
14 void updateYear()
15 {
16     extern int fiscal_year;
17     fiscal_year = 2027;
18 }
19
20 int main()
21 {
22     printf("Initial Fiscal Year: %d\n", fisc
23
24     displayYear();
25
26     updateYear();
27
28     printf("Updated Fiscal Year: %d\n", fisc
29
30     return 0;
31 }
```

Input

stdin input

Output



Run



Save

© 2026 **SIMATS Online Lab**. All rights reserved.