



SIMATS Online Programming Lab

C PROGRAMMING



M Nishanth
192511154RB



CO3 - AT3 - Mock Interview

[← Back](#)

QUESTIONS

Q1

MOCK INTERVIEW
100 marks



1/1 answered

Q1 MOCK INTERVIEW

100 marks

- 1.What is the difference between an array and a variable?
2. What is meant by the base address of an array?
- 3.What happens if an array size is not specified during initialization?
4. How are 2D arrays stored in memory?
5. Give one real-life application of multidimensional arrays.
- 6.Why do arrays start from index 0 instead of 1?
- 7.Which engineering fields commonly use multidimensional arrays?
- 8.Can a multidimensional array have more than three dimensions?
- 9.Why are images stored as multidimensional arrays?
10. What is row-major order?
11. Does C use row-major or column-major order?
12. Why can't arrays return multiple values?
13. What happens when array bounds are exceeded?
14. Why are strings stored as character arrays?
15. Explain the difference between `char str[]` and `char *str`.
16. Can two-dimensional arrays be passed to functions?

17. When would a linked list outperform an array?
18. Differentiate gets(), fgets(), scanf(), and getchar().

Your Answer

1. An array stores multiple values of the same data type, while a variable stores only one value.
2. The base address is the memory address of the first element of an array.

 Save Answer