



SIMATS Online Programming Lab

C PROGRAMMING



M Nishanth
192511154RB



CO1 - Assessment Tools - 1 MCQ

[← Back](#)

QUESTIONS

Q1

Operators and Expressions

1 mark

**Q2**

Operators and Expressions

1 mark

**Q3**

Operators and Expressions

1 mark

**Q4**

Operators and Expressions

1 mark

**Q5**

Operators and Expressions

1 mark

**Q6**

Operators and Expressions

1 mark

**Q7**

Operators and Expressions

1 mark

**Q8**

Operators and Expressions



Q1 Operators and Expressions

1 mark

A macro `#define A 10+5` is used in an expression `A*2` without parentheses. What will be the output?

```
#define A 10+5  
printf("%d", A*2);
```

A. 30**B.** 25**C.** 40**D.** Error

Save Answer

Next →

1 mark

Q9

Operators and Expressions

1 mark

Q10

Operators and Expressions

1 mark

Q11

Operators and Expressions

1 mark

Q12

Operators and Expressions

1 mark

Q13

Operators and Expressions

1 mark

Q14

Operators and Expressions

1 mark

Q15

Operators and Expressions

1 mark

Q16

Operators and Expressions

1 mark

Q17

Operators and Expressions

1 mark

Q18

Operators and Expressions

1 mark

Q19

Operators and Expressions

1 mark

Q20

Operators and Expressions

1 mark

20/20 answered

© 2026 **SIMATS Online Lab**. All rights reserved.