mode	key	effect
Built-ins		
:Ex	%	new file
:Ex	d	new folder
primeagen		
n	"t"	$\operatorname{vim.cmd.Ex}$
V	"J"	":m \rightarrow +1gv=gv"
V	"K"	":m '<-2gv=gv"
n	"J"	$\mathrm{mzJ'z}$
n	<i>""</i>	"zz"
n	<i>""</i>	"zz"
n	"n"	"nzzzv"
n	$\mathrm{``N''}$	$\mathrm{``Nzzzv''}$
X	"p"	""_dP"
n	"y"	""+y"
V	"y"	""+y"
n	"Y"	""+Y"
n	"d"	"" d"
v	"d"	"" d"
i	<i>""</i>	""
n	$^{"}Q"$	un
n	""	"silent !tmux neww
		tmux-sessionizer"
n	"f"	function(
n	<i>""</i>	"cnextzz"
n	<i>""</i>	"cprevzz"
n	"k"	"lnextzz"
n	"j"	"lprevzz"
n	"s"	":%s/\<\>//gI"
n	"x"	"!chmod $+x\%$ "
cmp-completion		
i	<i>""</i>	cmp.mapping.select_prev_item(cmp_select)
i	<i>""</i>	cmp.mapping.select_next_item(cmp_select)
i	ω,,	cmp.mapping.confirm({select = true})
i	u,"	cmp.mapping.complete()
fugitive- git		emp.mapping.complete()
n	m ``gs"	vim.cmd.Git
harpoon	85	viiii.oliiq. Git
n	"a"	mark.add file
n	<i>""</i>	ui.toggle_quick_menu
n	<i>""</i>	function() ui.nav_file(1)
11		end
n	<i>""</i>	function() ui.nav_file(2)
11		end

mode	key	effect
n	u;,,	function() ui.nav_file(3)
		end
n	<i>دد</i>	function() ui.nav_file(4)
		end
sp		
n	$\operatorname{``gd"}$	function()
		vim.lsp.buf.definition()
		end
n	"K"	function()
		vim.lsp.buf.hover() end
n	"vws"	function()
		$vim.lsp.buf.workspace_symb$
		end
n	"vd"	function()
		vim.diagnostic.open_float()
		end
n	"[d"	function()
		vim.diagnostic.goto_next()
		end
n	"]d"	function()
	1	vim.diagnostic.goto_prev()
		end
n	"vca"	function()
		$vim.lsp.buf.code_action()$
		end
n	"vrr"	function()
	V-11	vim.lsp.buf.references()
		end
n	"vrn"	function()
	VIII	vim.lsp.buf.rename() end
i	٤٤ ٢٢	function()
		vim.lsp.buf.signature_help()
		end
elescope		
1	"pf"	builtin.find_files
1	""	builtin.git_files
1	m "ps"	function
indotree	P.	
1	"u"	${\it vim.cmd.} \\ {\it UndotreeToggle}$