



GOOGLE DRIVE BACKUP UTILITY

Automated Backups for Your Files & Databases

A lightweight, always-on service that quietly protects your data by mirroring files and databases to your own Google Drive — on a schedule you control.

Automated Scheduling

Cross-Platform

Source-Available

PROJECT OVERVIEW & ARCHITECTURE

Data loss shouldn't depend on remembering to press a button

Most data loss doesn't come from a dramatic failure — it comes from a backup that quietly stopped happening months ago.

This project is a small, focused backup service built to run unattended in the background of a server, workstation, or small office setup. It watches over the folders and databases you tell it about, packages them up on a schedule, and delivers them straight into a Google Drive folder you already own and control — **no third-party storage, no vendor lock-in, no black box.**

It was built around one idea: backup software should be something you configure once and then forget about, while still being simple enough to read and understand end to end.



Peace of Mind

Runs on its own schedule, day after day, without anyone having to remember it exists.



Zero Maintenance

Install once, point it at your folders and databases, and let the scheduler take it from there.



Fully Transparent

Source-available, so every step of the backup pipeline can be read, audited and trusted.

“The goal isn't another dashboard to babysit — it's a service that disappears into the background and simply does its job, every single day, until the moment you actually need it.”

How a backup moves through the system

Four stages, running end to end on every scheduled trigger — no manual steps in between.



1. Source Directories

Any folder you point it at is picked up as-is on the next scheduled run — no manual staging required.

3. Scheduler

A daily time or a full cron pattern decides exactly when each run happens.

Duplicate-Safe by Default

Every upload is checked by name first, so re-runs never waste bandwidth or storage.

2. Compression Engine

Contents are packaged into zip or tar.gz archives before anything leaves the machine.

4. Google Drive Delivery

Archives are uploaded to a folder you own, skipping anything already present.

Retry With Backoff

A failed upload is kept locally and automatically retried on the next cycle.

What it does, out of the box

A focused set of capabilities, each doing one job well.



Folder Backup & Compression

Any number of source directories, compressed into zip or tar.gz archives automatically.



Flexible Scheduling

A simple daily time, or a full cron expression for complete control over timing.



Your Own Google Drive

Backups land in a Drive folder you already own — no third-party storage in between.



Duplicate-Safe Uploads

Already-uploaded files are skipped by name, keeping every run fast and efficient.



Automatic Retries

Anything that fails to upload stays local and is retried on the next scheduled cycle.



Cross-Platform

Ships as a standalone service for Linux, Windows and macOS alike.



Built to be trusted with data that matters

Three principles guide every design decision behind the pipeline.



Retries On Its Own

A failed run doesn't mean a missed backup — it just means the next cycle tries again.



Deletes Only Its Own

Cleanup routines only ever touch the backups this service itself uploaded.



Every Line Readable

Source-available by design, so the whole pipeline can be inspected, not just trusted.

RUNS WHEREVER YOU DO

Linux

Windows

macOS

A backup pipeline that just keeps running

Point it at what matters, set a schedule, and let it work quietly in the background — day after day, run after run.

