Process & Decision Documentation

Side Quest 6 Prompt: Add sound or simple physics to your sketche.g., visual effects triggered by motion, collisions, or player actions.

Project/Assignment Decisions

I directed GenAi to add the chosen audio file to play depending on which player interaction, into the Week 6 coding files.

Side Quests and A4 (Individual Work)

Role-Based Process Evidence




m-vandame_sidequest_W6
EXPLORER
OPEN EDITORS 1 unsaved
README
sketch.js
M-VANDAME_SIDEQUEST_W6
assets
audio
backgroundmusic.mp3
collect.mp3
firehit.mp3
gameover.mp3
hit.mp3
jump.mp3
background_layer_1.png
background_layer_2.png
background_layer_3.png
bitmapFont.png
boarSpriteSheet.png
fireSpriteSheet.png
foxSpriteSheet.png
groundTile.png
groundTileDeep.png
leafSpriteSheet.png
platformLC.png
platformRC.png
wallL.png
wallR.png
libraries
types
.gitattributes
index.html
jsconfig.json
style.css
OUTLINE
TIMELINE
let boar;
let boarImg;
let boarSpawns = [];
let boarAnis = {
run: { row: 1, frames: 4, frameDelay: 3 },
throwPose: { row: 4, frames: 1, frameDelay: Infinity, frame: 0 },
death: { row: 5, frames: 4, frameDelay: 16 },
};
let attacking = false;
let attackFrameCounter = 0;
let attackHitThisSwing = false;
let invulnTimer = 0;
const INVULN_FRAMES = 45;
let knockTimer = 0;
const KNOCK_FRAMES = 30;
let won = false;
let ground, groundDeep, platformsL, platformsR, wallsL, wallsR;
let groundTileImg, groundTileDeepImg, platformLCImg, platformRCImg, wallLImg, wallRIm
let bgLayers = [];
let bgForeImg, bgMidImg, bgFarImg;
let leaf;
let leafImg;
let leafSpawns = [];
let fire;
let fireImg;
let backgroundMusic;
let gameOverSound;
let attackSound;
let collectSound;
let hitSound;
let jumpSound;
let fireHitSound;
Keep Undo 2 of 10
CHAT
ADDING BACKGROUND MUSIC TO G...
can you add assets/audio/hit.mp3 whenever the boars attack the player/when the player receives damage
Searched regex in sketch.js file
Perfect! I can see the playerHitByBoar function where the player takes damage. Now I'll add the hit sound variable, load it, and play it when the player gets hit:
Edited sketch.js +3 -0
Done! I've added the hit sound effect. Here's what was added:
1. Added a hitSound variable to store the audio file
2. Loaded hit.mp3 in the preload() function
3. Added hitSound.play() in the playerHitByBoar() function that triggers when the player takes damage from a boar
Now whenever a boar attacks and damages the player, the hit sound will play.
Claude Haiku 4.5 • 1x
2 files changed +28 Keep Undo
sketch.js
Describe what to build next
Agent Claude Haiku 4.5
main* Launchpad 0 0
Ln 38, Col 10 Spaces: 2 UTF-8 LF JavaScript Port : 5501 Prettier


m-vandame_sidequest_W6
CHAT
ADDING BACKGROUND MUSIC TO GAME CODE
can you help me with adding audio to the game code from these files? can you put assets/audio/backgroundmusic.mp3 as the background music on loop and the default volume being medium
Read lines 1 to 100 of sketch.js
Let me continue reading to see the preload and setup functions:
Read sketch.js, lines 100 to 300
Now let me check if there's already audio being used and see more of the setup:
Searched for regex preload|setup|audio|sound (**/sketch.js), 3 results
Let me check the index.html to see how the p5.sound library is loaded:
Read index.html
I need to add p5.sound library to the HTML and then add audio code to sketch.js. Let me first update the index.html to include p5.sound:
Edited index.html +1 -0
Now I'll update the sketch.js file to add audio. I need to:
1. Add a variable for background music at the top
2. Load the audio file in preload()
3. Play the audio on loop with medium volume in setup()
Read sketch.js, lines 70 to 90
Now I'll add the audio variable and update the preload and setup functions:
Edited sketch.js +8 -0
Perfect! I've successfully added audio support to your game. Here's what I did:
1. Updated index.html - Added the p5.sound library from CDN so you can use audio functions
2. Updated sketch.js with three changes:
2 files changed +28 -0 Keep Undo
README
Describe what to build next
Agent Claude Haiku 4.5
SESSIONS
TODAY
Adding background music to game code
2 files +28 -0 Local • 7 mins

Entry Header

Name: Marine-Chloe Vandame

Primary responsibility for this work: Adding audio to an existing p5.js game

Goal of Work Session

Adding sound effects and background music to the game to make the overall game more engaging.

Tools, Resources, or Inputs Used

- Claude (Sonnet 4.5)
- Lecture Notes
- Prior code as base of the game (provided from Dr. Karen Cochrane & David Han)
- Playtesting feedback
- Audio assets (backgroundmusic.mp3, gameover.mp3, attack.mp3, collect.mp3, hit.mp3, jump.mp3, firehit.mp3)

GenAI Documentation

Date Used: March 13, 2026

Tool Disclosure: Claude Haiku 4.5

Purpose of Use: To locate the correct function needed in a large body of code to add audio without the need to manually search through the whole sketch.js file.

Summary of Interaction: I first found free copyright sound effects and added it into a folder in the repository. Then I manually directed GenAi which audio file I wanted attached to which player behaviour (jumping, attacking, getting damage, collecting leaves).

Human Decision Point(s): I personally chose the sound effects and which corresponding player movement to attach to it. After playtesting, I would make sure that the sound played when it was supposed to and whether it was too loud/quiet. From these decisions, I would prompt GenAi to correct any inconsistencies.

Integrity & Verification Note: I would attach a sound effect one at a time, to assure that every sound played when it is supposed to and whether it fits the game's concept. I personally directed what sound to what player behaviour.

Scope of GenAI Use: The code from the game was already provided and I solely relied on GenAi to locate where the function is called to attach the audio.

Limitations or Misfires: GenAi cannot make sure whether the sounds were too loud or too quiet. I had to manually check if the sound output was appropriate for the game.

Summary of Process (Human + Tool)

- I selected the sound effects and background music that I thought was suitable for the game's theme.
- I put all the audios in a folder in the repository.
- Relied on GenAi to locate where the function body is to attach the sound effect.
- Polished up the sound after playtesting (ex. Adjusting the volume, delaying the sound if it came too early, etc.)

Verification & Judgement

I playtested after every edit to make sure that the sound was used after the intended player's behaviour. I tried every possible outcome to ensure consistency and that the sound effects went together in the game world context.

Limitations, Dead Ends, or Open Questions

I am not sure if I trust GenAi to source all the audio or whether they are even capable of doing that overall. GenAi can also not assess if a specific sound effect is louder or quieter compared to the rest of the audio being used. They use the default audio at 1.0 for all, not considering that the audio file isn't consistent. Human judgement is still needed to ensure these sorts of details.

Appendix

User: can you help me with adding audio to the game code from these files? can you put assets/audio/backgroundmusic.mp3 as the background music on loop and the default volume being medium

GitHub Copilot: Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#1-1), lines 1 to 100

Let me continue reading to see the preload and setup functions:

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#100-100), lines 100 to 300

Now let me check if there's already audio being used and see more of the setup:

Searched for regex `preload|setup|audio|sound` (`**/sketch.js`), 3 results

Let me check the index.html to see how the p5.sound library is loaded:

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/index.html)

I need to add p5.sound library to the HTML and then add audio code to sketch.js. Let me first update the index.html to include p5.sound:

Using "Replace String in File"

```

```

Now I'll update the sketch.js file to add audio. I need to:

1. Add a variable for background music at the top

2. Load the audio file in preload()

3. Play the audio on loop with medium volume in setup()

Read
[](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#70-70), lines 70 to 90

Now I'll add the audio variable and update the preload and setup functions:

Using "Multi-Replace String in Files"

```

```

Perfect! I've successfully added audio support to your game. Here's what I did:

1. **Updated index.html** - Added the p5.sound library from CDN so you can use audio functions

2. **Updated sketch.js** with three changes:

   - Added a `backgroundMusic` variable to store the audio

   - Loaded the audio file in the `preload()` function

   - Configured it to loop and set the volume to 0.5 (medium) in `setup()`

The background music from backgroundmusic.mp3 will now play on loop when the game starts with a medium volume level. The volume can be adjusted by changing the value passed to `setVolume()` (0 = silent, 1 = full volume).

Made changes.

User: can you add assets/audio/gameover.mp3 to play when the player loses and its game over

GitHub Copilot: Searched for regex `dead|death|Game Over|GAME OVER` (`**/sketch.js`), 15 results

Let me search for where the death is actually triggered:

Searched for regex `pendingDeath\s*=|deathStarted|health\s*<=` (`**/sketch.js`), 10 results

Let me look at the code around where death starts:

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#370-370), lines 370 to 395

Perfect! I can see where the death is triggered. Now I'll add the game over sound. I need to:

1. Add a variable for the game over sound
2. Load it in preload()
3. Play it when `dead` becomes true

Using "Multi-Replace String in Files"

```

```

```
```

Done! I've added the game over sound effect. Here's what was added:

1. Added a `gameOverSound` variable to store the audio file

2. Loaded gameover.mp3 in the `preload()` function

3. Triggered `gameOverSound.play()` when the death animation starts

Now when the player loses all their health, the game over sound will play when the death animation begins.

Made changes.

User: can you add assets/audio/attack.mp3 when the player presses space to attack in the game

GitHub Copilot: Searched for regex `kb\.presses.*space|attacking\s*=\s*true` (`**/sketch.js`), 2 results

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#275-275), lines 275 to 290

Perfect! Now I'll add the attack sound. I need to add the variable, load it, and play it when the attack begins:

Using "Multi-Replace String in Files"

```

```

Done! I've added the attack sound effect. Here's what was added:

1. Added an `attackSound` variable to store the audio file

2. Loaded attack.mp3 in the `preload()` function

3. Added `attackSound.play()` when the player presses space to attack

Now whenever the player attacks, the attack sound will play along with the attack animation.

Made changes.

User: could you make the game over sound a little less loud please

GitHub Copilot: Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#378-378), lines 378 to 385

Using "Replace String in File"

```

```

Done! I've set the game over sound volume to 0.3 (30% volume), making it noticeably quieter. You can adjust this value if you'd like it even quieter or a bit louder.

Made changes.

User: can you add the sound assets/audio/collect.mp3 for when the player collects the green leafs

GitHub Copilot: Searched for regex `score|collect|leaf.*remove` (`**/sketch.js`), 10 results

Let me search for where the leaf collision/overlap is handled:

Searched for regex `player\.collides|leaf.*overlap|overlap.*leaf|player.*leaf` (`**/sketch.js`), 4 results

Perfect! Let me look at the rescueLeaf function:

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#527-527), lines 527 to 540

Perfect! Now I'll add the collect sound. I need to add the variable, load it, and play it in the rescueLeaf function:

Using "Multi-Replace String in Files"

```

```

Done! I've added the collect sound effect. Here's what was added:

1. Added a `collectSound` variable to store the audio file

2. Loaded collect.mp3 in the `preload()` function

3. Added `collectSound.play()` in the `rescueLeaf()` function that triggers when the player collects a leaf

Now whenever the player collects a green leaf, the collect sound will play.

Made changes.

User: can you add assets/audio/hit.mp3 whenever the boars attack the player/when the player receives damage

GitHub Copilot: Searched for regex `playerHitByBoar|health\s*-=` (`**/sketch.js`), 3 results

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#565-565), lines 565 to 600

Perfect! I can see the `playerHitByBoar` function where the player takes damage. Now I'll add the hit sound variable, load it, and play it when the player gets hit:

Using "Multi-Replace String in Files"

```
```

```

Done! I've added the hit sound effect. Here's what was added:

1. Added a `hitSound` variable to store the audio file

2. Loaded hit.mp3 in the `preload()` function

3. Added `hitSound.play()` in the `playerHitByBoar()` function that triggers when the player takes damage from a boar

Now whenever a boar attacks and damages the player, the hit sound will play.

Made changes.

User: can you add the sound assets/audio/jump.mp3 whenever the player jumps

GitHub Copilot: Searched for regex `kb\.presses.*up|PLAYER_JUMP|vel\.y.*-` (`**/sketch.js`), 5 results

Read [](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#295-295), lines 295 to 305

Perfect! Now I'll add the jump sound variable, load it, and play it when the player jumps:
```

Using "Multi-Replace String in Files"

```

```

Done! I've added the jump sound effect. Here's what was added:

1. Added a `jumpSound` variable to store the audio file

2. Loaded jump.mp3 in the `preload()` function

3. Added `jumpSound.play()` when the player presses up to jump

Now whenever the player jumps, the jump sound will play.

Made changes.

User: can you add the sound assets/audio/firehit.mp3 whenever the player get damage from the fire

GitHub Copilot: Searched for regex `fire|playerHitByFire` (`**/sketch.js`), 10 results

Read
[](file:///Users/marinechloe/Documents/GitHub/m-vandame_sidequest_W6/sketch.js#551-551), lines 551 to 570

Perfect! I found the `takeDamageFromFire` function. Now I'll add the fire hit sound variable, load it, and play it when the player takes damage from fire:

Using "Multi-Replace String in Files"

```

```

Done! I've added the fire hit sound effect. Here's what was added:

1. Added a `fireHitSound` variable to store the audio file

2. Loaded firehit.mp3 in the `preload()` function

3. Added `fireHitSound.play()` in the `takeDamageFromFire()` function that triggers when the player takes damage from fire

Now whenever the player gets hit by fire, the fire hit sound will play.

Made changes.