SWYNEX Internship

Task-wise Security Assessment Evidence

Prepared from screenshots supplied by the user

Purpose

This PDF organizes the supplied screenshots into task sections for use as supporting evidence in the Task 4 Security Assessment Report. Captions describe only what is visible in the screenshots; they do not claim that every observed item is an exploitable vulnerability.

Evidence limitations

No Task 1 screenshot was included in the supplied files. Task 1 is therefore marked as evidence not supplied. The screenshots show selected Task 2 and Task 3 activities; they are not a complete independent validation of every assessment result.

Suggested repository location

Upload this PDF to the Task 4 repository under `evidence/`, or keep the original images there alongside this PDF. Remove any sensitive information before public upload.

Task 1 — Security Fundamentals Assessment


Status: No Task 1 screenshot was included in this upload. Do not use unrelated screenshots as Task 1 proof. Add genuine Task 1 evidence later if available.

Task 2 — Network Security Analysis (Wireshark)

The following screenshots show DNS traffic, ICMPv6 traffic, TCP reset packets, and TLS traffic captured in Wireshark. These are observations of captured traffic; they do not by themselves establish that the network is compromised.


Task 2 — Wireshark DNS traffic

Wireshark capture filtered with `dns`, showing DNS queries and responses.




Task 2 — Kali Wireshark capture

Wireshark capture in Kali Linux showing ICMPv6 traffic.




Task 2 — TCP/TLS network traffic

Captured TCP and TLSv1.2 packets between the lab machine and a remote endpoint.




Task 2 — TCP reset filter

Wireshark display filter `tcp.flags.reset==1` showing TCP reset packets.



Task 2 — TLS traffic filter

Wireshark display filter `tls` showing TLS handshake and application-data packets.




Task 3 — Web Security Review (OWASP ZAP and Juice Shop)

The following screenshots document the local Juice Shop test application and OWASP ZAP interface/traffic. The alert screenshots show passive alerts reported by ZAP; severity and impact should be described in the report according to the alert details and the lab context.


Task 3 — OWASP Juice Shop lab

Juice Shop running locally at `localhost:3000`; this confirms the lab application was open.




Task 3 — ZAP initial interface

OWASP ZAP initial screen; this is setup evidence, not proof of scan findings.




Task 3 — ZAP site traffic

ZAP Sites tree and request/response view showing traffic associated with the local Juice Shop.




Task 3 — ZAP scan setup

ZAP session/interface with the local target listed; interpret as scan/setup context.




Task 3 — ZAP alert detail

ZAP alert details for a Cross-Domain Misconfiguration alert, including evidence `Access-Control-Allow-Origin: *`.



Task 3 — ZAP passive alerts

ZAP Alerts panel showing 11 alerts, including missing security headers and other passive findings.



Task 4 — Security Assessment Report

Use this evidence PDF as an appendix/reference file alongside `report.md`, `findings.md`, `remediation.md`, and `README.md`. Keep the report transparent about the absence of Task 1 evidence and avoid claiming that missing evidence exists.

Recommended file name: `SWYNEX_Taskwise_Evidence_Report.pdf`