Games included in our platform

- Tik tak toe
- Connect
- Checkers
- ~chess~ ♝

Time for weekly meeting 📣

- Monday - **9 pm**
- Wednesday - **8 pm**
- Saturday - **8 pm**

Contribution to P1:

- Created the general use case diagram ✅
- Added in missing use cases ✅
- Created a class structure diagram to illustrate the general overview of our design ✅

TASKS** ‼️


Upcoming deadlines

- Design of the welcome page ~**Nov 20**
- Implement a login screen containing the details of the players ~**Nov 20**
- Need to create login/registration page (info gathered from authentication and profile team) ~**Nov 20**

- Selection of players… (would start the design of the players)
- Implement sound effects in the games if we've got time 🔊
- Need to create a catalogue from which the user can choose their desired game ~
- Notifications(?) - for game invites and friend requests
- For all games, need to show a scoreboard
- Chat (work with networking team for this)
- Player profile
- Shows games played, + other stats/Wins and losses
- Instructions/Rules added for each game
- Mostly will be dealing with mouse inputs

Team Overview on meeting 💥

- Implement a cartoonish theme for the **OMG game platform**. We also settled on including in a **game logo** which would help to make it official. These were some of the insights we had;🫳



Possible look of the tik-tak-toe game✨




Cartoonish theme🧔


We also want to use this as an outline 🤷







https://boardgamearena.com/ this was a typical outline



Login page created which was designed with css and html

Tools:

- Photoshop🎨
- Adobe⚽
- Java swing🪀

Languages:

- CSS
- Html
- Java

> Agreed on having welcome screen and home screen together
> Same cartoonish theme to add in the leaderboard and chat
> make use of transitions to join all the parts of the gui interface together
> Design using mostly mouse clicks like **clickable buttons**
> use in a container to display game lists
> design of the outlay of the game using graphics
> character design also included

Missing use cases added in by the GUI team

Verify account

- Primary Actor(s): Player 1
- Secondary Actor: External Authenticator
- Goal in context: Player confirms their account (through email verification) and is granted full access to the OMG platform
- Trigger: Player registers email address on the platform
- Preconditions:
    - Player has not previously registered
    - Player has eligible email address to verify their authenticity
- Scenario:
    - Player chooses to 'register' from the main page
    - Player enters personal information including their email address
    - If the email is legitimate, a verification message will be sent to the entered email address from the external authenticator
    - Player verifies the email address by clicking a link in the email
- Postconditions:
    - Email is added to the registered accounts list
    - Player is logged in, and is granted full access to the platform
- Exceptions:
    - Player does not have an eligible email address
    - Authentication issues (due to inability to open links, etc.)
- Priority: High
- When available: Within first iteration
- Frequency of use: Often
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: N/A
- Open issues: N/A

Manage account

- Primary Actor(s): Player 1

- Secondary Actor: Server
- Goal in context: Player wishes to view and/or update their account details, these include notifications, privacy settings, language preferences, and security settings (password and email changes)
- Trigger: Player chooses to ‘manage account’ on the profile menu
- Preconditions:
    - Player is logged in to their account
- Scenario:
    - Player selects sub menu depending on what they wish to do with their account
    - Player enters new information; changes preference/settings
    - Prompt to confirm the changes
    - New account information will be saved on the database
- Postconditions:
    - Player’s account information is up to date based on their desired changes
- Exceptions:
    - Newly entered information is not valid
    - Fail to save changes due to server issues
- Priority: Low
- When available: Within first iteration
- Frequency of use: Rarely
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: via clicking of mouse on the GUI screen
- Open issues: N/A

Add friend

- Primary Actor(s): Player 1
- Secondary Actor: Player 2
- Goal in context: Player 1 searches for Player 2’s player ID and successfully adds them to their friend’s list
- Trigger: Player selects ‘add friend’ on the main page
- Preconditions:
    - Player 1 and Player 2 are both online (logged in) and possess

verified accounts

- Scenario:
    - Player 1 enters Player 2's player ID in search bar
    - Search result will show Player 2's public profile
    - Player 1 can add Player 2 by clicking 'add'
- Postconditions:
    - Player 2 is added as Player 1's friend, vice versa
    - Player 2 will be notified
- Exceptions:
    - Invalid player ID
    - Server issues
- Priority: High
- When available: Within first iteration
- Frequency of use: often
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: via clicking of mouse on the GUI screen
- Open issues: N/A

Challenge friend

- Primary Actor(s): Player 1
- Secondary Actor: Player 2
- Goal in context: Player 1 wishes go against Player 2 in game of their choice
- Trigger: Player 1 either invites Player 2 to play a game through their friend list or directly from the interface inside their chosen game.
- Preconditions:
    - Player 1 and Player 2 are both online (logged in) and possess verified accounts
    - Player 1 and Player 2 are both mutually added
    - The desired game is available to play for both players
- Scenario:
    - Player 1 invites Player 2 from their friend list or directly from within the game interface
    - Player 2 accepts the game invitation
    - Both players are placed inside the same game session
- Postconditions:
    - A game session successfully exists between the two players
- Exceptions:
    - Player 1 currently has no friends in their friends list
    - Player declines Player 1's invitation

    - Server issues
- Priority: Medium
- When available: Within first iteration
- Frequency of use: often
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: via clicking of mouse on the GUI screen
- Open issues: N/A

Choose a game

- Primary Actor(s): Player 1
- Goal in context: The player picks out a game they wish to play from among OMG's catalogue
- Trigger: The player searches up or presses on the desired game's icon located on our platform
- Preconditions:
    - Player is logged in and possesses a verified account
    - Player is connected to wifi
- Scenario:
    - Player browses through the game catalogue and selects a game they wish to play
    - The game launches
- Postconditions:
    - The game the player selects launches and redirects them to the game's main menu
- Exceptions:
    - Game fails to launch due to server issues, device compatibility issues etc.
- Priority: High
- When available: Within first iteration
- Frequency of use: Often
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: via clicking of mouse on the GUI screen
- Open issues: N/A

Concede

- Primary Actor(s): Player 1 and Player 2
- Goal in context: A player in the chosen game wishes to forfeit the match
- Trigger: A player chooses the "forfeit" button on the interface, surrendering the game.
- Preconditions:
    - A match is in progress


    - Both players are connected to the game session
- Scenario:
    - A player in the game session wishes to forfeit the match.
    - The forfeit button on the interface is pressed.
    - The system displays a prompt asking the player to confirm they wish to concede the match.
    - The conceding player confirms the prompt
    - The system ends the match, updating the game status, adjusting player ratings, and updating the leaderboard.
    - The system displays game results
    - Both players may return to the main menu
- Postconditions:
    - Player ratings are adjusted accordingly
    - Leaderboard is adjusted accordingly
- Exceptions:
    - Player decides against conceding
    - Server issues
- Priority: Medium
- When available: Within first iteration
- Frequency of use: often
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: N/A
- Open issues: N/A

Log out

- Primary Actor(s): Player 1
- Goal in context: Player wishes to log out of the game platform
- Trigger: Player clicks on “Log out” button on the interface
- Preconditions:
    - Player is currently logged in with a verified account on the OMG platform
- Scenario:
    - The player presses on the “Log out” button located in the top right corner of the page
    - The player is redirected to the Log in page
    - A message is displayed at the top of the screen confirming that the player has been successfully logged out
- Postconditions:
    - The session is securely closed
    - Personal information and session data removed from memory
    - Player no longer has access to platform functionalities
- Exceptions:
    - Login request fails due to server issues, network issues etc.
- Priority: High
- When available: Within first iteration

- Frequency of use: Often
- Channel to actor: via clicking of mouse on the GUI screen
- Channel to secondary actors: via clicking of mouse on the GUI screen
- Open issues: N/A

GUI general use case diagram



Class diagram

