
Overall class diagram is well structured and clearly displays the relationship between classes
Connect4Game
-logicManager: Connect4Logic
-turnManager: TurnManager
+Connect4Game()
+startGame(): void
Extends
<<Abstract>>
StartGame
+startGame(): void
relationship between TurnManager and Connect4Game could be changed to aggregation
valid() should be named isValidMove() for more clarity
forwardSlashWin(), backslashWin(), verticalWin() and horizontalWin(), could all be combined into a singular checkWin() function
Connect4Logic
+valid(board:int[][], row:int, col:int): boolean
+boardFull(board:int[][]): boolean
+placePiece(board:int[][], col:int, piece:int): boolean
+horizontalWin(board:int[][], piece:int): boolean
+verticalWin(board:int[][], piece:int): boolean
+backslashWin(board:int[][], piece:int): boolean
+forwardslashWin(board:int[][], piece:int): boolean
TurnManager
-playerRed: UserPiece
-playerBlue: UserPiece
-currentPlayer: UserPiece
+TurnManager(playerRed:UserPiece, playerBlue:UserPiece): void
+getCurrentPlayer(): UserPiece
+changeTurns(): void
Extends
Use
Connect4Board
#board: int[][]
+Connect4Board(): void
+getBoard(): int[][]
+printBoard(board:int[][]): void
UserPiece
-piece: int
+UserPiece(piece:int): void
+getPiece(): int
+userMove(board:Connect4Board): int[]
<<Interface>>
IUserPiece
+getPiece(): int
+userMove(board:Connect4Board): int[]