Use Case: Match Ends

Iteration: 1

Primary Actor: User

Goal in context: Shows to user that a match is concluded after an outcome is met

Preconditions: User is in game session and a win condition has been met by either the user or the opponent

Trigger: Game detects that a game has ended via player win

Scenario:

1. User is in a game session
2. Game is set-up
3. Game logic has processed that a win condition has been met by either player after a turn
4. The system concludes the match, showing appropriate alert to the user

Exceptions:

1. Win condition fails to process
2. Loss alert fails to display on screen

Postconditions: Match has ended and user can play again or ret  to the game menu

Priority: High. Match needs to conclude after outcome reached and user can select next action

When available: Within 1st iteration.

Frequency of use: Once per game session when win condition is detected

Channel to actor: Match conclusion is displayed to the user on the screen

Secondary actors: N/A.

Channel to secondary actors: N/A.

Open issues: N/A.

Use Case: Play Again Button

Iteration: 1

Primary Actor: User

Goal in context: Allows user to play again if they so choose to after a match has ended

Preconditions: A match has concluded based on either player reaching the win condition

Trigger: User presses the “Play Again” button after a match has finishe

Scenario:

1. The system detects a win condition has been met
2. The match concludes for the user
3. The user is provided with the option to play again

Exceptions:

1. “Play Again” button is unresponsive
2. Failure to reset the game environment

Postconditions: User is brought back to game set-up screen to open a new match

Priority: High. Provides user with intuitive option to continue playing after a match has ended without going back to the main menu as a shortcut

When available: Within 1st iteration.

Frequency of use: Once per game session after match has concluded

Channel to actor: Through the “Play Again” button in the interface

Secondary actors: N/A.

Channel to secondary actors: N/A.

Open issues: N/A.

Use Case: Return to Game Menu

Iteration: 1

Primary Actor: User

Goal in context: Allows user to return back to the game menu after a match has concluded to access other options

Preconditions: A match has concluded based on either player reaching the win condition

Trigger: User indicates they want to go back to the game menu by selecting "Return to Game Menu"

Scenario:

1. The system processes that a win condition has been met
2. The match is concluded with displays of win/loss to user
3. User is presented with the option to return to the game menu

Exceptions:

1. Button is unresponsive
2. Failure to load the main menu upon input

Postconditions: User is taken back to the game menu upon choosing to return

Priority: High. Provides user with a way to exit a concluded match and to navigate back to the main menu.

When available: Within 1st iteration.

Frequency of use: Once per game session after match has concluded

Channel to actor: "Return to Game Menu" button available for user to select after a match has concluded

Secondary actors: N/A.

Channel to secondary actors: N/A.

Open issues: N/A.