Descriptions for User profile, view the leaderboard, view other players' profiles, and choose game.

Use cases: User Profile (Main)

Iteration: 1

Primary Actor: Player

Goal in Context: A main page for a player to view its own profile and access to other features (view leaderboards/other players' profiles, choose game etc)

Preconditions: Player either signed in or logged in.

Trigger: Player is successively logged in.

Scenario:

1. Player is successfully logged in.
2. Player profile page pops up. This page includes the game nickname, profile picture, name and user's game stat.
3. Bottom of the page has buttons to click; switch user, view leader board, view my stats, view other player's profiles, customize own profile, choose game and etc.
4. Player will be moved to a different page according to the button clicked.
5. (Switch User: goes back to the login page)
6. (Customize Profile: Covered by the use case description: "Profile Customization")

Post Conditions: According to the player's decision(button), the player will be led to a new page(window).

Exceptions:

1. The player's game stats are not fully retrieved
2. Incorrect stats are retrieved
3. Buttons don't work. The player can't move to a different page or is moved to the wrong page.

Priority: High; This page will always be accessed. Works as the main controller.

When Available: Within 1st sprint.

Frequency of Use: High**;** Whenever a player decides to use this program(app)

Channel to Actor: User interfaces (GUI, screen; monitor, keyboard, speaker, mouse, etc.)

Secondary Actors: Customer service

Channel to Secondary Actors: Email, phone, (service request page)

Open Issues:

1. Should there be a "setting" page where the player can change game settings(color theme, font, sound, notification, etc.)?

Use cases: View Leaderboard

Iteration: 1

Primary Actor: Player

Goal in Context: Allow player to see the overall leaderboard (for all three games; Tic Tac Toe, Connect Four, and Checkers)

Preconditions:

1. Player is on the main profile page.
2. Stats are retrieved from the “aftermath” and “leaderboard” for each game.

Trigger: Player clicked the button “view leaderboard” from the main profile page.

Scenario:

1. Player is on the main profile page
2. Player clicks the button “view leaderboard”
3. Player is now moved to a different page that shows the leaderboard of all three games.

Post Conditions: After checking the leaderboard player can come back to the main profile page by clicking the “Back to main” button.

Exceptions:

1. Some of the game stats are not retrieved.
2. Incorrect game stats are retrieved

Priority: Low; This page will never be accessed unless the player wants to view the leaderboard.

When Available: within 1st sprint

Frequency of Use: Low; zero or once per player

Channel to Actor: User interfaces (GUI, screen; monitor, keyboard, speaker, mouse, etc.)

Secondary Actors: customer service

Channel to Secondary Actors: email, phone, (service request page)

Open Issues: N/A

Use cases: View other player's profile

Iteration: 1

Primary Actor: Player

Goal in Context: Allow player to view other players' profile.

Preconditions:

1. Player was able to log in and is on the main profile page.
2. Stats of other players are retrieved from "aftermath".

Trigger: Player clicks the "View other players' profile" button.

Scenario:

1. Player is on the main user profile page.
2. Player clicks the "View other players' profile" button.
3. Player is now on a different page that has a search bar to look up other players.
4. Player types in other players' names that he/she wants to view their profile.
5. The profiles and stats for the searched players are shown below the search bar.
6. Player can go back to the main profile page by clicking "Back to main" button.

Post Conditions: Player is back to the main user profile page

Exceptions:

1. Player information is not retrieved fully
2. Incorrect player information is displayed.
3. The buttons don't work

Priority: Medium

When Available: within 1st iteration

Frequency of Use: low

Channel to Actor: User interfaces (GUI, screen; monitor, keyboard, speaker, mouse, etc.)

Secondary Actors: customer service

Channel to Secondary Actors: email, phone, (service request page)

Open Issues:

1. How many players can be shown on one page? Should it be just one or several?
2. Is the player allowed to look up more than one player by typing their names in the search box all at once?
   -example: [Christiano Ronaldo, David Beckham…]

Use cases: Choose Game

Iteration: 1

Primary Actor: Player

Goal in Context: Allow the player to choose a game to play.

Preconditions: Player is successfully logged in and on the main user profile page.

Trigger: Player clicks the “choose game” button on the main user profile page.

Scenario:

1. Player is on the main user profile page.
2. Player clicks the “choose game” button
3. Player is now on the choose game page. This page has three buttons(one for each game) with a corresponding picture and a short introduction(preview) below.
4. Player decides what game to play and clicks the corresponding button.
5. Player is now on a new page where the game starts.
6. Player can go back to the main profile page by clicking the “Back to main” button.

Post Conditions: Player is either back on main menu page or has started playing a game.

Exceptions:

1. The button doesn’t work
2. The button is connected to a different game (Connect 4 button connected to Checkers)

Priority: Essential. Must be implemented.

When Available: Within 1st iteration

Frequency of Use: Medium**;** if the player plays one game, this page won’t be used much.

Channel to Actor: User interfaces (GUI, screen; monitor, keyboard, speaker, mouse, etc.)

Secondary Actors: Customer service

Channel to Secondary Actors: Email, phone, (service request page)

Open Issues:

1. Can the short introduction of the games be shown as a pop-up by hovering the cursor over the buttons?