## Use Case: Landing Page

**Iteration: 1**

**Primary Actor:** User

**Goal in Context:** The initial start-up page, where the user is able to select whether to login or sign-up. Users are greeted by the landing page which includes the graphics elements and various details about the program, giving a snippet of the user experience. Users are able to browse through the program functions, however to proceed to the player profile, users must login or sign up with a new account.

**Preconditions:**

1. Users must have necessary files to be able to access the program, either by running the program through an integrated development environment, or through an executable.
2. Users must have an input medium such as a physical or virtual keyboard to be able to interact and enter necessary details.
3. Users must have an output medium such a monitor or screen to be able to see results created by the program.
4. Users must have a running machine, that means program requirements. **[Will be updated as the program is developed and published].**
5. Users must not change the contents of files, unless told otherwise by system prompts.
6. Users must make sure the machine is connected to the necessary connections, i.e. hosted network.

**Trigger:** Using an input medium the user launches the program either by running it through the integrated development environment, or through an executable.

**Scenario:**

1. Users download the necessary files through a verified shared domain platform (Gitlab or other sharing website).
2. Users read the README content to familiarize themselves with the program and its various functionality.
3. User ensures the current machine has met the specifications as laid out in the introduction documentation.

4. User launches the program either by running it through the integrated development environment at the program file location, or through an executable.
5. User successfully launches the program and is greeted by the landing page which will carry forward the user experience.
6. Users are able to view the program graphs and select whether they want to login to an existing account, or sign up using a new account.

**Post Conditions:**

1. User has successfully launched the program and has met all program requirements to be able to access all the futures available in the application.
2. Users are able to view graphic elements that showcase program functionality, and users can proceed by either signing up or logging into an existing account.
3. Users are able to view debugging and logged information that may include any errors that may have occurred during program launch.
4. Users are able to resize the program window after reaching the landing page to accommodate for any viewing screen.

**Exceptions:**

1. User has not met the pre conditions, land page resources have not been allocated and the user cannot interact with the program. Users must restart the program and ensure all files have downloaded as specified in the README file.
2. User has not resized the landing screen properly, some elements of the program are not displayed correctly. Users must resize the window to show elements properly and enable proper functioning.
3. An unexpected error can arise even with correct files (may due to errors in production code), so users can check logged files for error diagnosis.

**Priority:** High, cannot access other features without being able to execute a program.

**When available:** First-second iteration

**Frequency of Use:** Multiple times when a program is launched, users can return to the landing page at any given moment.

**Channel to Actor:** Executable or through program files executed in an integrated development environment.

**Secondary Actor**: None.

**Channel to Secondary Actor**: N/A

**Open Issues:**

1. Need to address a consistent formal theme that is strictly followed throughout the application, otherwise users can be misguided when expecting similarity across applications.
2. Need to make applications compatible with screen sizes to ensure a consistent experience, however layout may need to be adapted and changed where applicable.
3. Need to add an timeout-session where if the program does not receive a response the program is terminated to avoid application from overusing resources when stuck due to uncaught errors (May show debugging information automatically after a given duration).