COVID-19 With deep learning


CNN


input_2 (InputLayer)	(None,	224, 224, 1)	0
conv2d_10 (Conv2D)	(None,	224, 224, 32)	832
conv2d_11 (Conv2D)	(None,	224, 224, 32)	25632
max_pooling2d_5 (MaxPooling2	(None,	112, 112, 32)	0
conv2d_12 (Conv2D)	(None,	112, 112, 64)	51264
conv2d_13 (Conv2D)	(None,	112, 112, 64)	102464
max_pooling2d_6 (MaxPooling2	(None,	56, 56, 64)	0
conv2d_14 (Conv2D)	(None,	56, 56, 128)	204928
conv2d_15 (Conv2D)	(None,	56, 56, 128)	409728
max_pooling2d_7 (MaxPooling2	(None,	28, 28, 128)	0
conv2d_16 (Conv2D)	(None,	28, 28, 64)	204864
conv2d_17 (Conv2D)	(None,	28, 28, 64)	102464
max_pooling2d_8 (MaxPooling2	(None,	14, 14, 64)	0
conv2d_18 (Conv2D)	(None,	14, 14, 32)	51232
conv2d_19 (Conv2D)	(None,	14, 14, 32)	25632
max_pooling2d_9 (MaxPooling2	(None,	7, 7, 32)	0
flatten_1 (Flatten)	(None,	1568)	0
dense_2 (Dense)	(None,	1024)	1606656
dropout_1 (Dropout)	(None,	1024)	0
dense_3 (Dense)	(None,	2)	2050

The architecture

Input -> [Conv , relu -> conv, relu -> MAXPool] X5 -> FC,Relu -> Dropout (0.5) -> FC, softmax

we tried deferent numbers of filters on every conv block and the final one give us this accuracy






the accuracy on Kaggle is:

submit-2 (2).csv	0.77173	0.82125	
2 days ago by muhaabdelwahab add submission details			
add submission details			

This architecture is the one that gave us the highest accuracy until now We trayed deferent number of filters on every block but the one that we using now is the best so far .

Inception

GOOGLE NET




left_1 (Dense)	(None, 2)	2050	dropout[0][0]
left_2 (Dense)	(None, 2)	2050	dropout_1[0][0]
final_output (Dense)	(None, 2)	2050	dropout_2[0][0]


Total params: 8,731,446 Trainable params: 8,731,446 Non-trainable params: 0

the accuracy chart by epoch


for the first lift branch



For the second branch



For the final output



The 3 accuracies with 30 epochs:

submit_output (2).csv 2 days ago by mohamed afifi	0.72826	0.74396	
add submission details			
submit_left2 (2).csv 2 days ago by mohamed afifi add submission details	0.73913	0.74879	
submit_left1 (2).csv 2 days ago by mohamed afifi add submission details	0.74637	0.74879	
			-

The 3 accuracies with 10 epochs:

submit_output (1).csv	0.73550	0.75845	
Z days ago by mohamed afifi add submission detalls			
and and means, designs			
submit_left2 (1).csv	0.74275	0.75845	
2 days ago by mohamed afifi			
add submission details			
submit_left1 (1).csv	0.75724	0.78260	
2 days ago by mohamed afifi			
add submission details			

The accuracy on Kaggle of the three outputs with 5 epochs (the highest):

submit_output.csv 2 days ago by mohamed afifi	0.77173	0.78985	
add submission details			
submit_left2.csv	0.78260	0.78985	
2 days ago by mohamed afifi			Page 1
add submission details			
submit_left1.csv	0.77173	0.80434	
2 days ago by mohamed afifi			
add submission details			


VGG 16:

Layer (type)	Output Shape	Param #
input_1 (InputLayer)	(None, 224, 224, 1)	0
conv2d (Conv2D)	(None, 224, 224, 64)	640
conv2d_1 (Conv2D)	(None, 224, 224, 64)	36928
max_pooling2d (MaxPooling	g2D) (None, 112, 112, 64)	0
conv2d_2 (Conv2D)	(None, 112, 112, 128) 73856
conv2d_3 (Conv2D)	(None, 112, 112, 128) 147584
max_pooling2d_1 (MaxPool:	ing2 (None, 56, 56, 128)	0
conv2d_4 (Conv2D)	(None, 56, 56, 256)	295168
conv2d_5 (Conv2D)	(None, 56, 56, 256)	590080
conv2d_6 (Conv2D)	(None, 56, 56, 256)	590080
max_pooling2d_2 (MaxPool	ing2 (None, 28, 28, 256)	0
conv2d_7 (Conv2D)	(None, 28, 28, 512)	1180160
conv2d_8 (Conv2D)	(None, 28, 28, 512)	2359808
conv2d_9 (Conv2D)	(None, 28, 28, 512)	2359808
nax_pooling2d_3 (MaxPooling2	(None, 14, 14, 512)	0
onv2d_10 (Conv2D)	(None, 14, 14, 512)	2359808
conv2d_11 (Conv2D)	(None, 14, 14, 512)	2359808
conv2d_12 (Conv2D)	(None, 14, 14, 512)	2359808
nax_pooling2d_4 (MaxPooling2	(None, 7, 7, 512)	0
Flatten (Flatten)	(None, 25088)	0
lense (Dense)	(None, 4096)	102764544
ropout (Dropout)	(None, 4096)	0
lense_1 (Dense)	(None, 4096)	16781312
ropout_1 (Dropout)	(None, 4096)	0
lense_2 (Dense)	(None, 1000)	4097000
lense_3 (Dense)	(None, 2)	2002
otal params: 138,358,394		

Total params: 138,358,394 Trainable params: 138,358,394 Non-trainable params: 0

Softmax
FC 1000
FC 4096
FC 4096
Pool
3x3 conv. 512
3x3 conv. 512
3x3 conv. 512
Pool
3x3 conv, 512
3x3 conv. 512
3x3 conv. 512
Pool
3x3 conv. 256
3x3 conv. 256
Pool
3x3 conv. 128
3x3 conv. 128
Pool
3x3 conv. 64
3x3 conv 64
Input
mpat

VGG16



-We have a problem with the accuracy on this model we tray with it all the possible combinations and we trayed deferent learning rates and the accuracy didn't change by the epoch, every epoch has the same accuracy of 74.28% and we trayed so hard to solve this problem but we failed to do that, sorry . -and there is the accuracy on Kaggle

submit (7).csv	0.61956	0.66908	
3 days ago by mohamed afifi			
add cultimicains dataile			