

PROTOCOL ANALYZER

Analyze any protocol, in any format you actually have

Paste, upload, scan, or link any protocol. BioStack extracts the structure, scores the stack, and shows better options.

Extract document text

Infer protocol structure

Detect overlap

Optimize the stack

Paste

Upload

Scan

Link

Scan protocol

Upload a protocol file

PDF, DOCX, XLSX, CSV, TXT, JPG, PNG, or WEBP.

Drop in a protocol file

Upload PDF, DOCX, XLSX, CSV, TXT, JPG, JPEG, PNG, or WEBP.



BioStack

Choose file

Up to 12 MB

Map Stack

Start free

Ready: BioStack_Protocol_Printable_Packet_v2.docx (44 KB)

Educational analysis only. Verify all dosing math manually.

GOAL

Healing

Start

Unlock Map analysis

Provider

Longevity

TRY AN EXAMPLE

Healing stack

Fat loss stack

Longevity stack

Accepted files

PDF, DOCX, XLSX, CSV, TXT, JPG, PNG, WEBP

Up to 12 MB

Analyze Protocol

Clear

Save Analysis

Extraction notes

FILEUPLOAD

SOURCE TYPE

DOCX

CONFIDENCE

Medium

ITEMS INFERRED

102 found, 4 normalized

Source: BioStack_Protocol_Printable_Packet_v2.docx

Text extraction looked stable for this source.

VIEW EXTRACTED TEXT

Preview is available for review before converting this into a BioStack protocol.

Parsed Protocol

BioStack Protocol Packet

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Provider-review draft phased metabolic repair longevity cognitive observability

Start

Unlock Map analysis

Provider

Duration: Unspecified

Version 2 adds Epitalon total-materials planning bacteriostatic-water math print page breaks

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Note Educational observational draft only. This is not medical advice not a prescription not injection instruction. All dosing route reconstitution labs imaging escalation decisions should be reviewed a qualified provider. BioStack-style calculators should be treated as math checks only verified manually.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Quick-Reference Phase Schedule

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Weeks | Primary move | Why this timing makes sense

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

NAD+

Dose: 25 mg

Frequency: Unknown

Duration: Unspecified

MOTS-C

Dose: 5 mg

Frequency: Unknown

Duration: Unspecified

Start

Unlock Map analysis

Provider

| Add GHK-Cu | Earlier add as a standalone repair/collagen/skin/connective-tissue signal. Do not add BPC/KPV the same week.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

BPC-157

Dose: 500 mcg

Frequency: daily

Duration: Unspecified

KPV | Repair anti-inflammatory layer after GHK-Cu has its own observation window. Avoid stacking all repair peptides the same start date.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Retatrutide

Dose: 1 mg

Frequency: weekly

Duration: 10 days

+ | Consider Epitalon then Dihexa only if justified | Epitalon fits best as a later sleep/circadian/longevity-oriented short cycle. Dihexa stays last highest caution.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Phase Explanations

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Track energy AM/PM sleep quality clarity/mood digestion injection-site response training recovery resting heart rate if available.

Start

Unlock Map analysis

Provider

Duration: Unspecified

Phase 2 Early GHK-Cu Repair Layer Weeks 4-7

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Do not start before provider review recent labs stable GI status.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Track appetite hydration constipation/diarrhea nausea reflux abdominal pain sleep mood resting heart rate training performance weight trend.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

If liver or lipid markers worsen treat that as a review trigger rather than pushing through.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Phase 4 Cognitive Circadian Longevity Layer Weeks 11-15+

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Goal add nootropic sleep/circadian or longevity-oriented peptides only after the metabolic layer is not actively moving the goalposts.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Start

Unlock Map analysis

Provider

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Decision Gates

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Gate | Continue only if

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

no unresolved sleep mood HR GI or injection-site issue.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Add BPC/KPV | GHK-Cu has had a quiet observation window there are no unresolved inflammatory sleep mood or GI issues.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Add Epitalon | Semax/Selank are either not being used or are stable

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

sleep/circadian tracking is in place.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Start

Unlock Map analysis

Provider

Frequency: Unknown
Duration: Unspecified

Total Materials Planning Weeks 1-15

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

These totals are planning math based the draft protocol througgh Week 15. They are not medical instructions. Maintenance beyond Week 15 should be calculated separately by multiplying the amount by the number of additional weeks.

Dose: Unknown
Frequency: weekly
Duration: Unspecified

Bacteriostatic-water math total bac water in mL = total mg needed / selected concentration in mg per mL. Actual vial-by-vial reconstitution depends vial size route concentration comfort provider/pharmacy instructions.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Substance | Planning window | Draft usage assumption | Total mg needed | Bac water planning examples | Notes

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

W3-4

Dose: 50 mg
Frequency: Unknown
Duration: Unspecified

W5-6 75-

Dose: 100 mg
Frequency: Unknown

Start

Unlock Map analysis

Provider

W7-15

Dose: 100 mg
Frequency: Unknown
Duration: Unspecified

up to ~

Dose: 390 mg
Frequency: Unknown
Duration: Unspecified

FDA has flagged limited human exposure peptide-quality concerns.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

GHK-Cu | Weeks 4-15 |

Dose: 1 mg
Frequency: daily
Duration: Unspecified

possible titration to 1.5-

Dose: 2 mg
Frequency: daily
Duration: Unspecified

KPV | Weeks 5-15 | 200-

Dose: 500 mcg
Frequency: daily
Duration: Unspecified

W10-11 1-

Dose: 2 mg
Frequency: Unknown
Duration: Unspecified

Start

Unlock Map analysis

Provider

Frequency: Unknown
Duration: Unspecified

W14-15 4-

Dose: 6 mg
Frequency: Unknown
Duration: Unspecified

Semax | Weeks 11-15 | 200-

Dose: 600 mcg
Frequency: Unknown
Duration: Unspecified

route/form changes material planning.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Selank | Weeks 11-15 | 200-

Dose: 500 mcg
Frequency: Unknown
Duration: Unspecified

Dihexa | Optional later only | No default included. Provider-defined short cautious cycle only. | TBD | TBD | Excluded from purchasing totals unless a provider-defined is selected.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Support Stack Meal Anchors

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Start

Unlock Map analysis

Provider

Duration: Unspecified

First meal | 30-40 g protein

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

~40 g clean carbs | Anchor first meal to reduce under-eating risk support training/recovery.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

L-carnitine | 3 g/day | Supports fatty-acid transport into mitochondria. If TG/HDL worsens provider may review increasing toward 4 g/day.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Phosphatidylcholine | 3 g/day | Supports membrane phospholipid status hepatic lipid handling.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Vitamin E | 400 IU/day | Antioxidant support. Review bleeding risk anticoagulants/antiplatelets total supplement load.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Selenium |

Dose: 200 mcg

Frequency: Unknown

Duration: Unspecified

Start

Unlock Map analysis

Provider

Dose: 500 mg
Frequency: Unknown
Duration: Unspecified

NAC | 1

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

supports oxidative-stress handling.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Methyl B complex B12 folate | Per label/provider | Methylation liver-support context

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

avoid overcorrecting if labs are already high.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Magnesium glycinate |

Dose: 500 mg
Frequency: Unknown
Duration: Unspecified

may help sleep. Adjust GI tolerance kidney status.

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Zinc |

Start

Unlock Map analysis

Provider

Duration: Unspecified

Lipid Peroxidation Plain-English Note

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Lipid peroxidation is a free-radical chain reaction where reactive molecules steal electrons from lipids in cell membranes. That can damage membrane structure change membrane fluidity generate toxic byproducts contribute to inflammatory ferroptosis-related pathways. The support-stack goal is not to pretend oxidation can be eliminated. The practical goal is to reduce unnecessary oxidative burden while labs symptoms are monitored.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Alcohol Dehydrogenase Note

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Alcohol dehydrogenase is an enzyme group found primarily in the liver stomach lining. It catalyzes the conversion of ethanol into acetaldehyde the first major step in alcohol metabolism. Zinc is one relevant cofactor but alcohol avoidance or strict minimization is the cleaner move during a complex metabolic protocol.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Blood Work Imaging Before Starting

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Decision testing after the protocol is completed. The goal is to detect metabolic

Start

Unlock Map analysis

Provider

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Baseline item | Baseline item | Baseline item

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Fasting insulin | Fasting glucose | HOMA-IR

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

ALT | AST | ALP

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

GGT | Total bilirubin | Direct bilirubin

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Albumin | Total protein | Triglycerides

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

HDL | LDL | Ferritin

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Complete metabolic panel | Lipid panel | HbA1c

Start

Unlock Map analysis

Provider

Duration: Unspecified

Vitamin D | B12 | Folate

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Selenium | Liver ultrasound elastography baseline hepatic steatosis fibrosis

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Repeat lab | Repeat lab

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Fasting insulin | GGT

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

ALT | AST

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Triglycerides | HDL

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Triglyceride/HDL ratio

Dose: Unknown

Frequency: Unknown

Start

Unlock Map analysis

Provider

Provider-Review Adjustment Triggers

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Signal | Review action

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Sleep anxiety mood or cognition worsens | Do not add cognitive peptides or Epitalon until stable. Remove the most recent variable first if needed.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Tracking Templates

Dose: Unknown

Frequency: Daily

Duration: Unspecified

Date | Doses taken | Energy AM/PM | Sleep | Mood/focus | GI/appetite | HR/weight | Notes

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Week | What changed? | Best signal | Worst signal | Labs/metrics | Decision next week

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Evidence Safety Notes

Dose: Unknown

Frequency: Unknown

Start

Unlock Map analysis

Provider

Epitalon/Epitalon pineal tetrapeptide discussed telomerase telomere circadian aging biology. Evidence is not equivalent to a large modern FDA-approved clinical program

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

keep claims conservative cycles bounded.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Vitamin E NIH ODS describes antioxidant roles but also notes bleeding-related cautions medication interactions mixed trial outcomes supplemental doses around 400 IU/day.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Selenium NIH ODS lists the adult tolerable upper intake level as

Dose: 400 mcg

Frequency: Unknown

Duration: Unspecified

Ursodiol/TUDCA family ursodeoxycholic acid is used cholesterol gallstones cholestatic liver diseases. TUDCA should be framed as bile-acid support not guaranteed protection against biliary sludge or cholestasis.

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Selected References

Dose: Unknown

Frequency: Unknown

Duration: Unspecified

Start

Unlock Map analysis

Provider

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

FDA. Certain Bulk Drmcg Substances Use in Compounding that May Present Significant Safety Risks. <https://www.fda.gov/drmcgs/human-drmcg-compounding/certain-bulk-drmcg-substances-use-compounding-may-present-significant-safety-risks>

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

NIH Office of Dietary Supplements. Vitamin E Fact Sheet Health Professionals. <https://ods.od.nih.gov/factsheets/VitaminE-HealthProfessional/>

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

NIH Office of Dietary Supplements. Selenium Fact Sheet Health Professionals. <https://ods.od.nih.gov/factsheets/Selenium-HealthProfessional/>

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

NCBI LiverTox. Ursodiol Ursodeoxycholic Acid. <https://www.ncbi.nlm.nih.gov/books/NBK548309/>

Dose: Unknown
Frequency: Unknown
Duration: Unspecified

Shareable protocol summary

Coming soon: share a BioStack protocol score card without exposing private details.

What BioStack found

Start

Unlock Map analysis

Provider


Parser notes

- ! 98 compounds could not be fully normalized.
- ! One or more protocol entries were only partially parsed.

BIOSTACK SCORE

61 / 100

Mixed fit



This stack may be harder to evaluate cleanly because several compounds are layered together.

Why this score?

What this means

This stack may be harder to evaluate cleanly because BioStack Protocol Packet, Provider-review draft phased metabolic repair longevity cognitive observability, Version 2 adds Epitalon total-materials planning bacteriostatic-water math print page breaks create overlapping signals.

Turn this into a BioStack protocol

Save the analysis, convert it into a protocol, and track it in Mission Control.

Save Analysis

Convert to BioStack Protocol

Unlock full analysis

Start

Unlock Map analysis

Provider

Start

Unlock Map analysis

Provider