

-----SQL QURIES-----

```
CREATE TABLE WIPRO(EID INT, FN VARCHAR2(20), LN VARCHAR2(20), CITY VARCHAR2(20), PRIMARY  
KEY(EID));
```

```
SELECT*FROM WIPRO;      -----PRIMARY KEY
```

```
DESC WIPRO;
```

```
INSERT INTO WIPRO VALUES(1,'ANKITA','MORANDE','AMRAVATI');
```

```
INSERT INTO WIPRO VALUES(2,'MONIKA','JADHAV','PUNE');
```

```
INSERT INTO WIPRO VALUES(3,'PRAJKA','NIKAM','MUMBAI');
```

```
INSERT INTO WIPRO VALUES(4,'CHETAN','DUMALE','NASHIK');
```

```
INSERT INTO WIPRO VALUES(5,'PUJA','KOLHE','NAGPUR');
```

```
SELECT*FROM WIPRO;
```

-----FOREIGN KEY-----

```
CREATE TABLE INFOSYS(EMPID INT, POST VARCHAR2(20), SALARY INT, FOREIGN KEY(EMPID)REFERENCES  
WIPRO(EID));
```

```
SELECT*FROM INFOSYS;
```

```
INSERT INTO INFOSYS VALUES (1,'QA',4200);
```

```
INSERT INTO INFOSYS VALUES (2,'QC',4200);
```

```
INSERT INTO INFOSYS VALUES (3,'BA',4200);
```

```
INSERT INTO INFOSYS VALUES (4,'PO',4200);
```

```
INSERT INTO INFOSYS VALUES (5,'PE',4200);
```

```
SELECT*FROM INFOSYS;
```

DELETE INFOSYS;

SELECT*FROM WIPRO WHERE FN='MONIKA'; -----FROM TABLE WIPRO BY FN

SELECT*FROM INFOSYS WHERE POST='QC'; -----FROM TBALE INFOSYS BY POST

SELECT*FROM INFOSYS WHERE EMPID=2; -----FROM TABLE INFOSYSY BY EMPID