

NOTES:

- 1. 24SF UNITS MUST BE REINFORCED BELOW THE TOP 3.7m IN GEOGRID REINFORCED WALLS. HD REINFORCING REQUIRED FOR 24SF UNITS BELOW THE TOP 10.1m. SEE FACE AND WEB MESH DETAILS FOR OPTIONAL REINFORCEMENT GRID.
- 2. CHISELLED GRANITE STYLE HAS 4 DIFFERENT FACE PATTERNS ON 24SF BLOCKS. INSTALL A, B, C, & D PATTERNS AT RANDOM IN WALL.



STONE STRONG 24SF UNIT CHISELLED GRANITE FACE

NOT TO SCALE



STONE STRONG 24SF TOP UNIT CHISELLED GRANITE FACE

NOT TO SCALE

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.




www.stonestrong.com

PROJECT

COMPONENTS
STONE STRONG SYSTEMS

DATE: 2/10/16 | FILE: 01_Block.24sf.CGF



CHISELLED GRANITE FACE PATTERNS

NOT TO SCALE

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.



www.stonestrong.com


PROJECT

COMPONENTS STONE STRONG SYSTEMS


DATE: 2/10/16 | FILE: 02_Pattern.CGF

NOTE:

24SF UNITS MUST BE REINFORCED BELOW THE TOP 3.7m IN GEOGRID REINFORCED WALLS. HD REINFORCING REQUIRED FOR 24SF UNITS BELOW THE TOP 10.1m. SEE FACE AND WEB MESH DETAILS FOR OPTIONAL REINFORCEMENT GRID.



STONE STRONG 24SF UNIT SPLIT LIMESTONE FACE NOT TO SCALE



STONE STRONG 24SF TOP UNIT SPLIT LIMESTONE FACE NOT TO SCALE

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.




www.stonestrong.com

PROJECT

COMPONENTS
STONE STRONG SYSTEMS

DATE: 2/10/16 | FILE: 03_Block. 24sf. SLF



SPLIT LIMESTONE FACE PATTERN

NOT TO SCALE

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.




PROJECT

COMPONENTS
STONE STRONG SYSTEMS

www.stonestrong.com

DATE: 2/10/16 | FILE: 04_Pattern.SLF



REAR VIEW STONE STRONG 24SF UNIT

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.



www.stonestrong.com


PROJECT

COMPONENTS
STONE STRONG SYSTEMS

DATE: 2/10/16 FILE: 05_Block.24sf.Rear

NOTES:

- 1. STOCK MESH OR REBAR WITH EQUIVALENT OR GREATER HORIZONTAL STEEL AREA MAY BE SUBSTITUTED FOR PREFABRICATED MESH.
- 2. ONE ASSEMBLY REQUIRED PER 24SF UNIT (FRONT FACE ONLY).
- 3. FOR HEAVY DUTY (HD) REINFORCING, THREE ASSEMBLIES REQUIRED (2 FRONT FACE, 1 REAR FACE).



STONE STRONG 24SF BLOCK REINFORCEMENT FRONT FACE MESH

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.



www.stonestrong.com


PROJECT

COMPONENTS
STONE STRONG SYSTEMS

DATE: 2/10/16 | FILE: 06_24sf.FFM

NOTES:

- 1. STOCK MESH OR REBAR WITH EQUIVALENT OR GREATER HORIZONTAL STEEL AREA MAY BE SUBSTITUTED FOR PREFABRICATED MESH.
- 2. TWO ASSEMBLIES REQUIRED PER 24SF UNIT (ONE PER WEB).
- 3. FOR HEAVY DUTY (HD) REINFORCING, FOUR ASSEMBLIES REQUIRED (TWO PER WEB).



BLOCK REINFORCEMENT STONE STRONG 24SF WEB

DISCLAIMER:

These typical details are preliminary and conceptual in nature. They are provided for general information purposes only. Anyone making use of these details and related information does so at their own risk and assumes all liability for such use. Site specific design should be performed by a licensed Professional Engineer based on actual site conditions, materials, and local practices.

Stone Strong LLC retains al common law, statutory, and other reserved rights to these drawings including the copyright. Limited license is granted to copy, reproduce, or modify the details to prepare construction drawings for Stone Strong retaining walls. Stone Strong LLC makes no warranties, either expressed or implied, of merchantability or fitness for any particular purpose, and accepts no responsibility for the accuracy, suitability, or completeness of information contained herein.



www.stonestrong.com

PROJECT

25mm

COMPONENTS STONE STRONG SYSTEMS

DATE: 2/10/16 | FILE: 07_24sf.WebMesh