

SQL

Due Nov 13 at 11:59pm**Points** 11**Questions** 11**Time Limit** 60 Minutes**Allowed Attempts** 3

Instructions

zyBook Unit 12 (PHP)

[Take the Quiz Again](#)

Attempt History

	Attempt	Time	Score
KEPT	Attempt 2	2 minutes	10 out of 11
LATEST	Attempt 2	2 minutes	10 out of 11
	Attempt 1	4 minutes	9 out of 11

Score for this attempt: **10** out of 11

Submitted Nov 13 at 3:14pm

This attempt took 2 minutes.

Question 1**1 / 1 pts**

A/an _____ provides benefits lacking in JavaScript like type safety, simplified class creation, and module creation.

☐ JavaScript framework☒ Compile-to-JavaScript language☐ HTML preprocessor☐ CSS preprocessor**Correct!****Question 2****1 / 1 pts**

Which is a valid PHP variable name?

☐ \$1st_name

☐ first_name

☒ \$first_name

☐ \$first*name

Correct!

Question 3

1 / 1 pts

What value is

$\$y$

?

$\$y = 7 + "3" * 2 - 2$

☐ 18

☐ 7

☒ 11

☐ 730

Correct!

Question 4

1 / 1 pts

What value is



assigned with?

```
$value = "Hello";  
switch ($value) {  
    case "Hello":  
        $x = "Hello";  
    case "cheese":  
        $x .= "Hi";  
        break;  
    default:  
        $x = "Default";  
}
```

☐ Hi☐ Hello☒ HelloHi☐ Default

Correct!

Question 5

1 / 1 pts

What loop condition will print the numbers 1 2 3 4 5?

```
for ($i = 1; ____; $i++) {  
    echo "$i ";  
}
```

☐ \$i <= 6☐ \$i < 5

Correct!

☒ \$i < 6☐ \$i > 5

Question 6

0 / 1 pts

What is needed to output all cow names and breeds from the array?

```
$cows = ["Ella" => "Holstein", "Larry" => "Mixed", "Kelsy" => "Herford"];  
foreach ($cows as _____) {  
    echo "$cow's breed is $breed.\n";  
}
```

You Answered

☒ cow => breed☐ \$cow, \$breed

Incorrect Answer

☐ \$cow => \$breed☐ \$breed, \$cow

Question 7

1 / 1 pts

Complete the code to output the number 20.

```
function swap(_____) {  
    $temp = $x;  
    $x = $y;  
    $y = $temp;  
}
```

```
$a = 10;  
$b = 20;  
swap($a, $b);  
echo $a;
```

☐ x, y☐ \$x, \$y☐ &x, &y☒ &\$x, &\$y

Correct!

Question 8

1 / 1 pts

The _____ statement inserts the contents of a file into a PHP script as the script is executing.

☐ php☐ script☒ include☐ header

Correct!

Question 9

1 / 1 pts

What is

```
$dog1->name
```

after the code segment executes?

```
$dog1 = new Dog;
```

```
$dog1->name = "Dolly";  
$dog2 = $dog1;  
$dog2->name = "Ella";  
$dog3 = new Dog;  
$dog3->name = "RussT"
```

Correct!☐ Dolly☒ Ella☐ RussT☐ undefined**Question 10****1 / 1 pts**

What is needed to determine the length of a string in PHP?

Correct!☒ `strlen($myString)`☐ `size($myString)`☐ `$myString.length()`☐ `$myString.size()`**Question 11****1 / 1 pts**

If the textarea element shown is sent to a server running PHP, what will

`$_GET["order"]`

contain when the form's method is GET?

```
<textarea name="order">Tea Bags</textarea>
```

Correct!☒ Tea Bags☐ Tea+Bags☐ Tea&Bags☐ &Tea BagsQuiz Score: **10** out of 11