

Concordia University



SOEN-6481 SOFTWARE SYSTEMS REQUIREMENTS SPECIFICATION

TICKET VENDING MACHINE (FALL 2019)

Submitted By: (Team E)

Bhavpreet Kaur (40071697)
Navjot Kaur (40078155)
Mehrnaz Keshmirpour (40063320)
Shruthi Kondapura Venkataiah (40091427)
Sanchit Kumar (40081187)

Submitted To:

Prof. Pankaj Kamthan

October 12, 2019

Contents

1.1	Problem 1	2
1.1.1	iGo Description	2
1.1.2	Scope of Use	2
1.2	Problem 2	3
1.2.1	Context of Use Model	3
1.3	Problem 3	4
1.3.1	Domain Model	4
1.4	Problem 4	7
1.4.1	Use Case Model	7
Glossary		26
Acronyms		27

Deliverable - 1

1.1 Problem 1

1.1.1 iGo Description

The product iGo is a software solution for TVM (Ticket Vending Machine) which allows user to purchase tickets, recharge their OPUS card and get information about the different tickets Soci[Pleaseinsert “PrerenderUnicode–”intopreamble]t[Pleaseinsert “PrerenderUnicode–”intopreamble] de transport de Montr[Pleaseinsert “PrerenderUnicode–”intopreamble]al (STM)(Société de transport de Montréal) offers. iGO products is designed to server people in Montreal, Quebec, Canada who use STM metros and buses. STM offers two ticketing methods: Rechargable Card OPUS Card and Non-Rechargable Card limited use cards. With OPUS card user can make unlimited trips in STM buses and metros for a particular period, which is the recharge cycle of the card.

User who wish recharge their OPUS card are first required to place their card in the card reader slot in TVM, they can then select the type of purchase they want to make and can select the mode of payment they wish to use. Currently, iGo supports cash and card payments. Users who want to purchase a Non-rechargable can select from a list of options based on the type of trip they wish to make. The purchase will be considered successfull only after the payment has been authenticated(in case of card payments) and is successfull. After a sucessfull purchase the user have the option to select the mode through which they wish to receive receipt. iGo supports 3 type of receipt delivery: Paper, email and SMS receipts.

iGo will also internally generate a Transaction when the user interacts with the system. The transaction is recorded irrespective of whether the purchase is successfull or not. These transactions helps track the purchase in case of any failure in the system. At bottom bar of the TVM display, a helpline number is displayed at all times in case user needs any kind of assistance.

1.1.2 Scope of Use

The product iGo at this moment is restricted to server in Montreal city only. iGo is a software system and does not include the development, maintenance or deployment of the physical devices needed to develop a TVM. iGo does not provide any online platform or device application to recharge OPUS card or purchase ticket.

1.2 Problem 2

1.2.1 Context of Use Model

Factor	Description
User	
Role	User is the customer/passenger to purchase tickets
Experience	The experience depends on the how frequent the user is using the TVM, System is designed keeping in mind of a new user without any system knowledge
Education	System is designed assuming that customer can atleast read English.
Physical Characteristics	The physical TVM should be designed in such a way that even the physically challenged customer with wheel chair should also access the TVM.
Cognitive Characteristics	The cognitive knowledge of a user should be counted as minimal, the system is designed keeping in mind of new user
Location	The location of user must be inside Montreal city.
Age	The system should offer Reduced Fare according to the user's age.
Profession	The system should offer reduced fares for students.
Special Variant Preferences in UI	For special need people with visual impairment system should offer voice messages.
Task	
Choice in system use	Number of tasks in the system should be divided individually, so that the user can choose the options such as purchasing for a single trip, buying a monthly pass etc
Complexity	Since the users can be with minimal knowledge on the TVM, tasks should be simple and straight forward
Demands	Available tasks should be able to satisfy user requirements with context of use. For example system should not issue more tickets that the number of passengers

Workflow Con- trollability	The workflow of each task in TVM machine should be easily controllable by the user. For example user should be able to navigate back to the main menu, user should be able to cancel the ticket selection or transaction etc.
Safety	The task payment should be made safer, in such a way that the card payment authentication is kept confidential. Even the user information if stored should be maintained confidential.
Criticality	Task criticality should be divided based on the how important the task is and how often it is used/reused.
Frequency	The TVM can be used any number of times by any number of users, so the TVM should be able to guide each user based on the current information available with respect to trains or buses.
Temporal Char- acteristics	According to user requests that are dependant to date, the system should validate the request based on current date.
Environment	
Physical Envi- ronment	The TVM will be placed in metro stations, the passengers will be able to buy ticket/passes before there journey in train/bus. The factors like lights on the TVM machine for the visibility, space available to access the TVM, is the place allocated is too noisy should be taken care.
Technical Envi- ronment	The TVM will be connected to the data server where the user informations can be retrieved, it will be connected to the bank server to authenticate the credit/debit cards.
Social Environ- ment	The TVM must support at least two languages including English and French since the official language of Quebec is French.

1.3 Problem 3

1.3.1 Domain Model

Concepts	Description
TVM	It is a ticket vending machine to issue ticket or reload rechargeable card for bus and metro

User	Someone who uses TVM as a commuter, an administrator or a negative user as a crook
Administrator	Someone who has privilege to manage ticket specification
Crook	A negative user how tries to misuse the TVM like a hacker who is trying to steal bank car information
Commuter	Someone who comes to TVM and wants to buy ticket or check different fares to travel
Registered Com-muter	Someone who has registered his/her information in the system and uses their Rechargeable Card to buy ticket
Unregistered Commuter	Someone who has not registered his/her information in the system and uses the system anonymously and buy Non-Rechargeable Ticket
Student	Someone who has the proof of being a student and is eligible to use reduced fare
Regular	Someone who has registered in the system and use Rechargeable Card, but pay Regular Fare
Senior Citizen	Someone who is 65 years old or over and is eligible to use reduced fare
Language	The display language of User Interface that can be either English or French
Printer	Printer is the device that prints the receipt or provides the non-rechargeable ticket
Receipt	It has the confirmation of the transaction and this is the superclass of different kinds of receipt
Paper Receipt	It is a subclass of receipt which is printed on paper
Email	It is subclass of receipt electronically delivered to the user
Ticket	It is either a rechargeable or non-rechargeable ticket which users pay for to use metro or bus
Non-Rechargeable Ticket	It is a temporary ticket for limited use printed on the paper by printer

1.4 Problem 4

1.4.1 Use Case Model

Use Case: Change Language

Number	1	
Name	Change Language	
Summary	User wants to change to desired language	
Priority	4	
Preconditions	N/A	
Postconditions	User is able to change to desired language	
Primary Actor(s)	TVM Customer	
Secondary Actors(s)	TVM and Administrator	
Trigger	User has chosen to change language	
Main Success Scenarios	Step	Action
	1	User can select the desired language
	2	The application is displayed in desired language
Extensions	N/A	
Open Issues	1	Language available to be decided by the customer

Use Case: View Ticket Plans

Number	2	
Name	View Ticket Plans	
Summary	User has viewed different ticket plans	
Priority	1	
Preconditions	N/A	
Postconditions	User has viewed different ticket plans	
Primary Actor(s)	TVM Customer	
Secondary Actors(s)	Data Store	
Trigger	User has chosen to view ticket plans	
Main Success Scenarios	Step	Action
	1	User selects the language
	2	System asks the ticket type
	3	User selects the ticket type
	2	System displays ticket plans
Extensions	N/A	
Open Issues		NA

Use Case: Buy Tickets

Number	3	
Name	Buy Ticket	
Summary	Customer buy a ticket using TVM	
Priority	1	
Preconditions	Customer has access to a valid payment method	
Postconditions	Customer has received the ticket and the receipt	
Primary Actor(s)	TVM Customer	
Secondary Actors(s)	Payment Authentication, Bank Server, Data Store	
Trigger	Customer has chosen to buy a ticket	
Main Success Scenarios	Step	Action
	1	Customer selects the language
	2	System displays ticket plans
	3	Customer chooses a ticket plan
	4	System asks for payment method
	5	Customer selects a payment method
	6	Customer makes a payment
	7	System asks for type of receipt
	8	Customer selects the type of receipt
	9	System prints receipt and ticket
	10	Customer removes receipt and ticket
	11	System displays welcome message
Extensions	Step	Branching Action
	6a	The payment is not successful
	6b	System displays message that payment is not successful
	6c	System exits and displays welcome message
Open Issues		NA

Use Case: Make a payment

Number	4	
Name	Make a Credit Card Payment, Make a cash Payment	
Summary	Customer make payment by card or cash using TVM	
Priority	1	
Preconditions	User has a valid credit card, valid currency	
Postconditions	Transaction successful, user should get the ticket.	
Primary Actor(s)	TVM Customer / Bank Card Reader / Cash Receiver.	
Secondary Actors(s)	Payment Gateway.	
Trigger	User has chosen to buy a metro ticket	
Main Success Scenarios	Step	Action
	1	System displays ticket types
	2	User chooses the type of ticket
	3	System asks for payment method
	4	User select pay by cash or card
	5	System asks user to insert his card or cash (to cash receiver).
	6	User insert his cash or card.
	7	System asks user to enter the PIN (in case of card payment)
	8	User enter the PIN
	9	System connects to the payment gateway and authentication the user details.
	10	System create a transaction and records the transaction.
	11	System asks how user wants to receive the receipt
	12	User select paper receipt

	13	System prints and dispenses receipt and ticket
	14	User takes out receipt and ticket.
	15	System displays a message to remove the credit card
	16	User removes card
	17	System displays welcome message.
Extensions	Step	Branching Action
	6a	User insert card into card reader.
	6b	User insert cash into the cash receiver.
	7a	No pin asked in case of cash payment.
	9a	System authenticated the cash denominations in case of cash payment.
	11a	If payment is not successful user will not receive the print receipt message.
	15a	No message displayed in case of cash payment.
Open Issues		NA

Use Case: Reload Rechargeable Card

Number	5	
Name	Reload Rechargeable Card	
Summary	Customer reloads the rechargeable card using TVM	
Priority	5	
Preconditions	User has a Rechargeable card	
Postconditions	User has recharged the card and received a receipt	
Primary Actor(s)	TVM Customer	
Secondary Actors(s)	Data Store	
Trigger	User has chosen to reload the card	
Main Success Scenarios	Step	Action
	1	User inserts the rechargeable card in the machine
	2	User selects the language
	3	User select the option to recharge the card
	4	System displays different recharge plans
	5	User chooses the recharge plan
	6	System asks for the payment method
	7	User choses the way of payment
	8	User done with the payment
	9	System displays the message to retrieve the rechargeable card
	10	User removes the card.
	11	System asks the user if he wants to print receipt
	12	User select the option from Yes or No
	13	System prints and dispenses receipt
	14	System displays welcome message
Extensions	Step	Branching Action
Open Issues	12	NA

Use Case: Update Ticket Specification

Number	6	
Name	Update Ticket Specification	
Summary	Administrator to update an existing ticket specifications	
Priority	2	
Preconditions	Administrator should have a valid account Administrator should be logged into the application	
Postconditions	Administrator is able to edit an exiting ticket plan.	
Primary Actor(s)	TVM Administrator	
Secondary Actors(s)	TVM and Customer	
Trigger	The Administrator has selected to update ticket specifications on the system.	
Main Success Scenarios	Step	Action
	1	Admin selects the tickets to be modified.
	2	Admin change the ticket specification.
	3	Admin saves the new ticket specifications.
	4	Admin updates the system with updated ticket plans.
Extensions	Step	Branching Action
	3a	Admin does not have the admin access to the system.
	4a	The system gives an error.
Open Issues		NA

Use Case: Customer Registration

Number	7	
Name	Customer Registration	
Summary	Customer register with his personal information to get the card	
Priority	2	
Preconditions	N/A	
Postconditions	User is registered	
Primary Actor(s)	TVM Customer	
Secondary Actors(s)	Data Store	
Trigger	User has chosen to register himself for the STM	
Main Success Scenarios	Step	Action
	1	User selects the register option
	2	System asks for his personal identification information
	3	User fills all the information and submit it
	4	System asks for the username and password
	5	User creates a username and password
	6	System checks for the validity of the user
	7	System registers the user and shows a registered user message
Extensions	Step	Branching Action
Open Issues		NA

Use Case: False Login

Number	7	
Name	False Login	
Summary	Hacker try to login into someone else account.	
Priority	1	
Preconditions	N/A	
Postconditions	Login should fail with appropriate error message.	
Primary Actor(s)	Hacker / TVM.	
Secondary Actors(s)	Data Store	
Trigger	User account locked after 5 unsuccessful login attempts.	
Main Success Scenarios	Step	Action
	1	Hacker try to login into system.
	2	Hacker enters username and password.
	3	System will validate user details from database system.
	4	System decline unauthorized access. System should display appropriate error message.
	5	System should display appropriate error message.
	6	Hacker keeps on entering invalid credentials to try to login into someone account.
	7	System will lock user account after 5 unsuccessful login attempts.
	8	System should display account locked error message to user.
Extensions	Step	Branching Action
Open Issues		NA

Use Case: False Login

Number	7	
Name	False Login	
Summary	Hacker try to login into someone else account.	
Priority	1	
Preconditions	N/A	
Postconditions	Login should fail with appropriate error message.	
Primary Actor(s)	Hacker / TVM.	
Secondary Actors(s)	Data Store	
Trigger	User account locked after 5 unsuccessful login attempts.	
Main Success Scenarios	Step	Action
	1	Hacker try to login into system.
	2	Hacker enters username and password.
	3	System will validate user details from database system.
	4	System decline unauthorized access. System should display appropriate error message.
	5	System should display appropriate error message.
	6	Hacker keeps on entering invalid credentials to try to login into someone account.
	7	System will lock user account after 5 unsuccessful login attempts.
	8	System should display account locked error message to user.
Extensions	Step	Branching Action
Open Issues		NA




Figure 1.2: Change Language Use Case Model




Figure 1.3: View Ticket Plans




Figure 1.4: Buy Ticket




Figure 1.5: Make Payment




Figure 1.6: Reload Rechargeable Card




Figure 1.7: Customer Registration




Figure 1.8: Password Reset




Figure 1.9: Buy Ticket




Figure 1.10: Buy Ticket

Glossary

iGo The online Ticket Vending Machine Web Application integrating with STM system. 2

Non-Rechargable Card One time use and throw card.. 2

OPUS The online Ticket Vending Machine Web Application integrating with STM system. 2

Rechargable Card A card that can be recharged to be used monthly, weekly.. 2

Reduced Fare Fare offered at reduced rates that the normal prices for certain users that qualify for it.. 3

Regular Fare Normal Fare Prices.. 5

Transaction A digital record is generated when user interacts with the system.. 2

TVM The online Ticket Vending Machine Web Application integrating with STM system. 2

Acronyms

STM Société de transport de Montréal. 2