MAZZA ABDELGADER

SQL Data Analysis Project-1

Total Orders

```
6   --*****KPI******
7   --*****Total Orders*****
8   select COUNT(order_id) as Total_Orders from orders
```

100 % No issues found

Results Messages

	Total_Orders
1	21350

Total Pizza Sold

```
9   --Total Pizza Sold
10  select sum(quantity) Total_Pizza_Sold
11  from order_details
```

100 % No issues found

Results Messages

	Total_Pizza_Sold
1	49574

Total Revenue

```
12  --Total Revenue
13  select round(sum(quantity*price),2) as TotalTotal_Revenue
14  from order_details
15  join pizzas
16  on order_details.pizza_id=pizzas.pizza_id
17  --Average Order Value
18  select sum(price*quantity)/count(distinct(order_id))
```

100 % No issues found

Results Messages

	TotalTotal_Revenue
1	817860.05

Average Order Value

```
17  --Average Order Value
18  select sum(price*quantity)/count(distinct(order_id))
19  AVG_Order_Value
20  from pizzas p join order_details od
21  on p.pizza_id=od.pizza_id
```

100 % No issues found

Results Messages

	AVG_Order_Value
1	38.3072623343546

Average Piaaz per Order

```sql
--Average Piaaz per Order
select sum(quantity)/count(distinct(order_id))
as Average_Piaaz_per_Order
from order_details
--Daily Trends For Total Orders
select format(date,'dddd')day_week,COUNT(order_id)
```

100 % No issues found

Results Messages

	Average_Piaaz_per_Order
1	2

Daily Trends For Total Orders

```
26  --Daily Trends For Total Orders
27  select format(date,'dddd')day_week,COUNT(order_id)
28  Total_order
29  from orders
30  group by format(date,'dddd')
31  order by COUNT(order_id)desc
32  --Hourly Trends For Total Orders
33  select DATEPART(Hour,time),count(order_id)
```

100 % No issues found

Results Messages

	day_week	Total_order
1	Friday	3538
2	Thursday	3239
3	Saturday	3158
4	Wednesday	3024
5	Tuesday	2973
6	Monday	2794
7	Sunday	2624

Hourly Trends For Total Orders

```
31  order by COUNT(order_id)desc
32  --Hourly Trends For Total Orders
33  select DATEPART(Hour,time),count(order_id)
34  from orders
35  group by DATEPART(Hour,time)
36  order by count(order_id) desc
```

100 % No issues found

Results Messages

	(No column name)	(No column name)
1	12	2520
2	13	2455
3	18	2399
4	17	2336
5	19	2009
6	16	1920
7	20	1642
8	14	1472
9	15	1468
10	11	1231
11	21	1198
12	22	663
13	23	28
14	10	8
15	9	1

Top 5 Order Pizza

```sql
-- Top 5 Order Pizza
select top 5 name,sum(quantity) pizza_sold
from pizza_types pt
join pizzas p
on pt.pizza_type_id=p.pizza_type_id
join order_details od
on od.pizza_id=p.pizza_id
group by name
order by sum(quantity) desc
--Bottom 5 Order Pizza
select top 5 name,sum(quantity) pizza_sold
```

00 % No issues found

Results Messages

	name	pizza_sold
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

Bottom 5 Order Pizza

```sql
--Bottom 5 Order Pizza
select top 5 name,sum(quantity) pizza_sold
from pizza_types pt
join pizzas p
on pt.pizza_type_id=p.pizza_type_id
join order_details od
on od.pizza_id=p.pizza_id
group by name
order by sum(quantity) asc
```


100 % No issues found

Results Messages


	name	pizza_sold
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961

38.31	2	21K	50K	817.86K
Sum of Average Order...	Sum of Average Piaaz ...	Sum of Total Orders	Sum of Total Pizza Sold	Sum of Total Revenue


Sum of Total_Order by day_week



Sum of pizza_sold by name



Sum of Hour by Total_Order



Sum of Pizza_Sold and Sum of Average Piaaz per Order by name

