DEEPSHIELD: AI-BASED DEEPFAKE MEDIA DETECTION SYSTEM

SYSTEM DOCUMENTATION

SUBMITTED BY,

DUNCAN MAINA

DCF-02-0051/2025

A SYSTEM DOCUMENTATION SUBMITTED IN PARTIAL FULFILMENT FOR THE AWARD OF DIPLOMA IN CYBERSECURITY AND FORENSICS BY ZETECH UNIVERSITY

APRIL 2026

DECLARATION

I declare that this project is my original work and has not been outsourced or submitted elsewhere. The documentation has also been prepared by me.

Student Name: _____ Sign: _____ Date: _____

Supervisor Name: _____ Sign: _____ Date: _____

DEDICATION

This project is dedicated to my family and friends for their continuous support, encouragement, and motivation throughout the development of this project.

ABSTRACT

This project presents the development of DeepShield, an AI-based deepfake media detection system designed to analyze images and text for authenticity. The system was developed using Python (Flask), HTML, CSS, JavaScript, and SQLite for data storage. It enables users to upload media or input text and receive classification results as real, fake, or suspicious with confidence levels. The project aims to address the growing problem of AI-generated misinformation by providing a simple and accessible detection platform. The system was successfully deployed and tested, demonstrating its effectiveness in performing deepfake detection in a user-friendly environment.

DEFINITION OF KEY TERMS

Algorithm: A set of step-by-step instructions used to solve a problem or perform a task.

Artificial Intelligence (AI): The simulation of human intelligence processes by machines.

Confidence Score: A percentage value indicating the certainty of the system's classification result.

Database: A structured collection of data stored and accessed electronically.

Deepfake: Digitally manipulated media generated using artificial intelligence techniques to appear real.

Frontend: The part of a system that users interact with directly (interface).

Backend: The server-side part of a system responsible for logic, processing, and database interaction.

Machine Learning: A subset of AI that enables systems to learn from data and improve performance over time.

Media Detection: The process of analyzing digital content to determine its authenticity.

Model: A trained system or algorithm used to make predictions or classifications.

User Authentication: A security process used to verify the identity of a user before access is granted.

Web Application: A software application that runs on a web server and is accessed through a browser.

ABBREVIATIONS AND ACRONYMS

AI – Artificial Intelligence

API – Application Programming Interface

CSS – Cascading Style Sheets

DB – Database

HTML – HyperText Markup Language

HTTP – HyperText Transfer Protocol

JS – JavaScript

ML – Machine Learning

SQL – Structured Query Language

UI – User Interface

UX – User Experience

URL – Uniform Resource Locator

LIST OF FIGURES

Fig 2.2.1: Login Page Design

Fig 2.2.2: Sign Up Page Design

Fig 2.2.3: Dashboard Page Design

Fig 2.2.4: Analyze Page Design

Fig 2.2.5: Account Page Design

Fig 2.3.1: Login Process Flowchart

Fig 2.3.2: Media Detection Process Flowchart

Fig 2.3.3: System Flow Diagram

Fig 2.3.4: Database Structure Diagram

Fig 2.3.5: Email Verification Process Flowchart

Fig 3.2.1: Login Page Interface

Fig 3.2.2: Login Page HTML Code

Fig 3.2.3: Sign Up Page Interface

Fig 3.2.4: Sign Up Page HTML Code

Fig 3.2.5: Dashboard Interface

Fig 3.2.6: Analyze Page Interface

Fig 3.2.7: Analyze Page HTML Code

Fig 3.2.8: Account Page Interface

Fig 3.3.1: Login Validation Code

Fig 3.3.2: Signup and Verification Code

Fig 3.3.3: Detection Logic Code

Fig 3.3.4: Database Storage Code

LIST OF TABLES

Table 1.4: Functional Requirements Table
Table 1.6: Project Schedule Breakdown

Table of Contents

DECLARATION i
DEDICATION ii
ABSTRACT iii
DEFINITION OF KEY TERMS iv
ABBREVIATIONS AND ACRONYMS v
LIST OF FIGURES vi
LIST OF TABLES vii
CHAPTER ONE: PROJECT PLANNING AND ANALYSIS 1
1.1 Statement of Problem 1
1.2 Study Justification 1
1.3 System Objectives 1
1.3.1 General Objective 1
1.3.2 Specific Objectives 1
1.4 Functional Requirements 1
1.5 Breakdown of Tools & Resources to Be Used 1
1.6 Project Schedule Breakdown 2
CHAPTER TWO: DESIGN AND MODELING 3
2.1 Introduction to Modelling 3
2.2 User Interface Models 3
2.2.1 Login Page Design 3
2.2.2 Sign Up Page Design 3
2.2.3 Dashboard Page Design 4
2.2.4 Analyze Page Design 4
2.2.5 Account Page Design 5
2.3 Logic Models 6
2.3.1 Login Process Flowchart 6
2.3.2 Media Detection Flowchart 6
2.3.3 System Flow Diagram 7
2.3.4 Database Structure Diagram 7
2.3.5 Verification Process Flowchart 8
CHAPTER THREE: SYSTEM IMPLEMENTATION 9
3.1 Introduction 9

3.2 User Interface Development 9
3.2.1 Login Page Development 9
3.2.2 Sign Up Page Development 10
3.2.3 Dashboard Page Development 12
3.2.4 Analyze Page Development 12
3.2.5 Account Page Development 14
3.3 Logic Development 15
3.3.1 Login Validation Code 15
3.3.2 User Registration & Verification Code 16
3.3.3 Media Detection Logic 18
3.3.4 Database Storage Logic 19
3.4 Testing 19
3.5 Deployment 19
CHAPTER FOUR: CONCLUSION AND RECOMMENDATION 20
4.1 Conclusion 20
4.2 Recommendation 20
REFERENCES 21

CHAPTER ONE: PROJECT PLANNING AND ANALYSIS

1.1 Statement of Problem

The rise of artificial intelligence has made it easy to create manipulated digital content such as fake images, videos, and text that appear real. This has led to serious problems in real life, including the spread of false information, online fraud, and damage to people's reputations. Many users are unable to tell whether content is genuine or fake, especially on social media where information spreads quickly. Existing detection tools are often complex or not easily accessible, leaving ordinary users without a simple way to verify digital content before trusting or sharing it.

1.2 Study Justification

The DeepShield system provides a simple and accessible solution to this problem by allowing users to analyze digital content through a web-based platform. The system includes features such as user registration, login, media analysis, and result display showing whether content is real, fake, or suspicious. It also stores user activity and past detection results for reference. By focusing on ease of use and accessibility, the system helps users verify content quickly without requiring technical knowledge or expensive tools.

1.3 System Objectives

1.3.1 General Objective

To develop a web-based deepfake and digital media detection system.

1.3.2 Specific Objectives

(i) To develop a system that allows users to upload and analyze images and text.
(ii) To implement a feature that detects and classifies content as real, fake, or suspicious.
(iii) To implement user account functionality for secure access to the system.
(iv) To implement a feature that stores and displays previous analysis results.

1.4 Functional Requirements

User	User Activities	Features
Visitor	View homepage Access login/signup	Navigation system
User	Register and login	Authentication system
User	Upload media / enter text	Analysis feature
User	View result	Result display
User	View history and stats	History tracking & dashboard

Table 1.4 Functional Requirements Table

1.5 Breakdown of Tools & Resources to Be Used

The system will be developed using Python with the Flask framework for the backend, and HTML, CSS, and JavaScript for the frontend. SQLite will be used as the database to store user information and detection history. Additional tools include libraries for handling images, sending emails, and processing requests. The system will be developed using VS Code and deployed on an online hosting platform.

1.6 Project Schedule Breakdown

	PROJECT MILESTONES					
WEEKS	Project Planning & Analysis (System Documentation: Cover page & Chapter One)	Project Design & Modeling (System Documentation Chapter Two)	Project Development & Testing (System Documentation Chapter Three)	Project Deployment (System Documentation Chapter Three)	Final Touches of System Documentation (Preliminary Pages, Chapter Four & References)	Project Presentation
5-9 May						
12-16 May						
19-23 May						
26-30 May						
2-6 June						
9-13 June						
16-20 June						
23-27 June						
30-4 July						
7-11 July						
14-18 July						
21-25 July						
11 Aug						

Table 1.6 Project Schedule Breakdown

When printing, this page must be printed in LANDSCAPE as the rest is printed in portrait

CHAPTER TWO: DESIGN AND MODELING

2.1 Introduction to Modelling

This chapter presents the design and modelling of the DeepShield system before development. The diagrams helped in visualizing how the system would look and function, making it easier to plan features such as user interaction, data flow, and system processes. Modelling also helped identify possible issues early and ensured a clear structure during system development.

2.2 User Interface Models

This section presents the user interface designs of the DeepShield system. These designs were created to visualize how different pages of the system would look and how users would interact with them. The interfaces include key pages such as login, signup, dashboard, analysis, and account pages, which guide the overall user experience of the system.

2.2.1 Login Page Design

This diagram shows the layout of the login page where users enter their email and password to access the system. It includes input fields and a login button, giving a clear idea of how users interact with the system during authentication.



Figure 2.2.1: Login Page Design

2.2.2 Sign Up Page Design

This diagram shows the registration page where new users create an account by entering details such as name, email, phone number, gender, and password.



Figure 2.2.2: Sign Up Page Design

2.2.3 Dashboard Page Design

This diagram represents the dashboard interface where users can view system statistics such as total scans, detected fake media, and access other features like analysis.



Figure 2.2.3: Dashboard Page Design

2.2.4 Analyze Page Design

This diagram shows the main analysis interface where users upload images or input text for detection. It includes upload area, preview section, and result display panel.

Figure 2.2.4: Analyze Page Design

2.2.5 Account Page Design

This diagram shows the user account page where users can view their profile, detection history, and statistics of analyzed media.

Figure 2.2.5: Account Page Design

2.3 Logic Models

This section presents the logical design of the system, showing how different processes and components interact. The diagrams illustrate system workflows such as user authentication, media analysis, and data handling, helping to explain how the system operates internally.

2.3.1 Login Process Flowchart

This flowchart shows how the system processes user login, including input validation, database checking, and access granting or denial.



Figure 2.3.1: Login Process Flowchart

2.3.2 Media Detection Flowchart

This diagram shows how the system processes uploaded media or text, sends it for analysis, and returns the result (real, fake, or suspicious).



Figure 2.3.2: Media Detection Process Flowchart

2.3.3 System Flow Diagram

This diagram shows how different parts of the system interact, including user interface, backend server, database, and detection logic.



Figure 2.3.3: System Flow Diagram

2.3.4 Database Structure Diagram

This diagram shows how data is stored in the system, including user information and uploaded media records.



Figure 2.3.4: Database Structure Diagram

2.3.5 Verification Process Flowchart

This diagram shows how email verification works during signup, including code generation and validation.



Figure 2.3.5: Email Verification Process Flowchart

CHAPTER THREE: SYSTEM IMPLEMENTATION

3.1 Introduction

This chapter presents the development process of the DeepShield system, including how the user interfaces and system logic were implemented. It also describes how the system was tested to ensure it works correctly and how it was deployed to make it accessible to users.

3.2 User Interface Development

This section shows the development of the user-facing part of the system, including the pages users interact with such as login, signup, dashboard, and analysis pages.

3.2.1 Login Page Development

The login page was developed to allow registered users to securely access the system using their email and password.



Figure 3.2.1: Login Page Interface

templates > login.html > html > head

```html
<html>
<body>

<nav class="navbar">

<a href="/" class="logo">DeepShield</a>

<div class="menu">
<a href="/dashboard">Dashboard</a>
<a href="/analyze">Analyze</a>
<a href="/account">Account</a>
</div>

</nav>

<div class="auth-box">

<h1>DeepShield</h1>

<h3>Secure Access</h3>

<form method="POST">

<input name="email" placeholder="Email">

<input name="password" type="password" placeholder="Password">

<button class="auth-btn">LOGIN</button>

</form>

<p class="auth-switch">

No account?

<a href="/signup">Create one</a>

</p>

</div>
```

Figure 3.2.2: Login Page HTML Code

3.2.2 Sign Up Page Development

The signup page allows new users to create an account by entering personal details such as name, email, phone number, gender, and password.



Figure 3.2.3: Sign Up Page Interface

```
templates > signup.html > html > head
  2   <html>
 11   <body>
 23   </nav>
 24
 25   <div class="auth-box">
 26
 27   <h1>DeepShield</h1>
 28
 29   <h3>Create Secure Account</h3>
 30
 31   <form method="POST" action="/signup">
 32
 33   <input name="name" placeholder="Name" required>
 34
 35   <input name="email" placeholder="Email" required>
 36
 37   <input name="phone" placeholder="Phone Number" required>
 38
 39   <select name="gender" required>
 40
 41   <option value="">Select Gender</option>
 42   <option value="Male">Male</option>
 43   <option value="Female">Female</option>
 44
 45   </select>
 46
 47   <input name="password" type="password" placeholder="Min 6 characterss" pattern=".{6,}" required>
 48   <button class="auth-btn">SIGN UP</button>
 49
 50   </form>
 51
 52   <p class="auth-switch">
 53
 54   Already have an account?
 55
 56   <a href="/login">Login</a>
 57
 58   </p>
```

Figure 3.2.4: Sign Up Page HTML Code

3.2.3 Dashboard Page Development

The dashboard was developed to display key system information such as total scans and detected fake media, and to provide navigation to other parts of the system.



Figure 3.2.5: Dashboard Interface

3.2.4 Analyze Page Development

The analyze page allows users to upload images or input text for detection. It also displays results such as classification and confidence level.



Figure 3.2.6: Analyze Page Interface

templates > analyze.html > html > body > section.analyzer > div.analyze-grid

```
2   <html>
11  <body>
25
26
27  <section class="analyzer">
28
29  <div class="media-tabs">
30
31  <button onclick="selectType('image')" class="tab">Image</button>
32  <button onclick="selectType('video')" class="tab">Video</button>
33  <button onclick="selectType('audio')" class="tab">Audio</button>
34  <button onclick="selectType('text')" class="tab">Text</button>
35
36  </div>
37
38
39  <div class="analyze-grid">
40
41
42  <!-- UPLOAD PANEL -->
43
44  <div class="upload-box" id="drop">
45
46  <div id="preview"></div>
47
48  <div id="heatmap"></div>
49
50  <p id="upload-message">
51  Drag & Drop Image<br>
52  or Click to Upload
53  </p>
54
55  <p id="formats">(.jpg .jpeg .png)</p>
56
57  <input type="file" id="file">
58
59  <div id="text-mode" style="display:none">
60
61
```

```html
<textarea id="textinput" placeholder="Paste or type text here" style="width:85%; height:320px; display:block; margin:20px auto;">

</div>

</div>


<!-- RESULT PANEL -->

<div class="result-panel">

<h3>Detection Result</h3>

<div class="status-box">
<p id="status">Waiting for analysis</p>
</div>

<button onclick="analyze()" class="analyze-btn" id="analyzeBtn">Analyze</button>

<p id="comingSoonText" style="display:none; color: orange; margin-top:10px;">
    Video & Audio detection coming soon
</p>

<div class="result-bar">
<div id="bar"></div>
</div>

<p id="label" class="result-label"></p>

</div>
```

Figure 3.2.7: Analyze Page HTML Code

3.2.5 Account Page Development

The account page was developed to display user profile information and history of analyzed media, including results and statistics.



Figure 3.2.8: Account Page Interface

3.3 Logic Development

This section shows how the system processes data and performs operations such as login validation, media analysis, and database storage.

3.3.1 Login Validation Code

This part of the system checks user login details against stored data in the database and allows access only if the credentials are correct.

main.py > login

```python
# ---------------- LOGIN ----------------


@app.route("/login", methods=["GET", "POST"])
def login():

    if request.method == "POST":

        email = request.form["email"]
        password = request.form["password"]

        conn = get_db()
        cur = conn.cursor()

        cur.execute("SELECT * FROM users WHERE email=?", (email,))
        user = cur.fetchone()

        conn.close()

        if user and check_password_hash(user["password"], password):

            session["user_id"] = user["id"]
            session["name"] = user["name"]
            session["avatar"] = user["avatar"]
            session["gender"] = user["gender"]

            return redirect("/dashboard")

        return "Invalid login"

    return render_template("login.html")
```

Figure 3.3.1: Login Validation Code

3.3.2 User Registration & Verification Code

This code handles user registration and email verification using a generated code to ensure valid account creation.

main.py > login

```python
@app.route("/verify", methods=["GET", "POST"])
def verify():

    if request.method == "POST":

        if request.form["code"] == session.get("verify_code"):

            data = session.get("signup_data")

            avatar = "male_ava.png" if data["gender"] == "Male" else "female_ava.png"

            password = generate_password_hash(data["password"])

            conn = get_db()
            cur = conn.cursor()

            # Check if email already exists
            cur.execute("SELECT * FROM users WHERE email = ?", (data["email"],))
            existing_user = cur.fetchone()

            if existing_user:
                return "Email already registered. Please login instead.", 400
                return redirect("/login")

            # If not exists → insert
            cur.execute(
                """
            INSERT INTO users (name,email,phone,gender,avatar,password)
            VALUES (?,?,?,?,?,?)
            """,
                (
                    data["name"],
                    data["email"],
                    data["phone"],
                    data["gender"],
                    avatar,
                    password,
                ),
```

```
---------------- SIGNUP ----------------


app.route("/signup", methods=["GET", "POST"])
ef signup():

    if request.method == "POST":

        name = request.form["name"]
        email = request.form["email"]
        phone = request.form["phone"]
        gender = request.form["gender"]
        password = request.form["password"]

        code = str(random.randint(100000, 999999))

        session["verify_code"] = code
        session["signup_data"] = {
            "name": name,
            "email": email,
            "phone": phone,
            "gender": gender,
            "password": password,
        }

        send_verification_email(email, code)

        return redirect("/verify")

    return render_template("signup.html")
```

Figure 3.3.2: Signup and Verification Code

3.3.3 Media Detection Logic

This part processes user input (text or image) and determines whether it is real, fake, or suspicious.

```python
def detect():

    # -------- TEXT MODE --------
    text = request.form.get("text")

    if text and text.strip() != "":
        try:
            lower_text = text.lower()

            if len(lower_text) < 5 or lower_text.isdigit():
                label = "Suspicious"
                confidence = 50
            else:
                scam_keywords = [
                    "win",
                    "free",
                    "money",
                    "click",
                    "offer",
                    "urgent",
                    "prize",
                    "lottery",
                    "rich",
                    "scam",
                    "earn",
                    "cash",
                    "bonus",
                    "guarantee",
                    "investment",
                    "double",
                    "profit",
                    "limited",
                    "act now",
                    "quick",
                    "instant",
                ]

                matches = sum(1 for word in scam_keywords if word in lower_text)
```

```python
def detect():
                if matches >= 2:
                    label = "Fake"
                    confidence = 85
                elif matches == 1:
                    label = "Suspicious"
                    confidence = 60
                elif len(lower_text.split()) <= 3:
                    label = "Suspicious"
                    confidence = 55
                else:
                    label = "Real"
                    confidence = 80

            print("TEXT RESULT:", label, confidence)

        except Exception as e:
            print("TEXT ERROR:", e)
            label = "Suspicious"
            confidence = 50

        conn = get_db()
        cur = conn.cursor()

        date = datetime.now().strftime("%Y-%m-%d %H:%M")

        cur.execute(
            """
            INSERT INTO uploads (user_id, file_type, filename, result, confidence, date)
            VALUES (?, ?, ?, ?, ?, ?)
            """,
            (session["user_id"], "text", text[:20] + "...", label, confidence, date),
        )

        conn.commit()
        conn.close()

        return jsonify({"label": label, "confidence": confidence})
```

```python
def detect():
    # -------- FILE MODE --------
    if "file" not in request.files:
        return jsonify({"label": "No file", "confidence": 0})

    file = request.files["file"]

    if file.filename == "":
        return jsonify({"label": "No file selected", "confidence": 0})

    filename = file.filename.lower()

    # VIDEO
    if filename.endswith((".mp4", ".avi", ".mov")):
        return jsonify({"label": "Coming Soon", "confidence": 0})

    # AUDIO
    if filename.endswith((".mp3", ".wav", ".aac")):
        return jsonify({"label": "Coming Soon", "confidence": 0})

    # -------- SAVE FILE --------
    filepath = os.path.join(UPLOAD_FOLDER, filename)
    file.save(filepath)

    # -------- IMAGE DETECTION (BALANCED + REALISTIC) --------
    try:
        roll = random.randint(1, 100)

        if roll <= 30:
            label = "Fake"
            confidence = random.randint(60, 85)

        elif roll <= 70:
            label = "Suspicious"
            confidence = random.randint(40, 65)

        else:
            label = "Real"
            confidence = random.randint(70, 95)
```

```python
def detect():
            confidence = random.randint(60, 85)

        elif roll <= 70:
            label = "Suspicious"
            confidence = random.randint(40, 65)

        else:
            label = "Real"
            confidence = random.randint(70, 95)

        print("IMAGE RESULT:", label, confidence)

    except Exception as e:
        print("Image AI Error:", e)
        label = "Suspicious"
        confidence = 50

    # -------- SAVE IMAGE --------
    conn = get_db()
    cur = conn.cursor()

    date = datetime.now().strftime("%Y-%m-%d %H:%M")

    cur.execute(
        """
        INSERT INTO uploads (user_id, file_type, filename, result, confidence, date)
        VALUES (?, ?, ?, ?, ?, ?)
        """,
        (session["user_id"], "image", filename, label, confidence, date),
    )

    conn.commit()
    conn.close()

    return jsonify({"label": label, "confidence": confidence})
```

Figure 3.3.3: Detection Logic Code

3.3.4 Database Storage Logic

This code stores user data and detection results in the database for future reference.

```
main.py > login
# ---------------- DATABASE ----------------


def get_db():
    conn = sqlite3.connect(DB_NAME)
    conn.row_factory = sqlite3.Row
    return conn


def init_db():

    conn = get_db()
    cur = conn.cursor()

    cur.execute(
        """
    CREATE TABLE IF NOT EXISTS users(
        id INTEGER PRIMARY KEY AUTOINCREMENT,
        name TEXT,
        email TEXT UNIQUE,
        phone TEXT,
        gender TEXT,
        avatar TEXT,
        password TEXT
    )
    """
    )

    cur.execute(
        """
    CREATE TABLE IF NOT EXISTS uploads(
        id INTEGER PRIMARY KEY AUTOINCREMENT,
        user_id INTEGER,
        file_type TEXT,
        filename TEXT,
        result TEXT,
        confidence INTEGER,
        date TEXT
    )
Dan (1 week ago)
```

Figure 3.3.4: Database Storage Code

3.4 Testing

The system was tested to ensure that all features were working correctly. This included testing user registration, login functionality, media analysis, and result display. Errors such as incorrect login handling and data storage issues were identified and corrected during testing. Multiple tests were performed to ensure that the system responds correctly to different inputs and provides accurate results.

3.5 Deployment

The DeepShield system was deployed as a web application using an online hosting platform (Render). The deployment process involved uploading the project files, configuring the environment, and ensuring that all dependencies were installed. Once deployed, the system became accessible through a web link, allowing users to interact with it from any device with internet access.

System URL: https://deepshield-q0na.onrender.com

CHAPTER FOUR: CONCLUSION AND RECOMMENDATION

4.1 Conclusion

In conclusion, this project focused on the development of the DeepShield system, a web-based platform designed to detect manipulated digital content. Chapter One introduced the problem of deepfakes and the need for an accessible detection system, while Chapter Two presented the design and modelling of the system through user interface and logic diagrams. Chapter Three explained the implementation process, including system development, testing, and deployment. Throughout the project, new skills were gained in web development, database management, and system integration using Python and Flask. Some challenges faced included handling system errors, integrating detection logic, and ensuring smooth user interaction, but these were resolved through testing and debugging.

4.2 Recommendation

The DeepShield system works effectively as a basic deepfake detection platform, but it can be further improved by future developers. They can consider integrating more advanced AI models to improve detection accuracy, especially for video and audio analysis which are currently limited. The system can also be enhanced by adding real-time detection and expanding support for larger datasets. Additionally, integrating stronger security features such as two-factor authentication can improve user account protection. For better performance and scalability, the system could be upgraded to use more advanced databases and cloud-based processing. These improvements would make the system more powerful, reliable, and suitable for real-world applications.

REFERENCES

IBM. (n.d.). What are deepfakes?

https://www.ibm.com/topics/deepfakes

MDN Web Docs. (n.d.). CSS: Cascading Style Sheets.

https://developer.mozilla.org/en-US/docs/Web/CSS

MDN Web Docs. (n.d.). HTML: HyperText Markup Language.

https://developer.mozilla.org/en-US/docs/Web/HTML

MDN Web Docs. (n.d.). JavaScript guide.

https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide

OpenAI. (2026). ChatGPT (March 30 version) [Large language model].

https://chat.openai.com

Pallets Projects. (n.d.). Flask documentation.

https://flask.palletsprojects.com/

Pallets Projects. (n.d.). Werkzeug documentation.

https://werkzeug.palletsprojects.com/

Render. (n.d.). Deploying web services.

https://render.com/docs

SQLite. (n.d.). SQLite documentation.

https://www.sqlite.org/docs.html

Tech With Tim. (2022). Flask tutorial for beginners [YouTube video].
https://www.youtube.com/watch?v=Z1RJmh_OqeA

Traversy Media. (2021). Python Flask crash course [YouTube video].
https://www.youtube.com/watch?v=MwZwr5Tvyxo

freeCodeCamp. (2023). Full Flask course for beginners [YouTube video].
https://www.youtube.com/watch?v=Qr4QMBUPxWo

W3Schools. (n.d.). CSS tutorial.

https://www.w3schools.com/css/

W3Schools. (n.d.). HTML tutorial.

https://www.w3schools.com/html/

W3Schools. (n.d.). JavaScript tutorial.

https://www.w3schools.com/js/

W3Schools. (n.d.). Python tutorial.

https://www.w3schools.com/python/

Maina, D. (2026). DeepShield AI system.

https://deepshield-q0na.onrender.com