Categorical Semantics for STLC

maple

2022 年 4 月 1 日

目录

First Try

Category of Baby Type Theory

Definition 1.1. A *baby type system* with only atomic types and where typing context are singletons.

Definition 1.2. A interpretion of baby type system is category C_{bT} such that objects are intrepretions of types and morphism are intrepretions of term-in-context(sequent).

- *objects*: $[\![A]\!]$ where A is atomic type;
- *morphism*: $[\![\Gamma \vdash E : A]\!] : [\![\Gamma]\!] \to [\![A]\!]$, abbreviate it to $[\![E]\!] : [\![\Gamma]\!] \to [\![\Gamma]\!]$;
- *identity*: $[\![x : A \vdash x : A]\!] = 1_{[\![A]\!]} : [\![A]\!] \to [\![A]\!]$, it corresponds to

$$\frac{}{x : A \vdash x : A}\ \textsc{Var}$$

- *composition*: $[\![E_2[y \to E_1]]\!] = [\![E_2]\!] \circ [\![E_1]\!] : [\![A]\!] \to [\![C]\!]$, it corresponds to

$$\frac{x : A \vdash E_1 : B \quad y : B \vdash E_2 : C}{x : A \vdash E_2[y \to E_1]}\ Sub$$

- *unit law*:

$$[\![x : A \vdash E[x \to x]]\!] = [\![x : A \vdash E : B]\!] \circ [\![x : A \vdash x : A]\!]$$
$$[\![x : A \vdash E[y \to E]]\!] = [\![y : B \vdash y : B]\!] \circ [\![x : A \vdash E : B]\!]$$

- *associative law*: Given $x : A \vdash E_1 : B, y : B \vdash E_2 : C, z : C \vdash E_3 : D$, we have

$$[\![E_3[z \to E_2[y \to E_1]]]\!] = [\![E_3[z \to E_2][y \to E_1]]\!] : [\![A]\!] \to [\![D]\!]$$

.

Category of Propositions and Derivations

Definition 1.3. A netural deduction system corresponds to category C_{ND} such that objects are interpretations of propositions and morphisms are interpretations of derivations.

1. *morphism*: a morphism $[\![\mathcal{D}]\!] : [\![\Gamma]\!] \to [\![A]\!]$ corresponds
$$\begin{array}{c} \Gamma \\ \hline \mathcal{D} \\ \hline A \end{array}$$
2. *identity*: $1_{[\![A]\!]}$ corresponds identity derivation $\dfrac{A}{A}$.

参考文献

[1] Edward Morehouse. Basic Category Theory. OPLSS, 2016. https://www.ioc.ee/~ed/research/notes/intro_categorical_semantics.pdf

[2] Edward Morehouse. Basic Category Theory. OPLSS, 2015.