Wonderland SOC

Incident Investigation Notes

Finding name: [3.1] Shadow Copy Creation

Analyst assigned: Robin

Description of System(s)	
Type (Laptop/Desktop/Server/VM/etc.	[3.1] Server (on-premises)
System Operating System	[3.1] Windows Server, AD
System Name	[3.1] labrador
System IP Address	[3.1] 192.168.70.150
Other hosts involved: Hostname/IP address	[3.3] mvalitus-l

User information (as applicable)	
User(s) involved in incident	[3.1] pcerf
Other user(s) alias involved	[3.3] mvalitus

MITRE ATT&CK info	
Tactic / Technique - ID	[3.1] T1003.003 [3.4.a] T1021.006 [3.6.a] T1090.004

Wonderland SOC

Incident Investigation Notes

Investigation Details
[3.1]: Add your summary of details. [3.4.a]: wscript used to call a node.js file on a Domain Controller. Same activity as parent process that spoolsv.exe was created under. diskutil.exe running out of the Download folder. wsmprovhost.exe could indicate lateral movement.

Additional Artifacts
[3.3]: Add the wscript.exe process and the file "hefeweizen_tips.js" as artifacts. [3.4.b]: Add the ip address 46.101.247.84. [3.5:] Add outbound traffic to suspicious website https://dunkel-hefeweizen.azureedge.net/index.html. [3.6.b]: Add 192.168.70.167 ; lab workstation assigned to pcerf.

Final Analysis
[3.7]: An attacker was able to infect a Frothly workstation with malware through malicious JavaScript File that our user Mateo downloaded on a lab workstation. From there, the attacker used credentials from our user Peat Cerf, and moved around Frothly networks. The attacker accessed the domain controller and began preparing for exfiltration. With 5 W's:

Wonderland SOC

Incident Investigation Notes

- **Who**: The attacker used credentials from a Frothly employee, user Peat Cerf
- **What**: mvalitus-l and labrador were accessed by an attacker.
- **Where**: Frothly Enterprise assets
- **When**: Aug 18th (Provide exact date here in real investigations)
- **Why**: Compromising a domain controller is a common tactic that attackers use to achieve their outcomes. This may include anything from modifying, corrupting, or even destroying the database.

Wonderland SOC

Incident Investigation Notes

SPL Searches

3.2:

```
index=main sourcetype=xmlwineventlog EventCode=1 dest=labrador
process_name=vssadmin.exe
| table _time user process process_exec parent_process
| sort _time +
```

3.3:

```
|  tstats summariesonly=true count from datamodel=Endpoint.Processes where Processes.parent_
process_name="spoolsv.exe" Processes.dest="labrador.froth.ly"
Processes.user="pcerf" groupby _time span=1s Processes.parent_process Processes.process

| tstats summariesonly=true count from datamodel=Endpoint.Processes where Processes.process_
name="wscript.exe" groupby _time span=1s Processes.process Processes.process_name
Processes.parent_process  Processes.dest Processes.user
```

3.4.b:

```
|  tstats summariesonly=true
count values(Filesystem.file_size) AS file_size from datamodel=Endpoint.Filesystem where Filesyst
em.file_name="*hefeweizen_tips.js*" groupby _time span=1s Filesystem.file_name
Filesystem.file_path
|`drop_dm_object_name("Filesystem")`
| table _time file_name file_path
| sort + _time

| from datamodel:"Web"."Web"
| search (url="*hefeweizen_tips.js*")
| head 100
```

3.5:

```
|  tstats summariesonly=true values(Web.bytes_in) as bytes_in values(Web.bytes_out) as bytes_ou
t from datamodel=Web.Web where Web.src IN (192.168.70.150) Web.url="http://dunkel-
hefeweizen.azureedge.net/index.html" groupby _time span=10m Web.dest Web.url Web.action
| `drop_dm_object_name("Web")`
| table _time bytes_in bytes_out dest url action
| sort + _time
```

3.6.a:

```
transaction sourcetype=stream:dns dest_ip="192.168.70.150"
answer="152.195.19.97"  record_type=A
| table  timestamp hostname{}
```

3.6.b:

```
index=main host=labrador dest_ip=46.101.247.84 AND *hefeweizen
| sort _time
```