**Canadian Alcohol and Drug Survey 2019** 

Public Use Microdata File

#### **Table of Contents**

<u>Variable</u>	<u>Position</u>	<u>Description</u>	Page
PUMFID	001-005	Public use microdata file identifier	11
REFYEAR	006-009	Survey year	11
REFMONTH	010-011	Survey month	
PROV	012-013	Province of the selected respondent	
DVURBAN	014-014	Characteristics of community where the respondent lives	
MHHTYPEB	015-016	Type of household, based on age composition	
SEX	017-017	Respondent's sex at birth	
DV AGEP	018-019	Respondent age	
HHI 01	020-021	Type of dwelling	
HDSIZE	022-021	Number of people living in household - total	
HWB 05	023-023	Health status	
	023-023	Status Mental health	
HWB_10			
ALC_05	025-025	Have had a drink - ever	
ALC_10P	026-027	Age had first alcoholic beverage	
ALC_15	028-029	Frequency drank alcoholic beverages - 12 mo	
ALC_20P	030-031	Number of drinks consumed on those days - 12 mo.	
ALC_25	032-033	Frequency drank four or more drinks on one occasion - 12 mo	
ALC_30	034-035	Frequency drank five or more drinks on one occasion - 12 mo	
ALC_35	036-036	Where most often had a drink - 12 mo	
ALC_40	037-037	Where last time had a drink	
ALC_45	038-038	Have had a drink - 30 days	19
ALC_50P	039-040	Number of drinks consumed on those days - 30 days	20
ALC_55	041-042	Frequency drank four or more drinks on one occasion - 30 days	20
ALC_60	043-044	Frequency drank five or more drinks on one occasion - 30 days	21
ALC 65	045-045	Have had a drink - 7 days	21
ALC 70AP	046-047	Number of drinks Day 1	21
ALC 70BP	048-049	Number of drinks Day 2	
ALC 70CP	050-051	Number of drinks Day 3	
ALC 70DP	052-053	Number of drinks Day 4	
ALC 70EP	054-055	Number of drinks Day 5	
ALC 70FP	056-057	Number of drinks Day 6	
ALC 70GP	058-059	Number of drinks Day 7	
ALC 75	060-060	Have had an energy drink - 12 mo	
ALC 80P	061-062	Frequency consumed an energy drink mixed with alcohol - 12 mo	
ALC 90A	063-063	Frequency found not able to stop drinking once had started - 12 mo	
ALC 90B	064-064	Frequency alcohol use affected ability to do expected tasks - 12 mo	
ALC 90C	065-065	Freq needed drink in morning to get going after heavy drinking - 12 mo	
ALC_90D	066-066	Frequency unable to recall night before because of drinking - 12 mo	
ALC_90E	067-067	Frequency had feeling of guilt or remorse after drinking - 12 mo	
ALC_95	068-068 069-069	You/someone ever physically injured as result of your drinking - ever	
ALC_100A		Relative/friend/doctor concerned about your alchohol use - ever	
ALC_100B	070-070	Relative/friend/doctor concerned about alchohol use - 12 mo	
ALC_105	071-071	Passenger vehicle driven someone 2+ drinks alcohol prev 2 h - 12 mo	
ALC_110A	072-072	Has driver's licence	
ALC_110B	073-073	Type of driver's licence	
ALC_115	074-074	Driven a vehicle - 12 mo	
ALC_120A	075-075	Driven a vehicle after having 2+ drinks alcohol prev 2 h - 12 mo	
AL_120BP	076-077	Driven vehicle after hav. 2+ drinks alcohol prev 2 h - Nb times	
ALC_125A	078-078	In vehicle accident or collision while driving - 12 mo	
AL_125BP	079-079	Vehicle acc. or coll. while driving - Nb times	
ALC_130	080-082	Num of vehicle accidents as driver after 2+ drinks prev 2 h - 12 mo	33
PR_05	083-083	Used pain relievers - ever	
PR_10	084-084	Used low-dose codeine products - 12 mo	34
PR_15A	085-085	Used low-dose codeine for reasons other than pain relief - ever	34
PR_15B	086-086	Used low-dose codeine for reasons other than pain relief - 12 mo	34
PR_16P	087-088	Age first used low-dose codeine for reasons other than pain relief	
PR 17P	089-090	Frequency low-dose codeine reasons other than pain relief - 12 mo	
PR_18A	091-091	Tampered with low-dose codeine products before taking them - ever	

DD 00	000 000	Fire law does adding used other adding pain valinging and 10 m	00
PR_20	092-092	Excl. low-dose codeine - used other codeine pain relieving prod - 12 m	
PR_25	093-093	Used oxycodone pain relieving products - 12 mo	
PR_30	094-094	Used fentanyl - 12 mo	
PR_35	095-095	Used other opioid pain relieving products - 12 mo	
PR_45	096-096	Excl. low-dose codeine - took higher dose pain relievers - 12 mo	
PR_50	097-097	Excl. low-dose codeine - took pain relievers more often - 12 mo	
PR_53	098-099	Excl. low-dose codeine - frequency used pain relievers - 12 mo	
PR_55A	100-100	Excl. low-dose codeine - used pain relievers reasons other - ever	
PR_55B	101-101	Excl. low-dose codeine - used pain relievers reasons other - 12 mo	
PR_60P	102-103	Age first used pain relievers for reasons other than pain relief	40
PR_70P	104-105	Frequency pain relievers reasons other than pain relief - 12 mo	40
PR_75	106-106	Excl. low-dose codeine - all pain relievers prescribed to self - 12 mo	40
PR_80A	107-107	Excl. low-dose codeine - tampered pain relievers before taking - ever	41
PR 80B	108-108	Excl. low-dose codeine - tampered pain relievers before taking - 12 mo	41
PR 90	109-109	Gave away pain relievers prescribed to self - 12 mo	
PR_95	110-110	Sold pain relievers prescribed to self - 12 mo	
PR_100	111-112	Where obtained pain relievers not prescribed to self	
PR 105A	113-113	Obtained pain relievers - Persuaded doctor to obtain prescript - 12 mo	
PR 105B	114-114	Obtained pain relievers - forging a prescription - 12 mo	
PR 105C	115-115	Obtained pain relievers - multiple doctors for prescript - 12 mo	
PR 105D	116-116	Obtained pain relievers - none of the above - 12 mo	
<del>_</del>			
STI_05A	117-117	Used stimulants - ever	
STI_05B	118-118	Used stimulants - 12 mo	
STI_15P	119-120	Frequency used stimulants - 12 mo.	45
STI_20	121-121	Took higher dose of stimulants than recommended - 12 mo	
STI_25	122-122	Took stimulants more often than recommended - 12 mo	
STI_30	123-123	Used stimulants for reasons other than recommended - 12 mo	
STI_35	124-124	All stimulants used were prescribed to self -12 mo	
STI_40	125-125	Gave away stimulants prescribed to self - 12 mo.	
STI_45	126-126	Sold stimulants prescribed to self - 12 mo	
			40
STI_50	127-128	Where obtained stimulants not prescribed to self	
STI_50 STI_55A	127-128 129-129	Where obtained stimulants not prescribed to self	
_			48
STI_55A	129-129	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo	48 49
STI_55A STI_55B	129-129 130-130	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo	48 49 49
STI_55A STI_55B STI_55C	129-129 130-130 131-131	Obtained stimulants - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo	48 49 49 50
STI_55A STI_55B STI_55C STI_55D	129-129 130-130 131-131 132-132	Obtained stimulants - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo	48 49 49 50 50
STI_55A STI_55B STI_55C STI_55D SED_05A	129-129 130-130 131-131 132-132 133-133	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo	48 49 49 50 50
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15	129-129 130-130 131-131 132-132 133-133 134-134	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo	48 49 49 50 50 50
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo	48 49 49 50 50 51 51
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo	48 49 49 50 50 51 51 52
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo	48 49 50 50 51 51 52 52
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self -12 mo	48 49 50 50 51 51 52 52 52
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_35 SED_40	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo	48 49 50 50 51 51 52 52 52 53
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_25 SED_30 SED_35 SED_40 SED_45	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo	48 49 50 50 51 51 52 52 53 53
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self	48 49 50 50 51 51 52 52 53 53 54
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo	48 49 50 50 51 52 52 53 54 54
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - forging a prescription - 12 mo	48 49 50 50 51 51 52 52 53 54 54 54
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo	48 49 50 50 51 51 52 52 53 54 54 55
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo	48 49 50 50 51 51 52 52 53 54 54 55 55
STI_55A STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self -12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo	48 49 50 50 51 51 52 52 53 53 54 55 55 56
STI_55A STI_55B STI_55C STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55C SED_55D OTC_05 CAN_05A	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever	48 49 50 50 51 51 52 52 53 53 54 55 55 56 56
STI_55A STI_55B STI_55C STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo Used sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used cannabis - more than once	48 49 50 50 51 51 52 52 53 54 55 56 56 56 56
STI_55A STI_55B STI_55C STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used cannabis - more than once Age first tried - cannabis	48 49 50 50 51 51 52 52 53 54 55 56 56 56 57
STI_55A STI_55B STI_55C STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55C SED_55C SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self -12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used cannabis - more than once Age first tried - cannabis Used or tried cannabis - 12 mo	48 49 50 50 51 51 52 52 53 54 55 56 56 57 57
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self -12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever Used cannabis - more than once Age first tried - cannabis Used or tried cannabis - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo	48 49 50 50 51 51 52 52 53 54 55 56 56 57 57 58
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_22	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self -12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever Used cannabis - more than once Age first tried - cannabis - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo	48 49 50 50 51 51 52 52 53 53 54 55 56 56 57 57 58 58
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_22 CAN_23	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155 156-157 158-159	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds + 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self -12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescribed to self Obtained sedatives - none of the above - 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried cannabis - ever Used cannabis - more than once Age first tried - cannabis Used or tried cannabis - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main symptom - 12 mo	48 49 50 50 51 52 52 53 54 54 55 56 66 57 58 58 58
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_22 CAN_23 CAN_25A	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155 156-157 158-159 160-160	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever Used cannabis - more than once Age first tried - cannabis Used or tried cannabis - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis products used - Marijuana or herb - 12 mo	48 49 50 50 51 51 52 52 53 53 54 54 55 56 56 57 58 58 59
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_20B CAN_22 CAN_23 CAN_25A CAN_25B	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155 156-157 158-159 160-160 161-161	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedatives/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used cannabis - more than once Age first tried - cannabis Used or tried cannabis - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main medical condition - 12 mo Cannabis products used - Marijuana or herb - 12 mo Cannabis products used - Hashish or kief - 12 mo	48 49 50 50 51 52 52 53 53 54 55 56 56 57 58 58 59 59
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_20B CAN_22 CAN_23 CAN_25B CAN_25B CAN_25C	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155 156-157 158-159 160-160 161-161 162-162	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedatives/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever Used cannabis - for medical and/or non-medical reasons - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main symptom - 12 mo Cannabis products used - Marijuana or herb - 12 mo Cannabis products used - Cannabis oil - 12 mo Cannabis products used - Cannabis oil - 12 mo	48 49 50 50 51 52 52 53 53 54 54 55 56 66 57 58 58 59 60
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_20B CAN_22 CAN_23 CAN_25A CAN_25B	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155 156-157 158-159 160-160 161-161	Obtained stimulants - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedative/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Sold sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever Used cannabis - more than once Age first tried - cannabis - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main symptom - 12 mo Cannabis products used - Marijuan or herb - 12 mo Cannabis products used - Hashish or kief - 12 mo Cannabis products used - Canrabis oil - 12 mo Cannabis products used - Canrabis oil - 12 mo Cannabis products used - Canrabis oil - 12 mo	48 49 50 50 51 52 52 53 53 54 54 55 56 66 57 7 58 58 59 60 60
STI_55A STI_55B STI_55B STI_55C STI_55D SED_05A SED_05B SED_15 SED_20 SED_25 SED_30 SED_35 SED_40 SED_45 SED_50 SED_55A SED_55B SED_55C SED_55D OTC_05 CAN_05A CAN_05B CAN_15P CAN_20A CAN_20B CAN_20B CAN_22 CAN_23 CAN_25B CAN_25B CAN_25C	129-129 130-130 131-131 132-132 133-133 134-134 135-136 137-137 138-138 139-139 140-140 141-141 142-142 143-144 145-145 146-146 147-147 148-148 149-149 150-150 151-151 152-153 154-154 155-155 156-157 158-159 160-160 161-161 162-162	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo Obtained stimulants - forging a prescription - 12 mo Obtained stimulants - multiple doctors for prescript - 12 mo Obtained stimulant prescription - none of above - 12 mo Used sedatives/anti-anxiety meds - ever Used sedatives/anti-anxiety meds - 12 mo Frequency used sedatives/anti-anxiety meds - 12 mo Took higher dose sedatives/anti-anxiety meds - 12 mo Took sedatives/anti-anxiety meds more often than recommended - 12 mo Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo All sedatives/anti-anxiety meds used prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo Where obtained sedatives/anti-anxiety meds not prescribed to self Obtained sedatives - Persuaded doctor to obtain prescript 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - multiple doctors for prescript - 12 mo Obtained sedatives - none of the above - 12 mo Used or tried over-the-counter products to get high - 12 mo Used or tried cannabis - ever Used cannabis - for medical and/or non-medical reasons - 12 mo Used cannabis - for medical and/or non-medical reasons - 12 mo Use cannabis for - Main symptom - 12 mo Use cannabis for - Main symptom - 12 mo Cannabis products used - Marijuana or herb - 12 mo Cannabis products used - Cannabis oil - 12 mo Cannabis products used - Cannabis oil - 12 mo	48 49 50 50 51 52 52 53 53 54 54 55 56 66 57 58 88 59 60 61

0411.050	100 100	0 1: 1 5 5 5 5 6	~ 4
CAN_25G	166-166	Cannabis products used - Edibles - 12 mo	
CAN_25H	167-167	Cannabis products used - Liquid - 12 mo	
CAN_25I	168-168	Cannabis products used - Other - 12 mo	
CAN_30_A	169-169	Frequency used cannabis products - Marijuana or herb - 12 mo	
CAN_30_B	170-170	Frequency used cannabis products - Hashish or kief - 12 mo	
CAN_30_C	171-171	Frequency used cannabis products - Cannabis oil - 12 mo	64
CAN_30_D	172-172	Frequency used cannabis products - Cartridges/vape pens - 12 mo	64
C_30_EP	173-173	Frequency used cannabis products - Liquid concentrate - 12 mo	65
CAN 30 F	174-174	Frequency used cannabis products - Solid concentrate - 12 mo	65
CAN_30_G	175-175	Frequency used cannabis products - Edibles - 12 mo	65
C 30 HP	176-176	Frequency used cannabis products - Liquid - 12 mo	
C 30 IP	177-177	Frequency used cannabis products - Other - 12 mo	
CAN 35A	178-178	Methods used to consume cannabis - Smoked - 12 mo	
CAN 35B	179-179	Methods used to consume cannabis - Ate - 12 mo	
CAN 35C	180-180	Methods used to consume cannabis - Drank - 12 mo	
CAN_35D	181-181	Methods used to consume cannabis - Vaporizer 12 mo	
CAN_35E	182-182	Methods used to consume cannabis - Vape pen or e-cig - 12 mo	
	183-183	Methods used to consume cannabis - Vape perior e-cig - 12 mo	
CAN 35F			
CAN_35G	184-184	Methods used to consume cannabis - Other - 12 mo	
CAN_40	185-186	Where usually get cannabis - 12 mo	
CAN_45A	187-187	Frequency combined cannabis with - Alcohol - 12 mo	
CAN_45B	188-188	Freq comb cannabis with - Tobacco/e-cigarette/vaping device - 12 mo	
CAN_45C	189-189	Frequency combined cannabis with - Prescription pain relievers - 12 mo	
C_45DP	190-190	Frequency combined cannabis with - Prescription stimulants - 12 mo	
CAN_45E	191-191	Freq comb cannabis with - prescrip sedatives/anxiety meds - 12 mo	72
CAN_45F	192-192	Frequency combined cannabis with - Illicit opioids - 12 mo	72
CAN_45G	193-193	Frequency combined cannabis with - Illicit stimulants - 12 mo	73
C 45HP	194-194	Freq comb cannabis with - illicit hallucinogens/dissociatives - 12 mo	73
CAN_50A	195-195	Used with cannabis to get high - Alcohol	
CAN_50B	196-196	Used with cannabis to get high - tobacco/e-cigarette/vaping	
CAN 50C	197-197	Used with cannabis to get high - prescription pain relievers	
CAN 50D	198-198	Used with cannabis to get high - Prescription stimulants	
CAN_50E	199-199	Used with cannabis to get high - prescrip sedatives/anxiety meds	
CAN_50G	200-200	Used with cannabis to get high - illicit stimulants	
CAN_50H	201-201	Used with cannabis to get high - illicit hallucinogens/dissociatives	
CAN_55	202-202	Consumed more/less/same quant cannabis compared to yr before - 12 mo	
CAN_55	203-203	Frequency used cannabis - 3 mo	
CAN_00 CAN_70P	204-205	Frequency used cannabis - 30 days	
<del>-</del>			
CAN_80	206-207	Number of times started day by using cannabis - 30 days	
CAN_105A	208-208	Someone expressed concern about your cannabis use - ever	
CAN_105B	209-209	Someone expressed concern about your cannabis use - 3 mo	
CAN_110A	210-210	Tried to control/cut down/stop cannabis use but not able - ever	
CAN_110B	211-211	Tried to control/cut down/stop cannabis use but not able - 3 mo	
CAN_112A	212-212	Frequency had strong desire to use cannabis - 3 mo	
CAN_112B	213-213	Frequency cannabis use led to health/ soc/legal/financial prob - 3 mo	
CAN_112C	214-214	Frequency cannabis use affected ability to do expected tasks - 3 mo	
CAN_115A	215-215	Passenger - driver used cannabis prev 2 h - 12 mo	
CAN_115B	216-216	Passenger - more than once - driver used cannabis prev 2 h - 12 mo	82
CAN_120A	217-217	Passenger - driver used alcohol and cannabis prev 2 h - 12 mo	82
CAN_120B			83
CAN 125A	218-218	Pass. more than once - driver used alcohol and cannabis prev 2h	
0/114 120/1	218-218 219-219		
<del>_</del>	219-219	Have driven 2 hours following cannabis use - 12 mo	83
C_125BP	219-219 220-221	Have driven 2 hours following cannabis use - 12 mo	83 83
C_125BP CAN_130	219-219 220-221 222-224	Have driven 2 hours following cannabis use - 12 mo	83 83 84
C_125BP CAN_130 CAN_135	219-219 220-221 222-224 225-225	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo	83 83 84 84
C_125BP CAN_130 CAN_135 CAN_140	219-219 220-221 222-224 225-225 226-226	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo	83 83 84 84 85
C_125BP CAN_130 CAN_135 CAN_140 CAN_145	219-219 220-221 222-224 225-225 226-226 227-227	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal	83 83 84 84 85 85
C_125BP CAN_130 CAN_135 CAN_140 CAN_145 MEX_05	219-219 220-221 222-224 225-225 226-226 227-227 228-228	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal  Gave birth - past 5 years	83 84 84 85 85 86
C_125BP CAN_130 CAN_135 CAN_140 CAN_145 MEX_05 MEX_10	219-219 220-221 222-224 225-225 226-226 227-227 228-228 229-229	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal  Gave birth - past 5 years  Used cannabis during last pregnancy	83 84 84 85 85 86 86
C_125BP CAN_130 CAN_135 CAN_140 CAN_145 MEX_05 MEX_10 MEX_15	219-219 220-221 222-224 225-225 226-226 227-227 228-228 229-229 230-230	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal  Gave birth - past 5 years  Used cannabis during last pregnancy  Gave breast milk to last child	83 84 84 85 85 86 86
C_125BP CAN_130 CAN_135 CAN_140 CAN_145 MEX_05 MEX_10 MEX_15 MEX_20	219-219 220-221 222-224 225-225 226-226 227-227 228-228 229-229 230-230 231-231	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal  Gave birth - past 5 years  Used cannabis during last pregnancy  Gave breast milk to last child  Used cannabis during period when gave breast milk to last child	83 84 84 85 85 86 86 86
C_125BP CAN_130 CAN_135 CAN_140 CAN_145 MEX_05 MEX_10 MEX_15 MEX_20 MEX_20 MEX_25P	219-219 220-221 222-224 225-225 226-226 227-227 228-228 229-229 230-230 231-231 232-233	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal  Gave birth - past 5 years  Used cannabis during last pregnancy  Gave breast milk to last child  Used cannabis during period when gave breast milk to last child  Frequency drank alcohol during last pregnancy	83 84 84 85 85 86 86 86 87
C_125BP CAN_130 CAN_135 CAN_140 CAN_145 MEX_05 MEX_10 MEX_15 MEX_20	219-219 220-221 222-224 225-225 226-226 227-227 228-228 229-229 230-230 231-231	Have driven 2 hours following cannabis use - 12 mo  Number of times driven 2 hours following cannabis use - 12 mo  Number of vehicle accidents as driver cannabis prev 2 h - 12 mo  Interaction with law enforcement involving DUI cannabis - 12 mo  Arrested for driving violation related to cannabis use - 12 mo  Willingness publicly say use cannabis for non-med increased now legal  Gave birth - past 5 years  Used cannabis during last pregnancy  Gave breast milk to last child  Used cannabis during period when gave breast milk to last child	83 84 84 85 85 86 86 86 87 87

COC_05	236-236	Used or tried cocaine or crack - ever	. 88
COC 10P	237-238	Age first tried - cocaine or crack	89
<del>_</del>			
COC_15A	239-239	Used or tried cocaine or crack - 12 mo	
COC_15B	240-240	Used or tried cocaine or crack - 30 days	90
MET 05	241-241	Used or tried amphetamines or methamphetamine - ever	90
<del>_</del>	242-243		
MET_10P		Age first tried - amphetamines/methamphetamine	
MET_15	244-244	Used or tried amphetamines or methamphetamine - 12 mo	91
XTC 05	245-245	Used or tried ecstasy - ever	91
<del>_</del>	246-247		
XTC_10P		Age first tried - ecstasy	
XTC_15	248-248	Used or tried ecstasy - 12 mo	92
HAL 05	249-249	Used or tried hallucinogens - ever	92
HAL 10P	250-251	Age first tried - hallucinogens	
<del>_</del>			
HAL_15	252-252	Used or tried hallucinogens - 12 mo.	93
GLU 05	253-253	Sniffed of huffed solvents - ever	93
GLU 10	254-257	Age first tried - solvents	94
<del>_</del>			
GLU_15	258-258	Sniffed or huffed solvents - 12 mo.	
HER_05	259-259	Used or tried heroin - ever	. 94
HER 10P	260-261	Age first tried - heroin	95
HER 15A	262-262	<u> </u>	
_		Used or tried heroin - 12 mo.	
HER_25P	263-263	Easy to get heroin if wanted some today	. 96
SAL 05A	264-264	Used or tried salvia - ever	96
SAL 05B	265-265	Used or tried salvia - 12 mo	
_			
SPI_05A	266-266	Used or tried synthetic cannabinoids - ever	97
SPI 05B	267-267	Used or tried synthetic cannabinoids - 12 mo	97
MEP 05A	268-268	Used or tried mephedrone - ever	
MEP_05B	269-269	Used or tried mephedrone - 12 mo	
BZP 05A	270-270	Used or tried BZP or TFMPP - ever	. 98
KRT 05A	271-271	Used or tried kratom - ever	99
<del>_</del>			
KRT_05B	272-272	Used or tried kratom - 12 mo	
ODS_05	273-273	Used or tried any other drug to get high - ever	99
ODS 10	274-274	Used or tried [other drug] to get high - more than once	.100
ODS 15P	275-276	Age first tried - [other drug]	
ODS 13F			100
_			
ODS_20	277-277	Used or tried [other drug] - 12 mo	
ODS_20		Used or tried [other drug] - 12 mo	100
ODS_20 ODS_25	277-277 278-278	Used or tried [other drug] - 12 mo	100 101
ODS_20 ODS_25 ODS_30	277-277 278-278 279-279	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo	100 101 .101
ODS_20 ODS_25 ODS_30 ODS_35	277-277 278-278 279-279 280-280	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo	100 101 .101 .102
ODS_20 ODS_25 ODS_30	277-277 278-278 279-279	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo	100 101 .101 .102
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A	277-277 278-278 279-279 280-280 281-281	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever	100 101 .101 .102 .102
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B	277-277 278-278 279-279 280-280 281-281 282-282	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once	100 101 .101 .102 .102 103
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P	277-277 278-278 279-279 280-280 281-281 282-282 283-284	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs	100 101 .101 .102 .102 103 .103
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B	277-277 278-278 279-279 280-280 281-281 282-282	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once	100 101 .101 .102 .102 103 .103
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo	100 101 .101 .102 .102 103 .103 .103
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo	100 101 .101 .102 .102 .103 .103 .103
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo	100 101 .101 .102 .102 .103 .103 .103 .104 .104
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo	100 101 .101 .102 .102 103 .103 .103 104 104 105
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo	100 101 .101 .102 .102 103 .103 .103 104 104 105
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05B DHA_05C DHA_05D	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo	100 101 .101 .102 .102 103 .103 .103 .104 .104 104 105 .105
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05B DHA_05C DHA_05D DHA_05E	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo	100 101 .101 .102 .102 103 .103 .103 .104 .104 .105 .105 .106
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05B DHA_05C DHA_05D DHA_05E DHA_05E	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo	100 101 .101 .102 .102 .103 .103 .103 .104 .104 .105 .106 .106
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05B DHA_05C DHA_05D DHA_05E	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo	100 101 .101 .102 .102 .103 .103 .103 .104 .104 .105 .106 .106
ODS_20 ODS_25 ODS_35 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo	100 101 .101 .102 .102 103 .103 .103 .104 104 105 .105 .106 106 107
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had housing problems because of drug use - 12 mo	100 101 101 102 103 103 103 104 104 105 106 106 107
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10B DHA_10B	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo	100 101 101 102 103 103 104 105 106 106 107 107
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever	100 101 101 102 102 103 103 104 105 106 106 107 107 108 108
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10B DHA_10B	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever	100 101 101 102 102 103 103 104 105 106 106 107 107 108 108
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital	100 101 101 102 102 103 103 103 104 105 106 106 107 107 108 108
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_05F DHA_10A DHA_10B DHA_10C OD_05 OD_10A OD_10B	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had housing problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone placed in rescue position	100 101 101 102 102 103 103 103 104 105 106 106 107 107 108 108 109 109
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298	Used or tried [other drug] - 12 mo  Used drug to get high w/out knowing what it was - 12 mo  Purchased drug to get high w/out knowing what it was - 12 mo  Used drug get high, that was not what you thought it was - 12 mo  Have injected any drug - ever  Have injected any drug - more than once  Age first started injecting drugs  Have injected any drug - 12 mo  Drug affects friendships or social life - 12 mo  Drug affects physical health - 12 mo  Drug affects mental health - 12 mo  Drug affects work, studies, or employment opportunities - 12 mo  Drug affects financial position - 12 mo  Had legal problems because of drug use - 12 mo  Had housing problems because of drug use - 12 mo  Had difficulty learning things because of drug use - 12 mo  Has overdosed - ever  Last time overdosed - someone called ambulance/brought to hospital  Last time overdosed - someone performed CPR or administered naloxone	100 101 101 102 103 103 103 104 105 106 106 107 107 108 109 110
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_05F DHA_10A DHA_10B DHA_10C OD_05 OD_10A OD_10B	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had housing problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone placed in rescue position	100 101 101 102 103 103 103 104 105 106 106 107 107 108 109 110
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had housing problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - someone provided another kind of assistance	100 101 101 102 103 103 103 104 105 106 107 107 108 109 110 110
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10F	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had ousing problems because of drug use - 12 mo Had ousing problems because of drug use - 12 mo Had overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - someone provided another kind of assistance Last time overdosed - did not receive assistance	100 101 101 102 103 103 103 104 105 106 107 107 108 109 110 110
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10G	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action	100 101 101 102 103 103 104 105 106 107 108 109 110 110 111 111
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10G OD_15	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects more life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had ousing problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever	100 101 101 102 103 103 104 105 106 107 108 109 110 110 111 111 111
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10G	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action	100 101 101 102 103 103 104 105 106 107 108 109 110 110 111 111 111
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10G OD_15 OD_10G OD_15 OD_20	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301 302-302 303-303	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had housing problems because of drug use - 12 mo Had difficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - someone provided another kind of assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever Have obtained a naloxone kit - 12 mo	100 101 101 102 103 103 104 105 105 106 107 107 108 109 110 110 111 111 111 111 111 112
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10F OD_10G OD_15 OD_20 OD_25	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301 302-302 303-303 304-304	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had olifficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever Have obtained a naloxone kit	100 101 101 102 103 103 104 105 105 106 107 107 108 109 110 110 111 111 111 111 111 111 111
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10F OD_10G OD_15 OD_20 OD_25 TT_05	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301 302-302 303-303 304-304 305-305	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had oifficulty learning things because of drug use - 12 mo Had oifficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever Have obtained a naloxone kit - 12 mo Main reason obtained a naloxone kit Felt needed professional help for alcohol or drug use - ever	100 101 101 102 103 103 104 105 105 106 107 107 108 108 109 110 111 111 111 111 111 112 1112
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10F OD_10G OD_15 OD_20 OD_25	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301 302-302 303-303 304-304	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had olifficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever Have obtained a naloxone kit	100 101 101 102 103 103 104 105 105 106 107 107 108 108 109 110 111 111 111 111 111 112 1112
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10B OD_10CDP OD_10E OD_10F OD_10G OD_15 OD_20 OD_25 TT_05 TT_10A	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301 302-302 303-303 304-304 305-305 306-306	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high, w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Had legal problems because of drug use - 12 mo Had odifficulty learning things because of drug use - 12 mo Had odifficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever Have obtained a naloxone kit - 12 mo Main reason obtained a naloxone kit Felt needed professional help for alcohol or drug use - ever Sought professional help for alcohol or drug use - ever	100 101 101 102 103 103 104 105 105 106 107 107 108 108 109 110 111 111 111 111 112 112 113
ODS_20 ODS_25 ODS_30 ODS_35 IDU_05A IDU_05B IDU_10P IDU_15 DHA_05A DHA_05B DHA_05C DHA_05D DHA_05E DHA_05F DHA_10A DHA_10B DHA_10B DHA_10C OD_05 OD_10A OD_10B OD_10CDP OD_10E OD_10F OD_10G OD_15 OD_20 OD_25 TT_05	277-277 278-278 279-279 280-280 281-281 282-282 283-284 285-285 286-286 287-287 288-288 289-289 290-290 291-291 292-292 293-293 294-294 295-295 296-296 297-297 298-298 299-299 300-300 301-301 302-302 303-303 304-304 305-305	Used or tried [other drug] - 12 mo Used drug to get high w/out knowing what it was - 12 mo Purchased drug to get high w/out knowing what it was - 12 mo Used drug get high, that was not what you thought it was - 12 mo Have injected any drug - ever Have injected any drug - more than once Age first started injecting drugs Have injected any drug - 12 mo Drug affects friendships or social life - 12 mo Drug affects physical health - 12 mo Drug affects mental health - 12 mo Drug affects home life, family or relationship - 12 mo Drug affects work, studies, or employment opportunities - 12 mo Drug affects financial position - 12 mo Had legal problems because of drug use - 12 mo Had oifficulty learning things because of drug use - 12 mo Had oifficulty learning things because of drug use - 12 mo Has overdosed - ever Last time overdosed - someone called ambulance/brought to hospital Last time overdosed - someone performed CPR or administered naloxone Last time overdosed - did not receive assistance Last time overdosed - did not receive assistance Last time overdosed - don't know if someone took action Have seen someone have a drug overdose - ever Have obtained a naloxone kit - 12 mo Main reason obtained a naloxone kit Felt needed professional help for alcohol or drug use - ever	100 101 101 102 103 103 104 105 105 106 107 107 108 108 109 110 111 111 111 111 112 112 113 113

T1_25BP         310-311         Num of times received professional help for alcohol or drug use - 12 mo         115           T1_35         313-313         Received professional help for alcohol or drug use - 12 mo         115           T1_35         313-313         Issue for which received professional help - 12 mo         116           T1_45P         315-315         Time waited to begin treatment         117           T1_50         316-316         Helpfulness of treatment received - 12 mo         116           T1_60A         317-317         Obstacle to receiving help - Nating list too long         118           T1_60B         318-318         Obstacle to receiving help - Treatment not covered by insurance         119           T1_60B         318-318         Obstacle to receiving help - Treatment not covered by insurance         118           T1_60B         321-321         Obstacle to receiving help - Treatment not covered by insurance         119           T1_60B         321-321         Obstacle to receiving help - Treatment not covered by insurance         120           T1_60B         321-321         Obstacle to receiving help - Treatment not covered by insurance         120           T1_60B         321-321         Obstacle to receiving help - Treatment not covered by insurance         120           T1_60B         321-321         Obstacle to rec	TT 25A	309-309	Received professional help for alcohol or drug use - ever	114
T30	_			
T1-35	_			
T1-40	<del>_</del>			
TI 45P         315-315         Time waited to begin treatment	_			
TT_50         316-316         Helpfulness of treatment received - 12 mo.         117           TT_60B         318-318         Obstacle to receiving help - Waiting list too long         118           TT_60D         319-319         Obstacle to receiving help - Treatment not covered by insurance         119           TT_60D         320-320         Obstacle to receiving help - Treatment not covered by insurance         119           TT_60F         322-321         Obstacle to receiving help - Treatment not covered by insurance         120           TT_60F         322-322         Obstacle to receiving help - Frest did not need treatment         120           TT_60H         324-323         Obstacle to receiving help - Felt did not need treatment         121           TT_60H         324-324         Obstacle to receiving help - Felt did not need treatment         122           SS_10         326-326         Frequency smoke digarretes - present time         122           SS_11         326-327         Smoked oligarretises - present time         122           SS_25         329-328         Used or riced - eigarretise or variang device every day - 30 days         124           DEM_27B         330-330         Marrial status         124           DEM_27B         331-331         Aboriganal identity         124           DEM_27B <td>_</td> <td></td> <td></td> <td></td>	_			
Times	_		Helpfulness of treatment received - 12 mo	117
TT 60B         318-318         Obstacle to receiving help - Treatment not covered by insurance         119           TT 60C         319-319         Obstacle to receiving help - Treatment not covered by insurance         119           TT 60F         320-320         Obstacle to receiving help - Forsonal/Family responsibilities         120           TT 60F         322-322         Obstacle to receiving help - Fort did not need treatment         120           TT 60H         324-323         Obstacle to receiving help - Fort did not need treatment         121           TT 60H         324-324         Obstacle to receiving help - Fort did not need treatment         122           SS 10         326-325         Smoked at least 100 cigarettes - Irelement         122           SS 10         326-326         Frequency smoke digarettes - Sepent time         122           SS 15         327-327         Smoked cigarettes - Versent time         122           SS 26         328-328         Used or tried e-cigarette or vaping device ever         123           SS 25         329-329         Used e-cigarette or vaping device ever day - 30 days         124           DEM 26         330-3331         Abortiganial dentity         124           DEM 27         331-331         Abortiganial dentity         124           DEM 27         336-	_			
Timesized   Tim	<del>_</del>	318-318		
Tf 60D         320 320         Obstacle to receiving help - Transportation difficult         119           Tf 60F         322 321         Obstacle to receiving help - Too busy         120           Tf 60F         322 322         Obstacle to receiving help - Too busy         120           Tf 50H         324 324         Obstacle to receiving help - Tell did not need treatment         121           Tf 50H         324 324         Obstacle to receiving help - Language or cultural difficulties         122           SS 15         327 325         Smoked at least 100 cigarettes - Idition         122           SS 10         326 326         Frequency smoke cigarretes - present time         122           SS 11         327 327         Smoked cigarettes - 30 days         123           SS 20         328-328         Used or tried e-igarette or vaping device - ever         123           SS 25         329-329         Used e-igarette or vaping device - ever         123           DEM_ 26         330 330         Marital status         124           AB 15         331 331         Aboriginal identity         124           DEM_ 27         335 333         Highest certificate, diploma or degree completed         124           DEM_ 27         335 333         Type attending - inventing in proper certificate in proper cert	_	319-319		
T_60E   321-321	_	320-320		
TT 60G   322-322   Obstacle to receiving help - Too busy   120   17	TT 60E	321-321		
TT_60G         323-323         Obstacle to receiving help - Tanguage or cultural difficulties         121           TT_60H         324-324         Obstacle to receiving help - Tanguage or cultural difficulties         122           SS_05         325-325         Smoked at least 100 cigarettes - lifetime         122           SS_10         327-327         Smoked cigarettes - 30 days         123           SS_20         328-328         Used or tried e-cigarette or vaping device - ever         123           SS_20         328-329         Used e-cigarette or vaping device - ever         123           SS_25         329-329         Used e-cigarette or vaping device - ever         123           SS_26         328-331         Aboriginal Identity         124           DEM_275         334-331         Aboriginal Identity         124           DEM_278         334-334         Currently stending a school, college, CEGEP or university         125           DEM_278         336-335         Type attending - Incurrentiversity institution         126           DEM_278         336-335         Type attending - university         127           DEM_30         338-339         Value attending - university         127           DEM_35         339-339         Yee attending - university         128      <	TT 60F	322-322		
SS_05         325-325         Smoked at least 100 cigaretes - Infeltime         122           SS_10         326-326         Frequency smoke cigaretes - Infeltime         122           SS_15         327-327         Smoked cigarettes - 30 days         123           SS_26         328-328         Used or tried e-cigarette or vaping device - ever         123           SS_25         328-329         Used or tried e-cigarette or vaping device - ever         124           DEM_05P         330-330         Marital status         124           DEM_20         332-331         Aboriginal identity         124           DEM_20         333-334         Currently attending a school, college, CEGEP or university         125           DEM_27A         335-335         Type attending - Elementary, junior high school or high school         126           DEM_27B         336-336         Type attending - university         127           DEM_30         38-338         Worked at a job or business last week         127           DEM_30         38-338         Worked at a job or business last week         127           DEM_30         38-338         Worked at a job or business last week         127           DEM_30         38-338         Worked at a job or business last week         127	TT_60G	323-323	Obstacle to receiving help - Felt did not need treatment	121
SS 10         326-326         Frequency smoke cigarretes - present time         122           SS 15         327-327         Smoked cigarrettes - 30 days         123           SS 20         328-328         Used or tried e-cigarrette or vaping device - ever         123           SS 25         329-329         Used or tried e-cigarrette or vaping device every day - 30 days         124           DEM 26         330-330         Marital status         124           AB 15         331-331         Aboriginal identity         124           DEM 25         334-334         Currently attending - Incementary, Junior high school or high school or high school         125           DEM 27A         335-335         Type attending - Incementary, Junior high school or high school         126           DEM 27B         336-336         Type attending - Incementary, Junior high school or high school         126           DEM 27C         337-337         Type attending - non-university institution         126           DEM 27S         339-398         Absent from job or business last week         127           DEM 30         338-338         Worked at a job or business last week         127           DEM 45         342-341         Reason for absence from work last week         127           DEM 30         343-344         House	TT_60H	324-324	Obstacle to receiving help - Language or cultural difficulties	.122
SS 15         327-327         Smoked cigarettes - 30 days         123           SS 20         328-328         Used or tried e-cigarette or vaping device ever         123           SS 25         329-329         Used or-cigarette or vaping device every day - 30 days         124           DEM_05P         330-330         Marital status         124           AB 15         331-331         Aboriginal identity         124           DEM_26         334-334         Urrently attending a school, college, CEGEP or university         125           DEM_27A         335-335         Type attending - Elementary, junior high school or high school         126           DEM_27B         336-336         Type attending - non-university institution         126           DEM_27B         336-336         Type attending - non-university institution         127           DEM_30         338-339         Absent from job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         128           INC_50         343-344         Household income         129           ALCPTRN         345-346         Alcohol pattern         129           ALCSTAT3	SS_05	325-325	Smoked at least 100 cigarettes - lifetime	122
SS 20         328-328         Used or tried e-cigarette or vaping device e-ver         123           SS 25         329-329         Used e-cigarette or vaping device every day - 30 days         124           DEM_05P         330-330         Marital status         124           AB_15         331-331         Aboriginal identity         124           DEM_25         334-334         Currently attending a school, college, CEGEP or university         125           DEM_27A         335-335         Type attending - Elementary, junior high school or high school         126           DEM_27B         336-336         Type attending - Inon-university institution         126           DEM_27C         337-337         Type attending - Inon-university institution         126           DEM_30         383-338         Worked at a job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         127           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCSTATS         347-347         Drinking Status         130           ALC12M	SS_10	326-326	Frequency smoke cigarretes - present time	122
SS_25         329-329         Used e-cigarette or vaping device every day - 30 days         124           DEM_05P         330-330         Marital status         124           AB_15         331-331         Aboriginal identity         124           DEM_20         332-333         Highest certificate, diploma or degree completed         125           DEM_27A         335-335         Type attending a school, college, CEGEP or university         126           DEM_27B         336-336         Type attending - non-university institution         126           DEM_27B         336-336         Type attending - non-university institution         126           DEM_27C         337-337         Type attending - university         127           DEM_35         399-339         Absent from job or business last week         127           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCPTRN         345-346         Alcohol pattern         129           ALCSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use- 12 mo         131           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo<	SS_15	327-327		
DEM 05P         330-330         Marital status         124           AB 15         331-331         Aboriginal identity         124           DEM 20         332-333         Highest certificate, diploma or degree completed         125           DEM 27A         335-335         Type attending a school, college, CEGEP or university         125           DEM 27B         336-336         Type attending - non-university institution         126           DEM 27C         337-337         Type attending - university         127           DEM 30         338-338         Worked at a job or business last week         127           DEM 30         338-338         Worked at a job or business last week         127           DEM 40P         340-341         Reason for absence from work last week         127           DEM 45         342-342         Employee or self-employed         128           INC, 50         343-344         Household income         129           ALCSTAT3         347-347         Dirking Status         130           ALC12M         348-348         Alcohol pattern         129           ALC24A         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC12R         350-355         Frequency drank alcoholic beverages - 12	SS_20	328-328		
AB 15 DEM 20 331-331 Aboriginal identity DEM 25 DEM 25 DEM 25 DEM 25 DEM 276 DEM 277 335-335 Type attending a school, college, CEGEP or university 125 DEM 278 336-335 Type attending - Elementary, junior high school or high school 126 DEM 277 B36-336 DEM 277 B36-336 DEM 277 B36-337 Type attending - non-university institution 126 DEM 270 DEM 370 DEM 380 DEM 383-38 Worked at a job or business last week 127 DEM 36 DEM 40P 340-341 Reason for absence from work last week 127 DEM 40P 340-341 Heason for absence from work last week 128 INC 50 343-344 Household income 129 ALCOFTRN 345-346 Alcohol pattern 129 ALCSTAT3 347-347 Drinking Status 347-347 Drinking Status 340-300 ALC12M 348-348 Alcohol use - 12 mo. 310 ALC30D ALC12M 349-349 Alcohol use - 30 days ALC1_2R ALCLEV4 353-353 Estimated daily alcohol consumption level - 12 months - 4 cat 311 ALCLEV4 354-354 Estimated daily alcohol onsumption level - 12 months - 4 cat 313 ALCLEV4 354-354 Estimated daily alcohol use once per mo. /more often - 4+F 5+M - 12 mo. 312 AHEAYYMK 356-356 Heavy weekly alcohol use once per mo. /more often - 4+F 5+M - 12 mo. 313 NUMDRNKM 357-357 Usually drinks 5 or more drinks per occasion-Remales - 12 mo. 313 NUMDRNKM 363-363 New LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel 314 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 315 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 314 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 315 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 314 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 315 ALC1EWK 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 314 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 315 ALC1EWA 363-363 New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel 316 ALC1EWA 3	SS_25	329-329	Used e-cigarette or vaping device every day - 30 days	124
DEM_20         332-333         Highest certificate, diploma or degree completed         125           DEM_27A         335-335         Type attending - Elementary, junior high school or high school         126           DEM_27B         336-336         Type attending - Ilementary, junior high school or high school         126           DEM_27C         337-337         Type attending - non-university institution         126           DEM_30         338-338         Worked at a job or business last week         127           DEM_30         338-338         Worked at a job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         127           DEM_40P         340-341         Reason for absence from work last week         128           INC_50         343-344         Household income         128           INC_510         345-3446         Alcohol pattern         129           ALCSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo.         131 <t< td=""><td>DEM_05P</td><td>330-330</td><td>Marital status</td><td>124</td></t<>	DEM_05P	330-330	Marital status	124
DEM_27A         334-334         Currently attending a school, college, CEGEP or university         125           DEM_27B         335-335         Type attending - Elementary, junior high school or high school         126           DEM_27C         337-337         Type attending - university         127           DEM_30         338-338         Worked at a job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         127           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCPTRN         345-344         Alcohol pattern         129           ALCSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         131           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC12R         350-355	AB_15	331-331		
DEM_27A         335-335         Type attending - Elementary, junior high school or high school         126           DEM_27C         337-337         Type attending - non-university institution         126           DEM_30         338-338         Worked at a job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         128           INC_50         343-344         Household income         128           INC_50         343-344         Household income         129           ALCSTAT3         347-347         Drinking Status         130           ALCSTAT3         347-347         Drinking Status         130           ALC3D         348-348         Alcohol use - 12 mo.         130           ALC3D         349-349         Alcohol use - 30 days         130           ALC1_2R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC1_EV4         353-353         Estimated daily alc consumption level - 12 months - 4 cat         131           ALC1_EV4         354-354         Heavy weekly alcohol use once per mo / more often - 4+F 5+M - 12 mo.         132           AHEAVYMK         3	DEM_20	332-333		
DEM_27B         336-336         Type attending - non-university institution         126           DEM_27C         337-337         Type attending - university         127           DEM_30         338-338         Worked at a job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         128           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCPTRN         345-346         Alcohold user         129           ALCSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC32M         349-349         Alcohol use - 30 days         130           ALC12R         350-352         Frequency drank alcoholi beverages - 12 mo         131           ALCLEV4         353-353         Estimated daily alcohol consumption level - 12 months - 4 cat.         131           ALCLEV4D         354-355         Heavy weekly alcohol use once per meek / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356 <td< td=""><td>DEM_25</td><td>334-334</td><td></td><td></td></td<>	DEM_25	334-334		
DEM_27C         337-337         Type attending - university         127           DEM_30         338-338         Worked at a job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         128           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCSTAT3         347-347         Drinking Status         130           ALCSTAT3         347-347         Drinking Status         130           ALC300         349-349         Alcohol use - 12 mo.         130           ALC300         349-349         Alcohol use - 30 days         130           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALCLEV4         353-353         Estimated daily alcohol consumption level - 12 months - 4 cat         131           AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo         132           NUMDRNKM	DEM_27A	335-335		
DEM_30         338-338         Worked at a job or business last week         127           DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         128           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCPTRN         345-346         Alcohol pattern         129           ALCSTAT3         347-347         Drinking Status         330           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC30D         349-349         Alcohol use - 30 days         130           ALC1EV4         353-353         Estimated daily alcoholic consumption level - 12 months - 4 cat         131           ALCLEV4         353-354         Estimated daily alcoholic consumption level - 7 days - 4 cat. drinking wheel         132           AHEAVYMK         356-356         Heavy weekly alcohol use once per more / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKF         358-358         Usually drinks 5 or more drinks per occasion-Females - 12 mo.	DEM_27B	336-336	Type attending - non-university institution	126
DEM_35         339-339         Absent from job or business last week         127           DEM_40P         340-341         Reason for absence from work last week         128           DEM_45         342-342         Employee or self-employed         128           INC, 50         343-344         Household income         129           ALCSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         130           ALC1_2R         350-352         Frequency drank alcoholic consumption level - 12 months - 4 cat         131           ALCLEV4D         354-354         Estimated daily alcohol consumption level - 12 months - 4 cat         131           ALCLEV4D         354-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYMN         355-355         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           ALC1EWY         359-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           NUMDRNKF         358-	DEM_27C	337-337		
DEM_45         342-342         Reason for absence from work last week         128           DEM_45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCPTRN         345-346         Alcohol pattern         129           ALCSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC30D         349-349         Alcohol use - 30 days         130           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALCLEV4         353-353         Estimated daily alco. consump, level - 7 days - 4 cat. drinking wheel         132           ALEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRINKDYCF         359-359         New LRDG Indicator female resp 3+ drinks in 1 d		338-338		
DEM 45         342-342         Employee or self-employed         128           INC_50         343-344         Household income         129           ALCPTRN         345-346         Alcohol pattern         129           ALC3T3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC30D         349-349         Alcohol use - 30 days         130           ALC12R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALCLEV4         353-353         Estimated daily alcohol consumption level - 12 months - 4 cat         131           ALCLEV4D         354-354         Estimated daily alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYMK         356-355         Heavy weekly alcohol use once per meek / more often - 4+F 5+M - 12 mo.         132           ALCAYMW         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Females - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 6 or more drinks per occasion-Females - 12 mo.         133           NEW LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel	DEM_35	339-339		
INC_50	DEM_40P	340-341		
ALÖPTRN         345-346         Alcohol pattern         129           ALOSTAT3         347-347         Drinking Status         130           ALC12M         348-348         Alcohol use - 12 mo.         130           ALC30D         349-349         Alcohol use - 30 days         130           ALC1 2R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALCLEV4D         354-354         Estimated daily alcohol consumption level - 12 months - 4 cat         131           ALCLEV4D         354-355         Estimated daily alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AUMDRINKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRINKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRINKDYCF         359-359         New LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel         133           DRNKDYCH         360-360         New LRDG Indicator female resp 3+ drinks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator female resp 15+ drinks in 1 day - drinking wheel         134 </td <td>DEM_45</td> <td>342-342</td> <td></td> <td></td>	DEM_45	342-342		
ALCSTAT3  ALC12M  348-348  Alcohol use - 12 mo.  130  ALC1_2R  350-352  Frequency drank alcoholic beverages - 12 mo  131  ALC1_EW  350-352  Frequency drank alcoholic beverages - 12 mo  131  ALC1_EW  350-353  ALC1_2R  350-352  Frequency drank alcoholic beverages - 12 mo  131  ALC1_EW  353-353  Estimated daily alcc consump, level - 7 days - 4 cat. drinking wheel  132  AHEAVYMN  355-355  Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.  132  AHEAVYWK  356-356  Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.  133  NUMDRNKK  356-356  Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.  133  NUMDRNKF  358-358  Usually drinks 5 or more drinks per occasion-Males - 12 mo.  133  NUMDRNKF  358-358  Usually drinks 4 or more drinks per occasion-Females - 12 mo.  133  NRNKDYCF  359-359  New LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel  134  DKDYSTRR  361-361  New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel  134  DKDYSTRR  362-362  New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel  134  DKDYSTRM  362-362  New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel  135  ALC16WK  363-363  New LRDG Indicator male resp 1+ drinks in 1 day- drinking wheel  135  ALC16WK  363-363  New LRDG Indicator male resp 1+ drinks in 1 day- drinking wheel  135  ALC11WK  365-365  New LRDG Indicator male resp 1+ drinks in 1 week- drinking wheel  135  ALC11WK  365-365  New LRDG Indicator female resp 10+ drinks in 1 week- drinking wheel  136  LRSKDRKF  366-366  Chronic LRDG - week preceding the survey - Males  137  LRDGSTM  369-369  Acute/Short-term LRDG - week preceding the survey - Males  137  LRDGSTF  370-370  Acute/Short-term LRDG - week preceding the survey - Males  138  LRDGAC12  372-372  Exceeded low-risk drinking guideline - chronic effects- tot. pop. 7d  137  LRDGSTF  370-370  Acute/Short-term LRDG - week preceding the survey - Females  138  LRDGAC12  372-372  Exceeded low-risk drinking guideline - acute effects - tot. popl'n	<del>_</del>	343-344		
ALC12M 348-348 Alcohol use - 12 mo		345-346		
ALC30D         349-349         Alcohol use - 30 days         130           ALC1 2R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALC1EV4         353-353         Estimated daily alcohol consumption level - 12 months - 4 cat         131           ALCLEV4D         354-354         Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel         132           AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           AUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 5 or more drinks per occasion-Females - 12 mo.         133           NEWLOFCF         359-359         New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator male resp 15- drnks in 1 week- drinking wheel         135           ALC16WK				
ALC1_2R         350-352         Frequency drank alcoholic beverages - 12 mo         131           ALCLEV4         353-353         Estimated daily alcohol consumption level - 12 months - 4 cat         131           ALCLEV4D         354-354         Estimated daily alcohol consumption level - 7 days - 4 cat, drinking wheel         132           AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRNKDYCF         359-359         New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator female resp 3+ drnks in 1 day- drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel         135           ALC16WK         363-363         New LRDG Indicator female resp 15+ drnks in 1 day - drinking wheel         <		348-348		
ALCLEV4         353-353         Estimated daily alcohol consumption level - 12 months - 4 cat         131           ALCLEV4D         354-354         Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel         132           AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRNKDYCF         359-359         New LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator female resp 3+ drinks in 1 day - drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator male resp 4+ drinks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator male resp 15+ drinks in 1 week- drinking wheel         135           ALC16WK         363-363         New LRDG Indicator male resp 15+ drinks in 1 week- drinking wheel         135           ALSKDRKM         364-364         Chronic LRDG - week preceding the survey - Males				
ALCLEV4D         354-354         Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel         132           AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per mee / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRNKDYCF         359-359         New LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator male resp 3+ drinks in 1 day- drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator female resp 3+ drinks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator male resp 15+ drinks in 1 day - drinking wheel         135           ALC16WK         363-363         New LRDG Indicator male resp 10+ drinks in 1 week- drinking wheel         135           LRSKDRKM         364-364         Chronic LRDG - week preceding the survey - Males         135           LRSKDRKF         366-366         Chronic LRDG - week preceding the survey - Females         136	_			
AHEAVYMN         355-355         Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.         132           AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRNKDYCF         359-359         New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel         135           ALC16WK         363-363         New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel         135           LRSKDRKM         364-364         Chronic LRDG - week preceding the survey - Males         135           LRSKDRKM         364-365         New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel         136           LRSKDRKF         366-366         Chronic LRDG - week preceding the survey - Males         136 </td <td></td> <td></td> <td></td> <td></td>				
AHEAVYWK         356-356         Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.         132           NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRNKDYCF         359-359         New LRDG Indicator female resp 2+ drinks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator male resp 3+ drinks in 1 day - drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator male resp 3+ drinks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator male resp 4+ drinks in 1 week- drinking wheel         135           ALC16WK         363-363         New LRDG Indicator male resp 15+ drinks in 1 week- drinking wheel         135           LRSKDRKM         364-364         Chronic LRDG - week preceding the survey - Males         135           ALC11WK         365-365         New LRDG Indicator female resp 10+ drinks in 1 week- drinking wheel         136           LRSKDRKF         366-366         Chronic LRDG - week preceding the survey - Females         136           LRDGCH12         368-368         Exceeded low-risk drinking guideline - chronic effects- tot. pop7d         137				
NUMDRNKM         357-357         Usually drinks 5 or more drinks per occasion-Males - 12 mo.         133           NUMDRNKF         358-358         Usually drinks 4 or more drinks per occasion-Females - 12 mo.         133           DRNKDYCF         359-359         New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel         133           DRNKDYCM         360-360         New LRDG Indicator male resp 3+ drnks in 1 day- drinking wheel         134           DKDYSTRF         361-361         New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel         134           DKDYSTRM         362-362         New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel         135           ALC16WK         363-363         New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel         135           LRSKDRKM         364-364         Chronic LRDG - week preceding the survey - Males         135           LRSKDRKF         366-365         New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel         136           LRSKDRKF         366-366         Chronic LRDG - week preceding the survey - Females         136           LRDGCHRC         367-367         Exceeded low-risk drinking guideline - chronic effects- tot. pop7d         137           LRDGSTM         369-369         Acute/Short-term LRDG - week preceding the survey - Males         137				
NUMDRNKF 358-358 Usually drinks 4 or more drinks per occasion-Females - 12 mo. 133 DRNKDYCF 359-359 New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel 133 DRNKDYCM 360-360 New LRDG Indicator male resp 3+ drnks in 1 day- drinking wheel 134 DKDYSTRF 361-361 New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel 134 DKDYSTRM 362-362 New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel 135 ALC16WK 363-363 New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel 135 LRSKDRKM 364-364 Chronic LRDG - week preceding the survey - Males 135 ALC11WK 365-365 New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel 136 LRSKDRKF 366-366 Chronic LRDG - week preceding the survey - Females 136 LRDGCHRC 367-367 Exceeded low-risk drinking guideline - chronic effects - tot. pop7d 137 LRDGCH12 368-368 Exceeded low-risk drinking guideline - chronic effects - tot. pop7d 137 LRDGSTM 369-369 Acute/Short-term LRDG - week preceding the survey - Males 137 LRDGSTF 370-370 Acute/Short-term LRDG - week preceding the survey - Females 138 LRDGACUT 371-371 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC14 373-373 Used pain relievers - 12 months - including low-dose 139 PAIN12MB 374-374 Used pain relievers not as directed - 12 mo including low-dose 140 PAINNDB 376-376 Used pain relievers not as directed - 12 mo excluding low-dose 140 PAINABUA 377-377 Abused pain relievers - 12 months - including low-dose 140				
DRNKDYCF 359-359 New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel 133 DRNKDYCM 360-360 New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel 134 DKDYSTRF 361-361 New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel 134 DKDYSTRM 362-362 New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel 135 ALC16WK 363-363 New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel 135 LRSKDRKM 364-364 Chronic LRDG - week preceding the survey - Males 135 ALC11WK 365-365 New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel 136 LRSKDRKF 366-366 Chronic LRDG - week preceding the survey - Females 136 LRDGCHRC 367-367 Exceeded low-risk drinking guideline - chronic effects- tot. pop7d 137 LRDGCH12 368-368 Exceeded low-risk drinking guideline - chronic effects- tot. pop7d 137 LRDGSTM 369-369 Acute/Short-term LRDG - week preceding the survey - Males 137 LRDGSTF 370-370 Acute/Short-term LRDG - week preceding the survey - Females 138 LRDGACUT 371-371 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - current drinkers 138 PAIN12MA 373-373 Used pain relievers - 12 months - including low-dose 139 PAINNDA 375-375 Used pain relievers not as directed - 12 mo excluding low-dose 140 PAINNDB 376-376 Used pain relievers not as directed - 12 mo excluding low-dose 140 PAINABUA 377-377 Abused pain relievers not as directed - 12 mo excluding low-dose 140				
DRNKDYCM 360-360 New LRDG Indicator male resp 3+ drnks in 1 day - drinking wheel 134 DKDYSTRF 361-361 New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel 134 DKDYSTRM 362-362 New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel 135 ALC16WK 363-363 New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel 135 LRSKDRKM 364-364 Chronic LRDG - week preceding the survey - Males 136 LRSKDRKF 366-365 New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel 136 LRSKDRKF 366-366 Chronic LRDG - week preceding the survey - Females 136 LRDGCHRC 367-367 Exceeded low-risk drinking guideline - chronic effects- tot. pop7d 137 LRDGSTM 369-369 Acute/Short-term LRDG - week preceding the survey - Males 137 LRDGACUT 371-371 Exceeded low-risk drinking guideline - chronic effects - tot. popl'n 138 LRDGACUT 371-371 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - current drinkers 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - current drinkers 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - current drinkers 139 PAIN12MA 373-373 Used pain relievers - 12 months - including low-dose 139 PAIN12MB 374-374 Used pain relievers not as directed - 12 mo excluding low-dose 140 PAINABUA 377-377 Abused pain relievers - 12 mo including low-dose			· · · · · · · · · · · · · · · · · · ·	
DKDYSTRF361-361New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel134DKDYSTRM362-362New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel135ALC16WK363-363New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel135LRSKDRKM364-364Chronic LRDG - week preceding the survey - Males135ALC11WK365-365New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel136LRSKDRKF366-366Chronic LRDG - week preceding the survey - Females136LRDGCHRC367-367Exceeded low-risk drinking guideline - chronic effects- tot. pop7d137LRDGSTM369-368Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline - acute effects - tot. popl'n138PAIN12MA373-373Used pain relievers - 12 months - excluding low-dose139PAIN12MB374-374Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
DKDYSTRM 362-362 New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel 135 ALC16WK 363-363 New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel 135 LRSKDRKM 364-364 Chronic LRDG - week preceding the survey - Males 135 ALC11WK 365-365 New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel 136 LRSKDRKF 366-366 Chronic LRDG - week preceding the survey - Females 136 LRDGCHRC 367-367 Exceeded low-risk drinking guideline - chronic effects- tot. pop7d 137 LRDGCH12 368-368 Exceeded low-risk drinking guideline - chronic eff- current drnkers -7d 137 LRDGSTM 369-369 Acute/Short-term LRDG - week preceding the survey - Males 138 LRDGACUT 371-371 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 PAIN12MA 373-373 Used pain relievers - 12 months - including low-dose 139 PAINNDA 376-376 Used pain relievers not as directed - 12 mo including low-dose 140 PAINNDB 376-377 Abused pain relievers - 12 mo including low-dose 140 PAINABUA				
ALC16WK363-363New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel135LRSKDRKM364-364Chronic LRDG - week preceding the survey - Males135ALC11WK365-365New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel136LRSKDRKF366-366Chronic LRDG - week preceding the survey - Females136LRDGCHRC367-367Exceeded low-risk drinking guideline - chronic effects- tot. pop7d137LRDGCH12368-368Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d137LRDGSTM369-369Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline - acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRSKDRKM364-364Chronic LRDG - week preceding the survey - Males135ALC11WK365-365New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel136LRSKDRKF366-366Chronic LRDG - week preceding the survey - Females136LRDGCHRC367-367Exceeded low-risk drinking guideline - chronic effects- tot. pop7d137LRDGCH12368-368Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d137LRDGSTM369-369Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline - acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
ALC11WK 365-365 New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel 136 LRSKDRKF 366-366 Chronic LRDG - week preceding the survey - Females 136 LRDGCHRC 367-367 Exceeded low-risk drinking guideline - chronic effects- tot. pop7d 137 LRDGCH12 368-368 Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d 137 LRDGSTM 369-369 Acute/Short-term LRDG - week preceding the survey - Males 137 LRDGSTF 370-370 Acute/Short-term LRDG - week preceding the survey - Females 138 LRDGACUT 371-371 Exceeded low-risk drinking guideline - acute effects - tot. popl'n 138 LRDGAC12 372-372 Exceeded low-risk drinking guideline - acute effects - current drinkers 138 PAIN12MA 373-373 Used pain relievers - 12 months - including low-dose 139 PAIN12MB 374-374 Used pain relievers - 12 months - excluding low-dose 140 PAINNDB 376-376 Used pain relievers not as directed - 12 mo including low-dose 140 PAINABUA 377-377 Abused pain relievers - 12 mo including low-dose 140				
LRSKDRKF366-366Chronic LRDG - week preceding the survey - Females136LRDGCHRC367-367Exceeded low-risk drinking guideline - chronic effects- tot. pop7d137LRDGCH12368-368Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d137LRDGSTM369-369Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline -acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose140PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRDGCHRC367-367Exceeded low-risk drinking guideline - chronic effects- tot. pop7d137LRDGCH12368-368Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d137LRDGSTM369-369Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline -acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose140PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRDGCH12368-368Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d137LRDGSTM369-369Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline -acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo including low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRDGSTM369-369Acute/Short-term LRDG - week preceding the survey - Males137LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline - acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRDGSTF370-370Acute/Short-term LRDG - week preceding the survey - Females138LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline -acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRDGACUT371-371Exceeded low-risk drinking guideline - acute effects - tot. popl'n138LRDGAC12372-372Exceeded low-risk drinking guideline -acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
LRDGAC12372-372Exceeded low-risk drinking guideline -acute effects - current drinkers138PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
PAIN12MA373-373Used pain relievers - 12 months - including low-dose139PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
PAIN12MB374-374Used pain relievers - 12 months - excluding low-dose139PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
PAINNDA375-375Used pain relievers not as directed - 12 mo including low-dose140PAINNDB376-376Used pain relievers not as directed - 12 mo excluding low-dose140PAINABUA377-377Abused pain relievers - 12 mo including low-dose140				
PAINNDB 376-376 Used pain relievers not as directed - 12 mo excluding low-dose				
PAINABUA 377-377 Abused pain relievers - 12 mo including low-dose				

STIM12M	379-379	Used stimulants - 12 months	141
STIMND	380-380	Used stimulants not as directed - 12 months	
STIMABUS	381-381	Abused stimulants - 12 months	
SED12M	382-382	Used sedatives - 12 mo.	
SEDND	383-383	Used sedatives not as directed - 12 months	
SEDHIGH	384-384	Used sedatives to get high - 12 months	
PHAR12MA	385-385	Used pharmaceuticals - Include low-dose pain relievers - 12 mo	143
PHAR12MB	386-386	Used pharmaceuticals - Exclude low-dose pain relievers - 12 mo	144
PHARNDA	387-387	Used pharmaceutic not as directed - incl. low-dose pain reliev12 mo	144
PHARNDB	388-388	Used pharmaceutic not as directed - excl. low-dose pain reliev12 mo	144
PHARABUA	389-389	Abused pharmaceuticals - Include low-dose pain relievers - 12 mo	
PHARABUB	390-390	Abused pharmaceuticals - Exclude low-dose pain relievers - 12 mo	
CAN12M	391-391	Cannabis use - 12 months	
CAN3M	392-392	Cannabis use - 3 months	
CAN30D	393-393	Cannabis use - 30 days	
CANPAT	394-394	Cannabis use status - three categories	
CANPRCC	395-395	Types of products used - Cannabis concentrates	
CANPRED	396-396	Types of products used - Edibles containing cannabis	
DCAN12M	397-397	Frequency use cannabis - Marijuana or herb - 4 categories	
HASH12M	398-398	Frequency use cannabis - Hashish or kief - 4 categories	
COVE12M	399-399	Frequency use cannabis - Cannabis oil - 4 categories	
CCVP12M	400-400	Frequency use cannabis - Cartridges/disposable vape pens - 4 cat.	
LCON12MP SCON12M	401-401 402-402	Frequency use cannabis - Liquid concentrate - 3 categories	
EDIB12M	402-402	Frequency use cannabis - edibles - 4 categories	
LIQU12MP	404-404	Frequency use cannabis - Liquid - 3 categories	
OTHR12MP	405-405	Frequency use cannabis products - Other - 3 categories	
CANALCEV	406-406	Used cannabis with Alcohol - 2 freq categories	
CANTOBEV	407-407	Used cannabis with Tobacco, e-cig or vaping device - 2 freq categories	
CANPREV	408-408	Used cannabis with prescribed pain relievers - 2 freq categories	
CANSTIEV	409-409	Used cannabis with prescribed stimulants - 2 freq categories	
CANSEDEV	410-410	Used cannabis with prescr sedatives/anti-anxiety medic - 2 freq cat	
CANOPIEV	411-411	Used cannabis with illicit opioids - 2 frequency categories	
CANISTEV	412-412	Used cannabis with illicit stimulants - 2 freq. categories	
CANHALEV	413-413	Used cannabis with hallucinogens or dissociatives - 2 freq categories	154
CANRXEV4	414-414	Used cannabis with prescribed medications - 4 categories	155
CANILEV4	415-415	Used cannabis with illicit substances - 4 categories	155
ASCAN1	416-416	Frequency of cannabis use in the past 3 months	
ASCAN2	417-418	Freq of strong desire / urge to use cannabis - 3 mo	
ASCAN3	419-420	Freq of health, soc, legal / finan prob due to cannabis use - 3 mo	
ASCAN4	421-422	Freq of failure to do normal tasks due to cannabis use - 3 mo.	
ASCAN5	423-424	Relative or friend expressed concern about cannabis use	
ASCAN6	425-426	Failed to control cannabis use	
ASISTCN3	427-427	Risk level for problems due to cannabis consumption - 3 cat	
MEXALCBA	428-428	Alcohol or cannabis use while pregnant or breastfeeding	
COC12M COC30D	429-429 430-430	Cocaine use - 30 days	
SPMETH12	431-431	Speed and/or methamphetamine use - 12 months	
XTC12M	432-432	Ecstasy use - 12 months	
HAL12M	433-433	Hallucinogens use - 12 months	
INH12M	434-434	Inhalant use - 12 months	
HER12M	435-435	Heroin use - 12 months	
SALV12M	436-436	Salvia use - 12 months	
SPI12M	437-437	Synthetic cannabinoids use - 12 months	
MEPH12M	438-438	Mephedrone use - 12 mo	
KRAT12M	439-439	Kratom use - 12 mo.	162
ODS12M	440-440	Other drugs or substance use - 12 mo.	
IDU12M	441-441	Injectable drug use - 12 mo	
AWDS12M	442-442	Aware of drugs or substances used excluding alcohol - 12 mo.	
ANY11DYR	443-443	Used at least 1 of 11 drugs - includes cannabis - 12 mo.	
ANY16DYR	444-444	Used at least 1 of 16 drugs - includes cannabis - 12 mo.	
ANY14DYR	445-445	Used at least 1 of 14 drugs to get high excluding cannabis - 12 mo	
ANY10DYR	446-446	Used at least 1 of 10 drugs - excluding cannabis - 12 mo	165

447-447	Used at least 1 of 6 drugs - including cannabis - 12 mo	165
448-448	Used at least 1 of 5 drugs - excluding cannabis - 12 mo	166
449-449	Used at least 1 of 3 amphetamines - 12 mo	166
450-450	Used at least 1 of 14 drugs - excluding cannabis - ever	167
451-451	Used at least 1 of 15 drugs - including cannabis - ever	167
452-452	Used at least 1 of 6 drugs - including cannabis - ever	167
453-453	Used at least 1 of 5 drugs - excluding cannabis - ever	168
454-454	One or more types of harms due to drug use - 12 mo	168
455-455	Received assistance during overdose	169
456-456	Smoking Status Type 1 - Traditional definition	169
457-457	Smoking Status Type 1 - Using 30 days definition	169
458-458	Use of cigarette in the past 30 days	170
459-470	Survey weight	170
471-480	Version date of when the file was created	170
	448-448 449-449 450-450 451-451 452-452 453-453 454-454 455-455 456-456 457-457 458-458 459-470 471-480	448-448 Used at least 1 of 5 drugs - excluding cannabis - 12 mo.  449-449 Used at least 1 of 3 amphetamines - 12 mo.  450-450 Used at least 1 of 14 drugs - excluding cannabis - ever  451-451 Used at least 1 of 15 drugs - including cannabis - ever  452-452 Used at least 1 of 6 drugs - including cannabis - ever  453-453 Used at least 1 of 5 drugs - excluding cannabis - ever  454-454 One or more types of harms due to drug use - 12 mo.  455-455 Received assistance during overdose  456-456 Smoking Status Type 1 - Traditional definition  457-457 Smoking Status Type 1 - Using 30 days definition  458-458 Use of cigarette in the past 30 days  459-470 Survey weight

Variable Name: PUMFID Length: 5.0 Position: 1

**Question Name:** 

**Concept:** Public use microdata file identifier

**Question Text:** 

Universe: All respondents

Note:

Source:

Variable Name: REFYEAR Length: 4.0 Position: 6

**Question Name:** 

Concept: Survey year

**Question Text:** 

Universe: All respondents

Note:

Source:

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 2019
 2019
 10,293
 30,995,450
 100.0

 Total
 10,293
 30,995,450
 100.0

Variable Name: REFMONTH Length: 2.0 Position: 10

**Question Name:** 

**Concept:** Survey month

**Question Text:** 

Universe: All respondents

Note:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
June	06	2,028	5,879,083	19.0
July	07	2,195	6,755,053	21.8
August	80	673	1,947,581	6.3
September	09	605	2,221,253	7.2
October	10	2,938	8,746,598	28.2
November	11	1,351	3,717,812	12.0
December	12	503	1,728,069	5.6
Total		10,293	30,995,450	100.0

Variable Name: PROV Length: 2.0 Position: 12

**Question Name:** 

**Concept:** Province of the selected respondent

**Question Text:** 

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Newfoundland and Labrador	10	744	439,736	1.4
Prince Edward Island	11	827	130,207	0.4
Nova Scotia	12	891	812,984	2.6
New Brunswick	13	903	634,661	2.0
Quebec	24	1,432	7,089,151	22.9
Ontario	35	1,638	12,253,312	39.5
Manitoba	46	954	1,044,234	3.4
Saskatchewan	47	905	893,089	2.9
Alberta	48	983	3,557,697	11.5
British Columbia	59	1,016	4,140,379	13.4
Total		10,293	30,995,450	100.0

Variable Name:DVURBANLength: 1.0Position: 14

**Question Name:** 

Concept: Characteristics of community where the respondent lives

**Question Text:** 

Universe: All respondents

Note: The category 'Population centre' is historically comparable to 'Urban' which was used

in previous years for CTUMS.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Population centre	1	7,208	21,321,106	68.8
Rural	2	2,438	5,122,120	16.5
Not stated	9	647	4,552,224	14.7
To	tal	10,293	30,995,450	100.0

Variable Name: MHHTYPEB Length: 2.0 Position: 15

**Question Name:** 

**Concept:** Type of household, based on age composition

**Question Text:** 

Universe: All respondents

Note: Based on HHI\_Q05, AGE and HHI\_Q15A to HHI\_Q15D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Households with only 15-19 year old members	01	2	9,649	0.0
Households with only 20-24 year old members	02	6	18,881	0.1
Households with only 25+ members	03	7,032	15,787,173	50.9
Households with adults (20+) and children <15 only	04	43	258,186	0.8
Households with adults (20+) and teens 15-19 only	05	126	771,540	2.5
Households with adults (25+) and children <15 only	06	1,614	5,519,562	17.8
Households with adults (25+) and teens 15-19 only	07	267	1,208,257	3.9
Other compositions	08	611	3,023,429	9.8
Not stated	99	592	4,398,771	14.2
Total		10,293	30,995,450	100.0

Variable Name: SEX Length: 1.0 Position: 17

Question Name: AGS\_Q05

Concept: Respondent's sex at birth

**Question Text:** What was your sex at birth?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Male		1	4,669	15,293,255	49.3
Female		2	5,624	15,702,195	50.7
	Total		10,293	30,995,450	100.0

Variable Name: DV\_AGEP Length: 2.0 Position: 18

**Question Name:** 

Concept: Respondent age

**Question Text:** 

Universe: All respondents

Note: Based on AGE

_	
C	-
SOL	rce

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
15 to 17 years old	01	156	1,301,694	4.2
18 to 19 years old	02	116	830,162	2.7
20 to 22 years old	03	181	1,442,642	4.7
23 to 24 years old	04	138	824,042	2.7
25 to 34 years old	05	1,196	5,219,299	16.8
35 to 44 years old	06	1,619	5,000,554	16.1
45 to 54 years old	07	1,518	4,718,572	15.2
55 to 64 years old	08	2,253	5,163,924	16.7
65 years old or more	09	3,116	6,494,560	21.0
Total		10,293	30,995,450	100.0

Variable Name: HHI\_01 Length: 2.0 Position: 20

Question Name: HHI\_Q01

**Concept:** Type of dwelling

Question Text: Is the address at which you received your invitation to participate in this survey consid-

ered one of the following?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
A private dwelling	01	10,035	30,320,187	97.8
Both, a private dwelling and a business	03	168	457,023	1.5
A non-institutional collective	05	86	211,805	0.7
Not stated	99	4	6,435	0.0
Total		10,293	30,995,450	100.0

Variable Name: HDSIZE Length: 1.0 Position: 22

**Question Name:** 

Concept: Number of people living in household - total

Question Text: Including yourself, how many people live in your household?

Universe: All respondents

Note: Based on HHI\_05

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
1	1	2,791	4,135,050	13.3
2	2	3,995	9,722,095	31.4
3	3	1,253	4,765,286	15.4
4	4	1,094	4,664,890	15.1
5 or more	5	555	3,280,104	10.6

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated <b>Total</b>	9	605 10,293	4,428,026 30,995,450	14.3 100.0

Variable Name: HWB\_05 Length: 1.0 Position: 23

Question Name: HWB\_Q05

Concept: Health status

Question Text: In general, how is your health?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Excellent	1	2,375	8,590,705	27.7
Very good	2	4,117	12,212,469	39.4
Good	3	2,793	7,994,111	25.8
Fair	4	785	1,836,139	5.9
Poor	5	207	328,857	1.1
Not stated	9	16	33,169	0.1
Total		10,293	30,995,450	100.0

Variable Name: HWB\_10 Length: 1.0 Position: 24

Question Name: HWB\_Q10

Concept: Status Mental health

Question Text: In general, how is your mental health?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Excellent	1	3,303	10,922,961	35.2
Very good	2	3,763	10,887,782	35.1
Good	3	2,445	6,697,075	21.6
Fair	4	651	2,135,432	6.9
Poor	5	114	324,167	1.0
Not stated	9	17	28,033	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_05 Length: 1.0 Position: 25

Question Name: ALC\_Q05

Concept: Have had a drink - ever

Question Text: Have you ever had a drink?

Universe: All respondents

Note:

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	9,394	26,953,889	87.0
No		2	899	4,041,561	13.0
	Total		10,293	30,995,450	100.0

Variable Name: ALC\_10P Length: 2.0 Position: 26

**Question Name:** 

**Concept:** Age had first alcoholic beverage

Question Text: Not counting small sips, how old were you when you had your first alcoholic beverage?

Universe:  $ALC_Q05 = 1$ 

Note: Based on ALC\_10 and DV\_AGEP

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Age in years	04 - 65	8,876	25,728,512	83.0
Valid skip	96	899	4,041,561	13.0
Not stated	99	518	1,225,377	4.0
Т	otal	10,293	30,995,450	100.0

Variable Name: ALC\_15 Length: 2.0 Position: 28

Question Name: ALC\_Q15

**Concept:** Frequency drank alcoholic beverages - 12 mo

Question Text: During the past 12 months, how often did you drink alcoholic beverages?

Universe:  $ALC_Q05 = 1$ 

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Daily or almost daily	01	668	1,977,756	6.4
4 to 5 times a week	02	608	1,718,857	5.5
2 to 3 times a week	03	1,618	5,019,857	16.2
Once a week	04	1,089	3,248,580	10.5

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
2 to 3 times a month	05	1,241	3,562,787	11.5
Once a month	06	726	2,355,423	7.6
Less than once a month	07	1,995	5,814,102	18.8
Never	08	1,449	3,256,527	10.5
Valid skip	96	899	4,041,561	13.0
Total		10,293	30,995,450	100.0

Variable Name: ALC\_20P Length: 2.0 Position: 30

**Question Name:** 

Concept: Number of drinks consumed on those days - 12 mo.

Question Text: During the past 12 months, on those days when you drank alcoholic beverages, how

many drinks did you usually have?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8

Note: Based on ALC\_20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
1 drink	01	2,999	8,323,385	26.9
2 drinks	02	2,621	7,854,349	25.3
3 drinks	03	1,054	3,447,179	11.1
4 drinks	04	449	1,508,536	4.9
5 drinks	05	242	780,010	2.5
6 drinks	06	222	572,865	1.8
7 drinks	07	36	136,282	0.4
8 drinks	80	77	241,865	0.8
9 drinks	09	11	43,845	0.1
10 drinks	10	65	300,235	1.0
11 drinks or more	11	104	301,528	1.0
Valid skip	96	2,348	7,298,087	23.5
Not stated	99	65	187,284	0.6
Total		10,293	30,995,450	100.0

Variable Name: ALC\_25 Length: 2.0 Position: 32

Question Name: ALC\_Q25

**Concept:** Frequency drank four or more drinks on one occasion - 12 mo.

Question Text: During the past 12 months, how often have you had 4 or more drinks on one occasion?

Universe:  $ALC_Q05 = 1$  and  $ALC_Q15 <> 8$  and  $AGS_Q05 = 2$ 

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories		<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Daily or almost daily		01	31	75,271	0.2
4 to 5 times a week		02	26	62,813	0.2
2 to 3 times a week		03	98	322,536	1.0
Once a week		04	208	682,231	2.2
2 to 3 times a month		05	254	820,371	2.6
Once a month		06	323	936,585	3.0
Less than once a month		07	1,213	3,461,995	11.2
Never		80	2,094	5,360,286	17.3
Valid skip		96	6,041	19,269,199	62.2
Not stated		99	5	4,163	0.0
	Total		10,293	30,995,450	100.0

Variable Name: ALC\_30 Length: 2.0 Position: 34

Question Name: ALC\_Q30

**Concept:** Frequency drank five or more drinks on one occasion - 12 mo.

Question Text: During the past 12 months, how often have you had 5 or more drinks on one occasion?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and AGS\_Q05 = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Daily or almost daily	01	60	161,913	0.5
4 to 5 times a week	02	47	195,754	0.6
2 to 3 times a week	03	156	478,619	1.5
Once a week	04	266	871,281	2.8
2 to 3 times a month	05	279	862,964	2.8
Once a month	06	367	1,229,622	4.0
Less than once a month	07	1,037	3,448,067	11.1
Never	08	1,479	4,716,930	15.2
Valid skip	96	6,600	19,024,338	61.4
Not stated	99	2	5,962	0.0
Total		10,293	30,995,450	100.0

Variable Name: ALC\_35 Length: 1.0 Position: 36

Question Name: ALC\_Q35

Concept: Where most often had a drink - 12 mo

Question Text: During the past 12 months, where did you most often have a drink?

**Universe:** ALC\_Q05 = 1 and ALC\_Q15 <> 8

Note:

_						
c	^	u	"	•	•	•
	J	u		-		

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
In your home	1	5,021	14,392,023	46.4
At someone else's home	2	1,288	4,244,457	13.7
At a restaurant	3	889	2,687,337	8.7
At a bar, nightclub or disco	4	395	1,503,941	4.9
Other	5	317	807,086	2.6
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	35	62,519	0.2
Total		10,293	30,995,450	100.0

Variable Name: ALC\_40 Length: 1.0 Position: 37

Question Name: ALC\_Q40

**Concept:** Where last time had a drink

**Question Text:** The last time you had a drink, where were you?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
At a social event	1	3,046	9,877,261	31.9
At home	2	4,257	12,060,631	38.9
At a professional event	3	146	516,187	1.7
Other	4	466	1,180,855	3.8
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	30	62,429	0.2
Total		10,293	30,995,450	100.0

Variable Name: ALC\_45 Length: 1.0 Position: 38

Question Name: ALC\_Q45

Concept: Have had a drink - 30 days

**Question Text:** During the past 30 days, did you have a drink?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	6,375	19,177,395	61.9
No	2	1,558	4,495,173	14.5
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	12	24,795	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_50P Length: 2.0 Position: 39

Question Name:

Concept: Number of drinks consumed on those days - 30 days

Question Text: During the past 30 days, on those days when you drank alcoholic beverages, how many

drinks did you usually have?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45= 1 or NR

Note: Based on ALC\_50

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
1 drink	01	2,421	6,771,111	21.8
2 drinks	02	2,118	6,408,930	20.7
3 drinks	03	793	2,648,898	8.5
4 drinks	04	397	1,246,685	4.0
5 drinks	05	191	641,454	2.1
6 drinks	06	159	509,582	1.6
7 drinks	07	34	99,617	0.3
8 drinks	80	75	262,277	0.8
9 drinks	09	9	20,947	0.1
10 drinks	10	49	212,836	0.7
11 drinks or more	11	96	263,150	0.8
Valid skip	96	3,906	11,793,260	38.0
Not stated	99	45	116,702	0.4
Total		10,293	30,995,450	100.0

Variable Name: ALC\_55 Length: 2.0 Position: 41

Question Name: ALC\_Q55

Concept: Frequency drank four or more drinks on one occasion - 30 days

Question Text: During the past 30 days, how often have you had 4 or more drinks on one occasion?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q25 <> 8 and ALC\_Q45 = 1 or NR and

 $AGS_Q05 = 2$ 

Note:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Daily or almost daily	01	32	86,117	0.3
2 to 5 times a week	02	105	285,024	0.9
Once a week	03	197	692,162	2.2
2 to 3 times in the past 30 days	04	275	865,217	2.8
Once in the past 30 days	05	532	1,678,086	5.4
Not in the past 30 days	06	762	2,063,926	6.7
Valid skip	96	8,386	25,316,440	81.7
Not stated	99	4	8,478	0.0
Total		10,293	30,995,450	100.0

Variable Name: ALC\_60 Length: 2.0 Position: 43

Question Name: ALC\_Q60

Concept: Frequency drank five or more drinks on one occasion - 30 days

**Question Text:** During the past 30 days, how often have you had 5 or more drinks on one occasion?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q30 <> 8 and ALC\_Q45 = 1 or NR and

 $AGS_Q05 = 1 \text{ or NR}$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Daily or almost daily	01	60	185,393	0.6
2 to 5 times a week	02	149	503,181	1.6
Once a week	03	247	756,423	2.4
2 to 3 times in the past 30 days	04	340	1,020,780	3.3
Once in the past 30 days	05	545	2,008,350	6.5
Not in the past 30 days	06	720	2,214,272	7.1
Valid skip	96	8,227	24,301,794	78.4
Not stated	99	5	5,256	0.0
Total		10,293	30,995,450	100.0

Variable Name: ALC\_65 Length: 1.0 Position: 45

Question Name: ALC\_Q65

Concept: Have had a drink - 7 days

Question Text: During the past 7 days, did you have a drink?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45 = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	4,807	14,549,776	46.9
No	2	1,572	4,640,528	15.0
Valid skip	6	3,906	11,793,260	38.0
Not stated	9	8	11,887	0.0
Total		10,293	30,995,450	100.0

Variable Name: ALC\_70AP Length: 2.0 Position: 46

**Question Name:** 

Concept: Number of drinks Day 1

Question Text: During the past 7 days, how many drinks did you have each day? - a. Day 1

Universe:  $ALC_Q05 = 1$  and  $ALC_Q15 <> 8$  and  $ALC_Q45 = 1$  or NR and  $ALC_Q65 = 1$  or NR

Note: Based on ALC\_70A

Source:

Code	Frequency	Weighted Frequency	<u>%</u>
00	2,414	7,386,726	23.8
01	1,094	3,148,523	10.2
02	653	1,892,091	6.1
03	273	898,225	2.9
04	126	379,737	1.2
05	76	275,543	0.9
06	72	233,124	8.0
07	26	108,370	0.3
08	15	44,798	0.1
09	32	102,922	0.3
96	5,478	16,433,788	53.0
99	34	91,604	0.3
	10,293	30,995,450	100.0
	00 01 02 03 04 05 06 07 08 09	00 2,414 01 1,094 02 653 03 273 04 126 05 76 06 72 07 26 08 15 09 32 96 5,478 99 34	00       2,414       7,386,726         01       1,094       3,148,523         02       653       1,892,091         03       273       898,225         04       126       379,737         05       76       275,543         06       72       233,124         07       26       108,370         08       15       44,798         09       32       102,922         96       5,478       16,433,788         99       34       91,604

Variable Name: ALC\_70BP Length: 2.0 Position: 48

**Question Name:** 

Concept: Number of drinks Day 2

Question Text: During the past 7 days, how many drinks did you have each day? - b. Day 2

Universe:  $ALC_Q05 = 1$  and  $ALC_Q15 <> 8$  and  $ALC_Q45 = 1$  or NR and  $ALC_Q65 = 1$  or NR

Note: Based on ALC\_70B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 drinks	00	2,505	7,650,957	24.7
1 drink	01	926	2,611,243	8.4
2 drinks	02	674	2,067,629	6.7
3 drinks	03	262	724,007	2.3
4 drinks	04	155	510,861	1.6
5 drinks	05	91	324,989	1.0
6 drinks	06	57	185,384	0.6
7 drinks	07	22	78,357	0.3
8 drinks	08	33	131,222	0.4
9 drinks	09	7	19,751	0.1
10 drinks	10	23	93,389	0.3
12 drinks	12	7	8,186	0.0
13 drinks or more	13	9	37,250	0.1
Valid skip	96	5,478	16,433,788	53.0
Not stated	99	44	118,436	0.4
Total		10,293	30,995,450	100.0

Variable Name: ALC\_70CP Length: 2.0 Position: 50

**Question Name:** 

Concept: Number of drinks Day 3

Question Text: During the past 7 days, how many drinks did you have each day? - c. Day 3

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45 = 1 or NR and ALC\_Q65 = 1 or NR

Note: Based on ALC\_70C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 drinks	00	2,456	7,645,961	24.7
1 drink	01	933	2,735,208	8.8
2 drinks	02	651	1,921,990	6.2
3 drinks	03	296	840,977	2.7
4 drinks	04	174	525,270	1.7
5 drinks	05	110	320,890	1.0
6 drinks	06	67	208,987	0.7
7 drinks	07	18	52,655	0.2
8 drinks	80	20	42,468	0.1
9 drinks or more	09	50	156,952	0.5
Valid skip	96	5,478	16,433,788	53.0
Not stated	99	40	110,305	0.4
Total		10,293	30,995,450	100.0

Variable Name: ALC\_70DP Length: 2.0 Position: 52

**Question Name:** 

Concept: Number of drinks Day 4

Question Text: During the past 7 days, how many drinks did you have each day? - d. Day 4

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45 = 1 or NR and ALC\_Q65 = 1 or NR

Note: Based on ALC\_70D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 drinks	00	2,645	8,129,471	26.2
1 drink	01	852	2,635,247	8.5
2 drinks	02	596	1,598,432	5.2
3 drinks	03	235	680,348	2.2
4 drinks	04	176	520,584	1.7
5 drinks	05	99	363,235	1.2
6 drinks	06	58	201,319	0.6
7 drinks	07	20	43,844	0.1
8 drinks	08	29	89,915	0.3
9 drinks or more	09	43	140,310	0.5
Valid skip	96	5,478	16,433,788	53.0
Not stated	99	62	158,959	0.5
Total		10,293	30,995,450	100.0

Variable Name: ALC\_70EP Length: 2.0 Position: 54

**Question Name:** 

Concept: Number of drinks Day 5

**Question Text:** During the past 7 days, how many drinks did you have each day? - e. Day 5

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45 = 1 or NR and ALC\_Q65 = 1 or NR

Note: Based on ALC\_70E

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 drinks	00	2,694	8,363,417	27.0
1 drink	01	866	2,464,832	8.0
2 drinks	02	572	1,584,468	5.1
3 drinks	03	242	772,476	2.5
4 drinks	04	135	422,255	1.4
5 drinks	05	87	292,304	0.9
6 drinks	06	63	200,553	0.6
7 drinks	07	20	51,513	0.2
8 drinks	08	22	65,367	0.2
9 drinks	09	6	12,330	0.0
10 drinks	10	20	84,715	0.3
11 drinks or more	11	27	79,662	0.3
Valid skip	96	5,478	16,433,788	53.0
Not stated	99	61	167,768	0.5
Total		10,293	30,995,450	100.0

Variable Name: ALC\_70FP Length: 2.0 Position: 56

**Question Name:** 

Concept: Number of drinks Day 6

Question Text: During the past 7 days, how many drinks did you have each day? - f. Day 6

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45 = 1 or NR and ALC\_Q65 = 1 or NR

Note: Based on ALC\_70F

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
0 drinks	00	2,940	9,113,640	29.4
1 drink	01	773	2,107,794	6.8
2 drinks	02	500	1,420,908	4.6
3 drinks	03	198	560,472	1.8
4 drinks	04	133	442,580	1.4
5 drinks	05	71	291,772	0.9
6 drinks	06	60	193,984	0.6
7 drinks	07	13	63,254	0.2
8 drinks	08	17	49,082	0.2
9 drinks or more	09	38	117,646	0.4
Valid skip	96	5,478	16,433,788	53.0
Not stated	99	72	200,530	0.6
Total		10,293	30,995,450	100.0

Variable Name: ALC\_70GP Length: 2.0 Position: 58

**Question Name:** 

Concept: Number of drinks Day 7

Question Text: During the past 7 days, how many drinks did you have each day? - g. Day 7

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q45 = 1 or NR and ALC\_Q65 = 1 or NR

Note: Based on ALC\_70G

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 drinks	00	3,003	9,193,993	29.7
1 drink	01	765	2,283,155	7.4
2 drinks	02	503	1,425,493	4.6
3 drinks	03	190	562,160	1.8
4 drinks	04	117	353,750	1.1
5 drinks	05	50	146,722	0.5
6 drinks	06	48	159,227	0.5
7 drinks	07	19	66,933	0.2
8 drinks	08	19	42,662	0.1
9 drinks or more	09	28	134,628	0.4
Valid skip	96	5,478	16,433,788	53.0
Not stated	99	73	192,939	0.6
Total		10,293	30,995,450	100.0

Variable Name: ALC\_75 Length: 1.0 Position: 60

Question Name: ALC\_Q75

Concept: Have had an energy drink - 12 mo

Question Text: During the past 12 months, have you had an energy drink?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	1,175	4,655,119	15.0
No	2	9,108	26,301,239	84.9
Not stated	9	10	39,092	0.1
To	al	10,293	30,995,450	100.0

Variable Name: ALC\_80P Length: 2.0 Position: 61

**Question Name:** 

Concept: Frequency consumed an energy drink mixed with alcohol - 12 mo

Question Text: During the past 12 months, how often have you consumed an energy drink mixed with

alcohol?

Universe: ALC\_Q05 = 1 and ALC\_Q15 <> 8 and ALC\_Q75 = 1 or NR

Note: Based on ALC\_80

Source:

<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
01	5	25,318	0.1
02	13	60,296	0.2
04	18	89,282	0.3
05	32	120,047	0.4
06	37	141,030	0.5
07	244	1,057,550	3.4
08	623	2,169,856	7.0
96	9,320	27,332,005	88.2
99	1	65	0.0
	10,293	30,995,450	100.0
	01 02 04 05 06 07 08 96	01 5 02 13 04 18 05 32 06 37 07 244 08 623 96 9,320 99 1	01     5     25,318       02     13     60,296       04     18     89,282       05     32     120,047       06     37     141,030       07     244     1,057,550       08     623     2,169,856       96     9,320     27,332,005       99     1     65

Variable Name: ALC\_90A Length: 1.0 Position: 63

Question Name: ALC\_Q90A

**Concept:** Frequency found not able to stop drinking once had started - 12 mo

Question Text: During the past 12 months, how often have you encountered the following problems

related to drinking? - a. Found that you were not able to stop drinking once you had

started

**Universe:**  $ALC_Q05 = 1 \text{ and } ALC_Q15 < 8$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	7,519	22,069,265	71.2
Less than monthly	2	269	1,076,541	3.5
Monthly	3	69	235,562	0.8
Weekly	4	41	148,915	0.5
Daily or almost daily	5	33	136,746	0.4
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	14	30,334	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_90B Length: 1.0 Position: 64

Question Name: ALC\_Q90B

Concept: Frequency alcohol use affected ability to do expected tasks - 12 mo

Question Text: During the past 12 months, how often have you encountered the following problems

related to drinking? - Failed to do what was normally expected from you because of

drinking

Universe: ALC\_Q05 = 1 and ALC\_Q15 < 8

Note:

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Never	1	7,521	22,151,885	71.5
Less than monthly	2	329	1,157,481	3.7
Monthly	3	39	213,827	0.7
Weekly	4	24	95,046	0.3
Daily or almost daily	5	11	19,764	0.1
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	21	59,360	0.2
Total		10,293	30,995,450	100.0

Variable Name: ALC\_90C Length: 1.0 Position: 65

Question Name: ALC\_Q90C

**Concept:** Freq needed drink in morning to get going after heavy drinking - 12 mo

Question Text: During the past 12 months, how often have you encountered the following problems

related to drinking? - c. Needed a first drink in the morning to get yourself going after a

heavy drinking session

**Universe:** ALC\_Q05 = 1 and ALC\_Q15 < 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	7,844	23,396,467	75.5
Less than monthly	2	55	177,353	0.6
Monthly	3	11	33,180	0.1
Weekly	4	7	11,417	0.0
Daily or almost daily	5	6	24,033	0.1
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	22	54,913	0.2
Total		10,293	30,995,450	100.0

Variable Name: ALC\_90D Length: 1.0 Position: 66

Question Name: ALC\_Q90D

**Concept:** Frequency unable to recall night before because of drinking - 12 mo

Question Text: During the past 12 months, how often have you encountered the following problems

related to drinking? - d. Been unable to remember what happened the night before

because you had been drinking

Universe: ALC\_Q05 = 1 and ALC\_Q15 < 8

Note:

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	7,298	21,224,214	68.5
Less than monthly	2	542	2,053,564	6.6
Monthly	3	55	270,939	0.9
Weekly	4	21	98,831	0.3
Daily or almost daily	5	8	16,440	0.1
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	21	33,376	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_90E Length: 1.0 Position: 67

Question Name: ALC\_Q90E

**Concept:** Frequency had feeling of guilt or remorse after drinking - 12 mo

Question Text: During the past 12 months, how often have you encountered the following problems

related to drinking? - e. Had a feeling of guilt or remorse after drinking

**Universe:** ALC\_Q05 = 1 and ALC\_Q15 < 8

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Never	1	7,024	20,373,458	65.7
Less than monthly	2	722	2,548,232	8.2
Monthly	3	109	455,567	1.5
Weekly	4	48	205,735	0.7
Daily or almost daily	5	21	72,723	0.2
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	21	41,647	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_95 Length: 1.0 Position: 68

Question Name: ALC\_Q95

**Concept:** You/someone ever physically injured as result of your drinking - ever

**Question Text:** Have you or someone else ever been physically injured as a result of your drinking?

Universe: ALC\_Q05 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes/Yes, but not during the last year	1	554	1,700,876	5.5
Yes, during the last year	2	94	367,961	1.2
No	3	8,722	24,843,054	80.2
Valid skip	6	899	4,041,561	13.0

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated Total	9	24 10.293	41,998 30.995.450	0.1 100.0

Variable Name: ALC\_100A Length: 1.0 Position: 69

Question Name: ALC\_Q100A

Concept: Relative/friend/doctor concerned about your alchohol use - ever

Question Text: Has a relative, friend, doctor or another health worker been concerned about your drink-

ing or suggested you cut down your alcohol intake?

Universe: ALC\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	536	1,633,292	5.3
No	2	8,838	25,278,375	81.6
Valid skip	6	899	4,041,561	13.0
Not stated	9	20	42,222	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_100B Length: 1.0 Position: 70

Question Name: ALC\_Q100B

Concept: Relative/friend/doctor concerned about alchohol use - 12 mo

Question Text: Was it in the past year?

**Universe:** ALC\_Q05 = 1 and ALC\_Q100A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	214	773,459	2.5
No	2	317	854,991	2.8
Valid skip	6	9,737	29,319,936	94.6
Not stated	9	25	47,064	0.2
Total		10,293	30,995,450	100.0

Variable Name: ALC\_105 Length: 1.0 Position: 71

Question Name: ALC\_Q105

Concept: Passenger vehicle driven someone 2+ drinks alcohol prev 2 h - 12 mo

Question Text: In the past 12 months, have you been a passenger in a vehicle driven by someone who

had 2 or more drinks of alcohol in the previous 2 hours?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	593	1,986,755	6.4
No	2	9,309	27,560,038	88.9
Don't know	3	360	1,358,243	4.4
Not stated	9	31	90,415	0.3
Total		10,293	30,995,450	100.0

Variable Name: ALC\_110A Length: 1.0 Position: 72

Question Name: ALC\_Q110A

Concept: Has driver's licence

**Question Text:** Do you have a driver's licence?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	9,320	27,300,364	88.1
No	2	958	3,676,991	11.9
Not stated	9	15	18,096	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_110B Length: 1.0 Position: 73

Question Name: ALC\_Q110B

Concept: Type of driver's licence

**Question Text:** What type of driver's licence do you currently have?

Universe:  $ALC_Q110A = 1$ 

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
A learner's licence or an intermediate licence	1	305	2,019,950	6.5
A full licence	2	8,829	24,826,756	80.1
Valid skip	6	958	3,676,991	11.9
Not stated	9	201	471,753	1.5

Answer Categories Code Frequency Weighted Frequency %

**Total** 10,293 30,995,450 100.0

Variable Name: ALC\_115 Length: 1.0 Position: 74

Question Name: ALC\_Q115

Concept: Driven a vehicle - 12 mo

Question Text: During the past 12 months, have you driven a vehicle such as a car, motorbike, van or

truck?

Universe: All respondents

Note:

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	8,933	26,197,345	84.5
No		2	1,360	4,798,105	15.5
	Total		10,293	30,995,450	100.0

Variable Name: ALC\_120A Length: 1.0 Position: 75

Question Name: ALC\_Q120A

Concept: Driven a vehicle after having 2+ drinks alcohol prev 2 h - 12 mo

Question Text: During the past 12 months, have you driven a vehicle after having 2 or more drinks in

the previous 2 hours?

Universe: ALC\_Q05 = 1 or NR and ALC\_Q15 <> 8 and ALC\_Q115 = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	405	1,334,872	4.3
No	2	6,671	19,584,972	63.2
Valid skip	6	3,182	10,009,002	32.3
Not stated	9	35	66,604	0.2
Total		10,293	30,995,450	100.0

Variable Name: AL\_120BP Length: 2.0 Position: 76

**Question Name:** 

Concept: Driven vehicle after hav. 2+ drinks alcohol prev 2 h - Nb times

Question Text: During the past 12 months, have you driven a vehicle after having 2 or more drinks in

the previous 2 hours?

How many times?

Universe: ALC\_Q05 = 1 or NR and ALC\_Q15 <> 8 and ALC\_Q115 = 1 or NR and ALC\_Q120A = 1

Note: Based on ALC\_120B

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
1 time	01	88	278,652	0.9
2 times	02	89	309,748	1.0
3 times	03	57	215,710	0.7
4 times	04	29	110,822	0.4
5 times	05	32	125,980	0.4
6 times	06	26	43,417	0.1
7 times	07	5	14,162	0.0
8 times	08	7	20,594	0.1
10 times	10	13	46,822	0.2
11 to 20 times	11	9	22,108	0.1
21 to 30 times	12	10	46,561	0.2
31 to 50 times	13	9	30,320	0.1
51 times or more	14	10	21,365	0.1
Valid skip	96	9,853	29,593,974	95.5
Not stated	99	56	115,214	0.4
Total		10,293	30,995,450	100.0

Variable Name: ALC\_125A Length: 1.0 Position: 78

Question Name: ALC\_Q125A

Concept: In vehicle accident or collision while driving - 12 mo

Question Text: During the past 12 months, have you been in a vehicle accident or collision while you

were driving?

Universe:  $ALC_Q115 = 1 \text{ or NR}$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	381	1,138,711	3.7
No	2	8,549	25,036,833	80.8
Valid skip	6	1,360	4,798,105	15.5
Not stated	9	3	21,801	0.1
Total		10,293	30,995,450	100.0

Variable Name: AL\_125BP Length: 1.0 Position: 79

**Question Name:** 

Concept: Vehicle acc. or coll. while driving - Nb times

Question Text: During the past 12 months, have you been in a vehicle accident or collision while you

were driving?

How many times?

Universe: ALC\_Q115 = 1 or NR and ALC\_Q125A = 1

Note: Based on ALC\_125B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
1 time	1	344	999,099	3.2
2 times or more	2	32	135,166	0.4
Valid skip	6	9,909	29,834,938	96.3
Not stated	9	8	26,247	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC\_130 Length: 3.0 Position: 80

Question Name: ALC\_Q130

Concept: Num of vehicle accidents as driver after 2+ drinks prev 2 h - 12 mo

Question Text: During the past 12 months, how many times have you been in a vehicle accident or

collision with you as a driver after having 2 or more drinks in the previous 2 hours?

Universe: ALC\_Q05 = 1 or NR and ALC\_Q15 <> 8 and ALC\_Q115 = 1 or NR and ALC\_Q120A =

1 or NR and  $ALC_Q125A = 1$  or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Number of times	000 - 000	27	76,577	0.2
Valid skip	996	10,262	30,896,168	99.7
Not stated	999	4	22,705	0.1
,	Гotal	10,293	30,995,450	100.0

Variable Name: PR\_05 Length: 1.0 Position: 83

Question Name: PR\_Q05

Concept: Used pain relievers - ever

**Question Text:** Have you ever used any such pain relieving products?

Universe: All respondents

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	4,740	13,463,409	43.4
No	2	5,545	17,506,279	56.5
Not stated	9	8	25,761	0.1
Total		10,293	30,995,450	100.0

Variable Name: PR\_10 Length: 1.0 Position: 84

Question Name: PR\_Q10

Concept: Used low-dose codeine products - 12 mo

Question Text: During the past 12 months, have you used any low-dose codeine products?

Universe: PR Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,037	3,082,377	9.9
No	2	3,698	10,365,411	33.4
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	13	41,382	0.1
Total		10,293	30,995,450	100.0

Variable Name: PR\_15A Length: 1.0 Position: 85

Question Name: PR\_Q15A

Concept: Used low-dose codeine for reasons other than pain relief - ever

**Question Text:** Have you ever used any low-dose codeine pain relieving products for reasons other than

pain relief?

Universe:  $PR_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Yes	1	154	555,265	1.8
No	2	4,577	12,884,697	41.6
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	17	49,209	0.2
Total		10,293	30,995,450	100.0

Variable Name: PR\_15B Length: 1.0 Position: 86

Question Name: PR\_Q15B

Concept: Used low-dose codeine for reasons other than pain relief - 12 mo

Question Text: Was it in the past 12 months?

**Universe:** PR\_Q05 = 1 and PR\_Q10 = 1 and PR\_Q15A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	54	189,750	0.6
Valid skip	6	10,217	30,735,843	99.2
Not stated	9	22	69,857	0.2
Total		10,293	30,995,450	100.0

Variable Name: PR\_16P Length: 2.0 Position: 87

**Question Name:** 

**Concept:** Age first used low-dose codeine for reasons other than pain relief

Question Text: How old were you when you tried or started using low-dose codeine pain relieving prod-

ucts for reasons other than pain relief?

Universe:  $PR_Q05 = 1$  and  $PR_Q15A = 1$ 

Note: Based on PR\_16 and DV\_AGEP

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		05 - 65	140	515,199	1.7
Valid skip		96	10,122	30,390,977	98.0
Not stated		99	31	89,274	0.3
	Total		10,293	30,995,450	100.0

Variable Name: PR\_17P Length: 2.0 Position: 89

**Question Name:** 

**Concept:** Frequency low-dose codeine reasons other than pain relief - 12 mo

Question Text: During the past 12 months, how often have you used low-dose codeine pain relieving

for reasons other than pain relief?

**Universe:** PR\_Q05 = 1 and PR\_Q15A = 1 and (PR\_Q10 = 1 or PR\_Q15B = 1)

Note: Based on PR\_17

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	01	18	74,283	0.2
3 to 11 times a year	02	10,248	30,843,643	99.5
About once a month	03	8	35,926	0.1
2 or 3 times a month	04	5	10,524	0.0
About once or twice a wk/3-4 times a wk/Daily-Almost Daily	05	14	31,074	0.1
Total		10,293	30,995,450	100.0

Variable Name:PR\_18ALength:1.0Position:91

Question Name: PR\_Q18A

**Concept:** Tampered with low-dose codeine products before taking them - ever

Question Text: Did you ever tamper with a low-dose codeine pain relieving product before taking it, for

example, by crushing tablets to swallow, snort or inject?

Universe: If PR\_Q15A = 1 and ((PR\_Q10 = 2 or NR) or (PR\_Q15B = 2 or NR))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	25	76,648	0.2
No	2	4,686	13,337,136	43.0
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	37	75,387	0.2
Total		10,293	30,995,450	100.0

Variable Name: PR\_20 Length: 1.0 Position: 92

Question Name: PR\_Q20

Concept: Excl. low-dose codeine - used other codeine pain relieving prod - 12 m

Question Text: [Excluding low-dose codeine pain relieving products, d/D]uring the past 12 months, have

you used any other codeine pain relieving products?

Universe:  $PR_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	443	1,288,945	4.2
No	2	4,281	12,133,542	39.1
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	24	66,683	0.2
Total		10,293	30,995,450	100.0

Variable Name: PR\_25 Length: 1.0 Position: 93

Question Name: PR Q25

Concept: Used oxycodone pain relieving products - 12 mo

Question Text: During the past 12 months, have you used any oxycodone pain relieving products?

Universe:  $PR_Q05 = 1$ 

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	172	499,148	1.6
No	2	4,549	12,892,990	41.6
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	27	97,033	0.3
Total		10,293	30,995,450	100.0

Variable Name: PR\_30 Length: 1.0 Position: 94

Question Name: PR\_Q30

Concept: Used fentanyl - 12 mo

**Question Text:** During the past 12 months, have you used fentanyl?

Universe:  $PR_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	60	138,301	0.4
No	2	4,654	13,257,897	42.8
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	34	92,973	0.3
Total		10,293	30,995,450	100.0

Variable Name: PR\_35 Length: 1.0 Position: 95

Question Name: PR\_Q35

Concept: Used other opioid pain relieving products - 12 mo

**Question Text:** During the past 12 months, have you used any other opioid pain relieving products?

Universe:  $PR_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	361	863,147	2.8
No	2	4,363	12,558,201	40.5
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	24	67,823	0.2
Total		10,293	30,995,450	100.0

Variable Name: PR\_45 Length: 1.0 Position: 96

Question Name: PR\_Q45

**Concept:** Excl. low-dose codeine - took higher dose pain relievers - 12 mo

Question Text: [Excluding low-dose codeine pain relieving products, d/D]uring the past 12 months, did

you take a higher dose of pain relievers than the recommended dose?

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	34	105,133	0.3
No	2	740	2,019,487	6.5
Valid skip	6	9,463	28,713,760	92.6
Not stated	9	56	157,070	0.5
Total		10,293	30,995,450	100.0

Variable Name: PR\_50 Length: 1.0 Position: 97

Question Name: PR\_Q50

Concept: Excl. low-dose codeine - took pain relievers more often - 12 mo

Question Text: [Excluding low-dose codeine pain relieving products, d/D]uring the past 12 months, did

you take pain relievers more often than recommended?

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	34	65,878	0.2
No	2	739	2,054,862	6.6
Valid skip	6	9,463	28,713,760	92.6
Not stated	9	57	160,951	0.5
Total		10,293	30,995,450	100.0

Variable Name: PR\_53 Length: 2.0 Position: 98

Question Name: PR Q53

Concept: Excl. low-dose codeine - frequency used pain relievers - 12 mo

Question Text: [Excluding low-dose codeine pain relieving products, d/D]uring the past 12 months, how

often have you used pain relievers?

**Universe:** PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1)

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	01	236	739,243	2.4
3 to 11 times a year	02	154	366,321	1.2
About once a month	03	49	200,897	0.6
2 or 3 times a month	04	82	289,712	0.9
About once or twice a week	05	44	139,038	0.4
3 or 4 times a week	06	50	88,808	0.3
Daily or almost daily	07	158	297,627	1.0
Valid skip	96	9,463	28,713,760	92.6
Not stated	99	57	160,045	0.5
Total		10,293	30,995,450	100.0

Variable Name: PR\_55A Length: 1.0 Position: 100

Question Name: PR\_Q55A

Concept: Excl. low-dose codeine - used pain relievers reasons other - ever

Question Text: [Excluding low-dose codeine pain relieving products, h/H]ave you ever used pain reliev-

ers for reasons other than pain relief?

Universe:  $PR_Q05 = 1$ 

Note:

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	161	609,829	2.0
No	2	4,558	12,812,014	41.3
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	29	67,328	0.2
Total		10,293	30,995,450	100.0

Variable Name: PR\_55B Length: 1.0 Position: 101

Question Name: PR\_Q55B

Concept: Excl. low-dose codeine - used pain relievers reasons other - 12 mo

Question Text: Was it in the past 12 months?

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 = 1 or PR\_Q35=1) and PR\_Q55A=1

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	31	111,989	0.4
No		2	12	41,020	0.1
Valid skip		6	10,221	30,775,114	99.3
Not stated		9	29	67,328	0.2
	Total		10,293	30,995,450	100.0

Variable Name: PR\_60P Length: 2.0 Position: 102

**Question Name:** 

**Concept:** Age first used pain relievers for reasons other than pain relief

Question Text: How old were you when you tried or started using pain relievers for reasons other than

pain relief?

**Universe:**  $PR_Q05 = 1$  and  $PR_Q55A = 1$ 

Note: Based on PR\_60 and DV\_AGEP

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		10 - 65	150	568,490	1.8
Valid skip		96	10,103	30,318,294	97.8
Not stated		99	40	108,666	0.4
	Total		10,293	30,995,450	100.0

Variable Name: PR\_70P Length: 2.0 Position: 104

**Question Name:** 

**Concept:** Frequency pain relievers reasons other than pain relief - 12 mo

Question Text: During the past 12 months, how often have you used pain relievers for reasons other

than pain relief?

**Universe:** PR\_Q05 = 1 and PR\_Q55A = 1 and PR\_Q55B = 1 or NR

Note: Based on PR\_70

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	01	11	53,010	0.2
3 to 11 times a year/About once a month	02	11	38,114	0.1
About once or twice a wk/3-4 times a wk/Daily-Almost Daily	05	7	8,977	0.0
Valid skip	96	10,115	30,359,313	97.9
Not stated	99	149	536,036	1.7
Total		10,293	30,995,450	100.0

Variable Name: PR\_75 Length: 1.0 Position: 106

**Question Name:** PR\_Q75

Concept: Excl. low-dose codeine - all pain relievers prescribed to self - 12 mo

Question Text: [Excluding low-dose codeine pain relieving products, d/D]uring the past 12 months, were

all the pain relievers you have used prescribed to you?

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1)

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes, they all were prescribed	1	688	1,797,979	5.8
Some were prescribed and others were not	2	41	128,425	0.4
No, none were prescribed	3	44	184,417	0.6
Valid skip	6	9,463	28,713,760	92.6
Not stated	9	57	170,869	0.6
Total		10,293	30,995,450	100.0

Variable Name: PR\_80A Length: 1.0 Position: 107

Question Name: PR\_Q80A

Concept: Excl. low-dose codeine - tampered pain relievers before taking - ever

Question Text: [Excluding low-dose codeine pain relieving products, d/D]id you ever tamper with a pain

reliever product before taking it, for example, by crushing tablets to swallow, snort or

inject?

Universe:  $PR_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	35	104,184	0.3
No	2	4,651	13,164,007	42.5
Valid skip	6	5,545	17,506,279	56.5
Not stated	9	62	220,980	0.7
Total		10,293	30,995,450	100.0

Variable Name: PR\_80B Length: 1.0 Position: 108

**Question Name:** 

Concept: Excl. low-dose codeine - tampered pain relievers before taking - 12 mo

Question Text: Was it in the past 12 months?

**Universe:** PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q80A

= 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	5	16,824	0.1
Valid skip	6	10,222	30,753,626	99.2

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated <b>Total</b>	9	66 10,293	225,000 30,995,450	0.7 100.0

Variable Name: PR\_90 Length: 1.0 Position: 109

Question Name: PR\_Q90

Concept: Gave away pain relievers prescribed to self - 12 mo

Question Text: During the past 12 months, did you give away pain relievers that were prescribed to

you?

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q75

<> 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	22	69,474	0.2
No	2	709	1,871,207	6.0
Valid skip	6	9,507	28,898,177	93.2
Not stated	9	55	156,592	0.5
Total		10,293	30,995,450	100.0

Variable Name: PR\_95 Length: 1.0 Position: 110

Question Name: PR\_Q95

Concept: Sold pain relievers prescribed to self - 12 mo

Question Text: During the past 12 months, did you sell pain relievers that were prescribed to you?

**Universe:** R\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q75

<> 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	730	1,940,549	6.3
Valid skip	6	9,507	28,898,177	93.2
Not stated	9	56	156,724	0.5
To	tal	10,293	30,995,450	100.0

Variable Name: PR\_100 Length: 2.0 Position: 111

Question Name: PR\_Q100

**Concept:** Where obtained pain relievers not prescribed to self

Question Text: Where did you usually obtain pain relievers that were not prescribed to you?

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q75

= 2 or 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
From a friend or relative	01	35	165,095	0.5
Other	06	40	134,581	0.4
Valid skip	96	10,151	30,511,739	98.4
Not stated	99	67	184,035	0.6
Total		10,293	30,995,450	100.0

Variable Name: PR\_105A Length: 1.0 Position: 113

Question Name: PR\_Q105

**Concept:** Obtained pain relievers - Persuaded doctor to obtain prescript - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

pain relievers? - Persuade a doctor to obtain a prescription by exaggerating or lying

about your health conditions

**Universe:** PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 = 1 or PR\_Q35=1) and PR\_Q75

= 1 or 2

Note:

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	725	1,918,526	6.2
Valid skip		6	9,507	28,898,177	93.2
Not stated		9	61	178,747	0.6
	Total		10,293	30,995,450	100.0

Variable Name: PR\_105B Length: 1.0 Position: 114

Question Name: PR Q105

**Concept:** Obtained pain relievers - forging a prescription - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

pain relievers? - Forge a prescription

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q75

= 1 or 2

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	725	1,918,526	6.2
Valid skip		6	9,507	28,898,177	93.2
Not stated		9	61	178,747	0.6
	Total		10,293	30,995,450	100.0

Variable Name: PR\_105C Length: 1.0 Position: 115

Question Name: PR\_Q105

Concept: Obtained pain relievers - multiple doctors for prescript - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

pain relievers? - Go to more than one doctor for repeated prescriptions

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q75

= 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	725	1,918,526	6.2
Valid skip	6	9,507	28,898,177	93.2
Not stated	9	61	178,747	0.6
Total		10,293	30,995,450	100.0

Variable Name: PR\_105D Length: 1.0 Position: 116

Question Name: PR\_Q105

Concept: Obtained pain relievers - none of the above - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

pain relievers? - None of the above

Universe: PR\_Q05 = 1 and (PR\_Q20=1 or PR\_Q25=1 or PR\_Q30 =1 or PR\_Q35=1) and PR\_Q75

= 1 or 2

Note:

Source:

Answer Categories		<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes		1	725	1,918,526	6.2
Valid skip		6	9,507	28,898,177	93.2
Not stated		9	61	178,747	0.6
	Total		10,293	30,995,450	100.0

Variable Name: STI\_05A Length: 1.0 Position: 117

Question Name: STI\_Q05A

Concept: Used stimulants - ever

Question Text: Have you ever used any such stimulants?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	319	1,363,098	4.4
No	2	9,968	29,618,137	95.6
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STI\_05B Length: 1.0 Position: 118

Question Name: STI\_Q05B

Concept: Used stimulants - 12 mo

Question Text: Was it in the past 12 months?

Universe: STI\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	137	660,780	2.1
No	2	182	702,319	2.3
Valid skip	6	9,968	29,618,137	95.6
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STI\_15P Length: 2.0 Position: 119

**Question Name:** 

**Concept:** Frequency used stimulants - 12 mo.

**Question Text:** During the past 12 months, how often have you used any stimulants?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR

Note: Based on STI\_15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	01	15	102,771	0.3
3 to 11 times a year	02	9	54,691	0.2

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
About once a month/2 or 3 times a month	03	12	94,874	0.3
About once or twice a week/3 or 4 times a week	05	15	87,453	0.3
Daily or almost daily	07	86	320,990	1.0
Valid skip	96	10,150	30,320,456	97.8
Not stated	99	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STI\_20 Length: 1.0 Position: 121

Question Name: STI\_Q20

Concept: Took higher dose of stimulants than recommended - 12 mo

Question Text: During the past 12 months, did you take a higher dose of stimulants than the recom-

mended dose?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	15	142,500	0.5
No	2	122	518,280	1.7
Valid skip	6	10,150	30,320,456	97.8
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STI\_25 Length: 1.0 Position: 122

Question Name: STI\_Q25

Concept: Took stimulants more often than recommended - 12 mo

**Question Text:** During the past 12 months, did you take stimulants more often than recommended?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	13	134,481	0.4
No	2	124	526,298	1.7
Valid skip	6	10,150	30,320,456	97.8
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STI\_30 Length: 1.0 Position: 123

Question Name: STI\_Q30

**Concept:** Used stimulants for reasons other than recommended - 12 mo

**Question Text:** During the past 12 months, did you use stimulants for reasons other than why they are

recommended?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	31	244,262	8.0
No	2	106	416,517	1.3
Valid skip	6	10,150	30,320,456	97.8
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STI\_35 Length: 1.0 Position: 124

Question Name: STI\_Q35

Concept: All stimulants used were prescribed to self -12 mo

Question Text: During the past 12 months, were all the stimulants you have used prescribed to you?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, they all were prescribed	1	103	408,225	1.3
No, none were prescribed	3	31	237,872	0.8
Valid skip	6	10,150	30,320,456	97.8
Not stated	9	9	28,897	0.1
Total		10,293	30,995,450	100.0

Variable Name: STI\_40 Length: 1.0 Position: 125

Question Name: STI\_Q40

**Concept:** Gave away stimulants prescribed to self - 12 mo.

Question Text: During the past 12 months, did you give away any stimulants that were prescribed to

you?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35 <> 3

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	105	422,800	1.4
Valid skip		6	10,181	30,558,328	98.6
Not stated		9	7	14,322	0.0
	Total		10,293	30,995,450	100.0

Variable Name: STI\_45 Length: 1.0 Position: 126

Question Name: STI\_Q45

Concept: Sold stimulants prescribed to self - 12 mo

Question Text: During the past 12 months, did you sell any stimulants that were prescribed to you?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35 <> 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	106	422,908	1.4
Valid skip	6	10,181	30,558,328	98.6
Not stated	9	6	14,214	0.0
,	otal	10,293	30,995,450	100.0

Variable Name: STI\_50 Length: 2.0 Position: 127

Question Name: STI\_Q50

**Concept:** Where obtained stimulants not prescribed to self

Question Text: Where did you usually obtain stimulants that were not prescribed to you?

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35= 2 or 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
From a friend or relative	01	25	148,359	0.5
From a drug dealer or stranger	02	5	89,041	0.3
Valid skip	96	10,253	30,728,681	99.1
Not stated	99	10	29,368	0.1
Total		10,293	30,995,450	100.0

Variable Name: STI\_55A Length: 1.0 Position: 129

Question Name: STI\_Q55

Concept: Obtained stimulant - Persuaded doctor to obtain prescript. - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

stimulants? - Persuade a doctor to obtain a prescription by exaggerating or lying about

your health conditions

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35= 1 or 2

Note:

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	103	408,225	1.3
Valid skip		6	10,181	30,558,328	98.6
Not stated		9	9	28,897	0.1
	Total		10,293	30,995,450	100.0

Variable Name: STI\_55B Length: 1.0 Position: 130

Question Name: STI\_Q55

**Concept:** Obtained stimulants - forging a prescription - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

stimulants? - Forge a prescription

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35= 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	103	408,225	1.3
Valid skip	6	10,181	30,558,328	98.6
Not stated	9	9	28,897	0.1
Total		10,293	30,995,450	100.0

Variable Name: STI\_55C Length: 1.0 Position: 131

Question Name: STI\_Q55

Concept: Obtained stimulants - multiple doctors for prescript - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

stimulants? - Go to more than one doctor for repeated prescriptions

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35= 1 or 2

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	103	408,225	1.3
Valid skip	6	10,181	30,558,328	98.6
Not stated	9	9	28,897	0.1

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 Total
 10,293
 30,995,450
 100.0

Variable Name: STI\_55D Length: 1.0 Position: 132

Question Name: STI\_Q55

Concept: Obtained stimulant prescription - none of above - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

stimulants? - None of the above

Universe: STI\_Q05A = 1 and STI\_Q05B = 1 or NR and STI\_Q15 <> 8 and STI\_Q35= 1 or 2

Note:

Source:

Answer Categories	Co	de Frequency	Weighted Frequency	<u>%</u>
Yes		1 103	3 408,225	1.3
Valid skip		6 10,18	30,558,328	98.6
Not stated		9	28,897	0.1
	Total	10,29	30,995,450	100.0

Variable Name: SED\_05A Length: 1.0 Position: 133

Question Name: SED\_Q05A

Concept: Used sedative/anti-anxiety meds - ever

Question Text: Have you ever used any such sedatives or anti-anxiety medications?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,179	5,419,583	17.5
No	2	8,109	25,563,449	82.5
Not stated	9	5	12,417	0.0
Total		10,293	30,995,450	100.0

Variable Name: SED\_05B Length: 1.0 Position: 134

Question Name: SED\_Q05B

Concept: Used sedatives/anti-anxiety meds - 12 mo

Question Text: Was it in the past 12 months?

Universe: SED\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,355	3,301,107	10.7
No	2	824	2,118,476	6.8
Valid skip	6	8,109	25,563,449	82.5
Not stated	9	5	12,417	0.0
Total		10,293	30,995,450	100.0

Variable Name: SED\_15 Length: 2.0 Position: 135

Question Name: SED\_Q15

**Concept:** Frequency used sedatives/anti-anxiety meds - 12 mo

Question Text: During the past 12 months, how often have you used any sedatives or anti-anxiety med-

ications?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	01	182	506,647	1.6
3 to 11 times a year	02	130	328,542	1.1
About once a month	03	54	145,661	0.5
2 or 3 times a month	04	100	269,307	0.9
About once or twice a week	05	88	224,478	0.7
3 or 4 times a week	06	63	120,356	0.4
Daily or almost daily	07	736	1,702,622	5.5
Valid skip	96	8,933	27,681,925	89.3
Not stated	99	7	15,910	0.1
Total		10,293	30,995,450	100.0

Variable Name: SED\_20 Length: 1.0 Position: 137

Question Name: SED\_Q20

Concept: Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo

Question Text: During the past 12 months, did you take a higher dose of sedatives or anti-anxiety med-

ications than the recommended dose?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	41	134,869	0.4
No	2	1,312	3,165,534	10.2
Valid skip	6	8,933	27,681,925	89.3
Not stated	9	7	13,122	0.0
Total		10,293	30,995,450	100.0

Variable Name: SED\_25 Length: 1.0 Position: 138

Question Name: SED\_Q25

Concept: Took sedatives/anti-anxiety meds more often than recommended - 12 mo

Question Text: During the past 12 months, did you take sedatives or anti-anxiety medications more

often than recommended?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	23	112,035	0.4
No	2	1,328	3,173,163	10.2
Valid skip	6	8,933	27,681,925	89.3
Not stated	9	9	28,327	0.1
Total		10,293	30,995,450	100.0

Variable Name: SED\_30 Length: 1.0 Position: 139

Question Name: SED\_Q30

Concept: Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo

Question Text: During the past 12 months, did you use sedatives or anti-anxiety medications for rea-

sons other than why they are recommended?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	22	84,957	0.3
No	2	1,328	3,212,952	10.4
Valid skip	6	8,933	27,681,925	89.3
Not stated	9	10	15,616	0.1
Total		10,293	30,995,450	100.0

Variable Name: SED\_35 Length: 1.0 Position: 140

Question Name: SED\_Q35

Concept: All sedatives/anti-anxiety meds used prescribed to self -12 mo

**Question Text:** During the past 12 months, were all the sedatives or anti-anxiety medications you have

used prescribed to you?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, they all were prescribed	1	1,290	3,062,149	9.9
Some were prescribed and others were	2	20	67,592	0.2
not				
No, none were prescribed	3	45	171,366	0.6
Valid skip	6	8,933	27,681,925	89.3
Not stated	9	5	12,417	0.0
Total		10,293	30,995,450	100.0

Variable Name: SED\_40 Length: 1.0 Position: 141

Question Name: SED\_Q40

Concept: Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo

**Question Text:** During the past 12 months, did you give away any sedatives or anti-anxiety medications

that were prescribed to you?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 <> 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	31	95,991	0.3
No	2	1,273	3,018,785	9.7
Valid skip	6	8,978	27,853,292	89.9
Not stated	9	11	27,382	0.1
Total		10,293	30,995,450	100.0

Variable Name: SED\_45 Length: 1.0 Position: 142

Question Name: SED\_Q45

Concept: Sold sedatives/anti-anxiety meds prescribed to self - 12 mo

Question Text: During the past 12 months, did you sell any sedatives or anti-anxiety medications that

were prescribed to you?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 <> 3

Note:

Source:

Answer Categories		<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
No		2	1,304	3,111,134	10.0
Valid skip		6	8,978	27,853,292	89.9
Not stated		9	11	31,024	0.1
	Total		10,293	30,995,450	100.0

Variable Name: SED\_50 Length: 2.0 Position: 143

Question Name: SED\_Q50

Concept: Where obtained sedatives/anti-anxiety meds not prescribed to self

Question Text: Where did you usually obtain sedatives or anti-anxiety medications that were not pre-

scribed to you?

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 = 2 or 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
From a friend or relative	01	51	173,645	0.6
Valid skip	96	10,223	30,744,074	99.2
Not stated	99	19	77,731	0.3
	Total	10,293	30,995,450	100.0

Variable Name: SED\_55A Length: 1.0 Position: 145

Question Name: SED\_Q55

Concept: Obtained sedatives - Persuaded doctor to obtain prescript. - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

sedatives or anti-anxiety medications? - Persuade a doctor to obtain a prescription by

exaggerating or lying about your health conditions

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 = 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	1,306	3,120,420	10.1
Valid skip	6	8,978	27,853,292	89.9
Not stated	9	9	21,739	0.1
Total		10,293	30,995,450	100.0

Variable Name: SED\_55B Length: 1.0 Position: 146

Question Name: SED\_Q55

**Concept:** Obtained sedatives - forging a prescription - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

sedatives or anti-anxiety medications? - Forge a prescription

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 = 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	1,306	3,120,420	10.1
Valid skip	6	8,978	27,853,292	89.9
Not stated	9	9	21,739	0.1
Total		10,293	30,995,450	100.0

Variable Name: SED\_55C Length: 1.0 Position: 147

Question Name: SED\_Q55

Concept: Obtained sedatives - multiple doctors for prescript - 12 mo

**Question Text:** During the past 12 months, did you do any of the following to obtain a prescription for

sedatives or anti-anxiety medications? - Go to more than one doctor for repeated pre-

scriptions

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 = 1 or 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	1,306	3,120,420	10.1
Valid skip	6	8,978	27,853,292	89.9
Not stated	9	9	21,739	0.1
Tota	nl .	10,293	30,995,450	100.0

Variable Name: SED\_55D Length: 1.0 Position: 148

Question Name: SED\_Q55

Concept: Obtained sedatives - none of the above - 12 mo

Question Text: During the past 12 months, did you do any of the following to obtain a prescription for

sedatives or anti-anxiety medications? - None of the above

Universe: SED\_Q05A = 1 and SED\_Q05B = 1 or NR and SED\_Q15 <> 8 and SED\_Q35 = 1 or 2

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,306	3,120,420	10.1
Valid skip	6	8,978	27,853,292	89.9
Not stated	9	9	21,739	0.1
Total		10,293	30,995,450	100.0

Variable Name: OTC\_05 Length: 1.0 Position: 149

Question Name: OTC\_Q05

Concept: Used or tried over-the-counter products to get high - 12 mo

Question Text: During the past 12 months, have you used or tried over-the-counter products not for

health or medical reasons, but for the experience, the feeling they caused, to get high

or numb?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	145	495,033	1.6
No		2	10,146	30,499,939	98.4
Not stated		9	2	478	0.0
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_05A Length: 1.0 Position: 150

Question Name: CAN\_Q05A

Concept: Used or tried cannabis - ever

Question Text: Have you ever used or tried cannabis?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	4,396	12,928,696	41.7
No	2	5,895	18,061,471	58.3
Not stated	9	2	5,283	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_05B Length: 1.0 Position: 151

Question Name: CAN\_Q05B

Concept: Used cannabis - more than once

**Question Text:** Have you used it more than once?

Universe: CAN\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	3,717	11,162,078	36.0
No	2	678	1,764,863	5.7
Valid skip	6	5,895	18,061,471	58.3
Not stated	9	3	7,038	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_15P Length: 2.0 Position: 152

**Question Name:** 

**Concept:** Age first tried - cannabis

Question Text: How old were you when you first tried cannabis?

Universe: CAN\_Q05A = 1

Note: Based on CAN\_15 and DV\_AGEP

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Age in years	05 - 65	4,259	12,617,816	40.7
Valid skip	96	5,895	18,061,471	58.3
Not stated	99	139	316,163	1.0
Т	otal	10,293	30,995,450	100.0

Variable Name: CAN\_20A Length: 1.0 Position: 154

Question Name: CAN\_Q20A

Concept: Used or tried cannabis - 12 mo

**Question Text:** During the past 12 months, have you used or tried cannabis?

Universe: CAN\_Q05A = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,995	6,410,257	20.7
No	2	2,401	6,518,439	21.0
Valid skip	6	5,895	18,061,471	58.3
Not stated	9	2	5,283	0.0

<u>Answer Categories</u> <u>Code</u> <u>Frequency</u> <u>Weighted Frequency</u> <u>%</u>

**Total** 10,293 30,995,450 100.0

Variable Name: CAN\_20B Length: 1.0 Position: 155

Question Name: CAN\_Q20B

Concept: Used cannabis - for medical and/or non-medical reasons - 12 mo

Question Text: Was it for medical reasons, non-medical reasons, or both?

Universe: CAN\_Q05A = 1 and CAN\_Q20A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Medical reasons only	1	325	703,584	2.3
Non-medical reasons only	2	1,159	4,100,219	13.2
Both medical and non-medical reasons	3	511	1,606,455	5.2
Valid skip	6	8,296	24,579,910	79.3
Not stated	9	2	5,283	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_22 Length: 2.0 Position: 156

Question Name: CAN\_Q22

Concept: Use cannabis for - Main symptom - 12 mo

Question Text: During the past 12 months, for what main symptom did you use cannabis?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_20B = 1

or 3

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Chronic pain	01	293	680,260	2.2
Acute pain	02	68	240,292	8.0
Migraine or headache	03	49	223,196	0.7
Nausea or vomiting	04	14	54,677	0.2
Lack of appetite or weight loss	05	19	52,990	0.2
Sleeping problems	06	236	628,620	2.0
Other	07	133	395,273	1.3
Valid skip	96	9,476	28,712,551	92.6
Not stated	99	5	7,592	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_23 Length: 2.0 Position: 158

Question Name: CAN\_Q23

Concept: Use cannabis for - Main medical condition - 12 mo

Question Text: During the past 12 months, for what main medical condition did you use cannabis?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_20B = 1

or 3

Note:

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Arthritis	01	155	416,227	1.3
Depression	02	52	155,537	0.5
Multiple sclerosis	03	10	29,957	0.1
Spinal cord injury	04	23	36,355	0.1
Anxiety	06	187	641,130	2.1
Post-traumatic stress disorder (PTSD)	07	22	27,483	0.1
Irritable bowel syndrome or inflammatory	08	17	41,524	0.1
bowel disease				
Other	09	240	622,696	2.0
No medical condition	10	105	299,352	1.0
Valid skip	96	9,476	28,712,551	92.6
Not stated	99	6	12,638	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25A Length: 1.0 Position: 160

Question Name: CAN\_Q25

Concept: Cannabis products used - Marijuana or herb - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Marijuana or herb

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,618	5,433,920	17.5
No	2	306	762,657	2.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25B Length: 1.0 Position: 161

Question Name: CAN\_Q25

Concept: Cannabis products used - Hashish or kief - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Hashish or kief

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	283	1,051,188	3.4
No	2	1,641	5,145,389	16.6
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25C Length: 1.0 Position: 162

Question Name: CAN\_Q25

Concept: Cannabis products used - Cannabis oil - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Cannabis oil

Universe: CAN Q05A = 1 and CAN 05B = 1 or NR and CAN Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	654	1,852,600	6.0
No	2	1,270	4,343,977	14.0
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25D Length: 1.0 Position: 163

Question Name: CAN\_Q25

Concept: Cannabis products used - Cartridges/vape pens - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Cannabis cartridges or disposable vape pens

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	270	965,236	3.1
No	2	1,654	5,231,340	16.9

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Valid skip		6	8,364	24,781,452	80.0
Not stated		9	5	17,421	0.1
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_25E Length: 1.0 Position: 164

Question Name: CAN\_Q25

Concept: Cannabis products used - Liquid concentrate - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Liquid concentrate

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	123	399,974	1.3
No	2	1,801	5,796,602	18.7
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25F Length: 1.0 Position: 165

Question Name: CAN\_Q25

Concept: Cannabis products used - Solid concentrate - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Solid concentrate

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	165	554,464	1.8
No	2	1,759	5,642,113	18.2
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25G Length: 1.0 Position: 166

Question Name: CAN\_Q25

Concept: Cannabis products used - Edibles - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Edibles

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	719	2,619,964	8.5
No	2	1,205	3,576,613	11.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25H Length: 1.0 Position: 167

Question Name: CAN\_Q25

Concept: Cannabis products used - Liquid - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Liquid

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	60	145,276	0.5
No	2	1,864	6,051,301	19.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_25I Length: 1.0 Position: 168

Question Name: CAN Q25

Concept: Cannabis products used - Other - 12 mo

Question Text: During the past 12 months, which of the following cannabis products have you used? -

Other

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	32	71,727	0.2
No	2	1,892	6,124,850	19.8
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_30\_A Length: 1.0 Position: 169

Question Name: CAN\_Q30\_A

Concept: Frequency used cannabis products - Marijuana or herb - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Marijuana or herb

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q25A =

1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	427	1,497,842	4.8
3 to 11 times	2	338	1,109,656	3.6
Monthly	3	197	780,745	2.5
Weekly	4	235	742,936	2.4
Daily or almost daily	5	412	1,253,760	4.0
Valid skip	6	8,670	25,544,108	82.4
Not stated	9	14	66,403	0.2
Total		10,293	30,995,450	100.0

Variable Name: CAN 30 B Length: 1.0 Position: 170

Question Name: CAN\_Q30\_B

Concept: Frequency used cannabis products - Hashish or kief - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Hashish or kief

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25B = 1

Note:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Once or twice	1	121	413,968	1.3
3 to 11 times	2	54	170,219	0.5
Monthly	3	47	194,852	0.6
Weekly	4	23	123,178	0.4
Daily or almost daily	5	10	35,220	0.1
Valid skip	6	10,005	29,926,840	96.6

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated	9	33	131,173	0.4
Tot	al	10,293	30,995,450	100.0

Variable Name: CAN\_30\_C Length: 1.0 Position: 171

Question Name: CAN\_Q30\_C

Concept: Frequency used cannabis products - Cannabis oil - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Cannabis oil

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25C = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	200	634,111	2.0
3 to 11 times	2	174	443,118	1.4
Monthly	3	69	231,403	0.7
Weekly	4	81	249,497	8.0
Daily or almost daily	5	106	221,232	0.7
Valid skip	6	9,634	29,125,428	94.0
Not stated	9	29	90,660	0.3
Total		10,293	30,995,450	100.0

Variable Name: CAN\_30\_D Length: 1.0 Position: 172

Question Name: CAN\_Q30\_D

Concept: Frequency used cannabis products - Cartridges/vape pens - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Cannabis cartridges or disposable vape pens

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25D = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	105	333,100	1.1
3 to 11 times	2	70	297,083	1.0
Monthly	3	48	186,465	0.6
Weekly	4	23	88,317	0.3
Daily or almost daily	5	17	40,833	0.1
Valid skip	6	10,018	30,012,792	96.8
Not stated	9	12	36,861	0.1
Total		10,293	30,995,450	100.0

Variable Name: C\_30\_EP Length: 1.0 Position: 173

**Question Name:** 

Concept: Frequency used cannabis products - Liquid concentrate - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Liquid concentrate

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25E = 1

Note: Based on CAN\_30E

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	60	219,488	0.7
3 to 11 times	2	23	65,928	0.2
Monthly	3	17	49,929	0.2
Weekly/Daily or almost daily	4	9	32,544	0.1
Valid skip	6	10,165	30,578,054	98.7
Not stated	9	19	49,507	0.2
Total		10,293	30,995,450	100.0

Variable Name: CAN\_30\_F Length: 1.0 Position: 174

Question Name: CAN\_Q30\_F

Concept: Frequency used cannabis products - Solid concentrate - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Solid concentrate

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25F = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	66	229,461	0.7
3 to 11 times	2	36	153,886	0.5
Monthly	3	26	86,280	0.3
Weekly	4	12	28,221	0.1
Daily or almost daily	5	20	37,668	0.1
Valid skip	6	10,123	30,423,565	98.2
Not stated	9	10	36,370	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_30\_G Length: 1.0 Position: 175

Question Name: CAN\_Q30\_G

**Concept:** Frequency used cannabis products - Edibles - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Edibles

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25G =

1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	349	1,265,445	4.1
3 to 11 times	2	203	755,468	2.4
Monthly	3	97	364,730	1.2
Weekly	4	36	133,269	0.4
Daily or almost daily	5	22	53,287	0.2
Valid skip	6	9,569	28,358,065	91.5
Not stated	9	17	65,186	0.2
Total		10,293	30,995,450	100.0

Variable Name: C\_30\_HP Length: 1.0 Position: 176

**Question Name:** 

Concept: Frequency used cannabis products - Liquid - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Liquid

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25H = 1

Note: Based on CAN\_30\_H

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	31	77,721	0.3
3 to 11 times	2	9	21,772	0.1
Monthly	3	10	13,852	0.0
Weekly/Daily or almost daily	4	7	15,065	0.0
Valid skip	6	10,228	30,832,753	99.5
Not stated	9	8	34,287	0.1
Total		10,293	30,995,450	100.0

Variable Name: C\_30\_IP Length: 1.0 Position: 177

**Question Name:** 

**Concept:** Frequency used cannabis products - Other - 12 mo

Question Text: During the past 12 months, how often have you used any of the following cannabis

products? - Other

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_25I = 1

Note: Based on CAN\_30\_I

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Once or twice	1	6	9,656	0.0
3 to 11 times	2	11	21,359	0.1
Monthly	3	5	9,202	0.0
Weekly/Daily or almost daily	4	7	23,709	0.1
Valid skip	6	10,256	30,906,302	99.7
Not stated	9	8	25,223	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_35A Length: 1.0 Position: 178

Question Name: CAN\_Q35

Concept: Methods used to consume cannabis - Smoked - 12 mo

Question Text: In the past 12 months, which of the following methods did you use to consume cannabis?

- Smoked it

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,546	5,224,848	16.9
No	2	370	965,101	3.1
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	24,049	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_35B Length: 1.0 Position: 179

Question Name: CAN\_Q35

Concept: Methods used to consume cannabis - Ate - 12 mo

Question Text: In the past 12 months, which of the following methods did you use to consume cannabis?

- Eaten it in food

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	743	2,674,219	8.6
No	2	1,173	3,515,731	11.3
Valid skip	6	8,364	24,781,452	80.0

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated <b>Total</b>	9	13 10,293	24,049 30,995,450	0.1 100.0

Variable Name: CAN\_35C Length: 1.0 Position: 180

Question Name: CAN\_Q35

Concept: Methods used to consume cannabis - Drank - 12 mo

Question Text: In the past 12 months, which of the following methods did you use to consume cannabis?

- Drank it

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	115	292,715	0.9
No	2	1,801	5,897,234	19.0
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	24,049	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_35D Length: 1.0 Position: 181

Question Name: CAN\_Q35

Concept: Methods used to consume cannabis - Vaporizer. - 12 mo

Question Text: In the past 12 months, which of the following methods did you use to consume cannabis?

- Vaporized it with a vaporizer

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	285	852,099	2.7
No	2	1,631	5,337,851	17.2
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	24,049	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_35E Length: 1.0 Position: 182

Question Name: CAN\_Q35

Concept: Methods used to consume cannabis - Vape pen or e-cig - 12 mo

**Question Text:** In the past 12 months, which of the following methods did you use to consume cannabis?

- Vaporized it with a vape pen or e-cigarette

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	358	1,334,787	4.3
No	2	1,558	4,855,162	15.7
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	24,049	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_35F Length: 1.0 Position: 183

Question Name: CAN\_Q35

**Concept:** Methods used to consume cannabis - Dabbed - 12 mo

**Question Text:** In the past 12 months, which of the following methods did you use to consume cannabis?

- Dabbed it

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	107	370,071	1.2
No	2	1,809	5,819,878	18.8
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	24,049	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_35G Length: 1.0 Position: 184

Question Name: CAN Q35

Concept: Methods used to consume cannabis - Other - 12 mo

Question Text: In the past 12 months, which of the following methods did you use to consume cannabis?

- Other

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	216	533,284	1.7
No		2	1,700	5,656,666	18.2
Valid skip		6	8,364	24,781,452	80.0
Not stated		9	13	24,049	0.1
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_40 Length: 2.0 Position: 185

Question Name: CAN\_Q40

Concept: Where usually get cannabis - 12 mo

Question Text: During the past 12 months, where did you usually get the cannabis you used?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
From your own cultivation	01	56	131,923	0.4
From someone who's growing it for you	02	21	65,008	0.2
From a family member or a friend	03	517	2,032,461	6.6
From a dealer	04	107	429,389	1.4
From a licensed producer for medical	05	150	354,089	1.1
purposes				
From a dispensary	06	305	1,042,513	3.4
From a compassion club	07	10	34,600	0.1
From online source other than Health	08	74	244,621	0.8
Canada licens. producer				
From a legal retailer storefront	09	491	1,154,662	3.7
From a legal retailer by mail order	10	73	308,430	1.0
From someone else you know	11	91	292,441	0.9
Other	12	29	113,489	0.4
Valid skip	96	8,364	24,781,452	80.0
Not stated	99	5	10,373	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_45A Length: 1.0 Position: 187

Question Name: CAN\_Q45A

Concept: Frequency combined cannabis with - Alcohol - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Alcohol

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	693	2,000,304	6.5
Rarely	2	450	1,615,225	5.2
Sometimes	3	450	1,527,695	4.9
Often	4	194	651,124	2.1
Always	5	129	398,787	1.3
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	20,863	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_45B Length: 1.0 Position: 188

Question Name: CAN\_Q45B

Concept: Freq comb cannabis with - Tobacco/e-cigarette/vaping device - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Tobacco, e-cigarette or vaping device

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,291	4,140,331	13.4
Rarely	2	127	492,806	1.6
Sometimes	3	127	423,031	1.4
Often	4	102	298,842	1.0
Always	5	177	568,895	1.8
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	105	290,092	0.9
Total		10,293	30,995,450	100.0

Variable Name: CAN\_45C Length: 1.0 Position: 189

Question Name: CAN\_Q45C

Concept: Frequency combined cannabis with - Prescription pain relievers - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Prescription pain relievers

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,752	5,695,014	18.4
Rarely	2	25	49,249	0.2
Sometimes	3	15	19,074	0.1
Often	4	8	11,711	0.0
Always	5	17	57,289	0.2

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Valid skip		6	8,364	24,781,452	80.0
Not stated		9	112	381,662	1.2
	Total		10,293	30,995,450	100.0

Variable Name: C\_45DP Length: 1.0 Position: 190

**Question Name:** 

Concept: Frequency combined cannabis with - Prescription stimulants - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Prescription stimulants

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note: Based on CAN\_45D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,785	5,763,635	18.6
Rarely	2	12	89,125	0.3
Sometimes	3	10	30,647	0.1
Often/Always	4	11	34,455	0.1
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	111	296,136	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_45E Length: 1.0 Position: 191

Question Name: CAN\_Q45E

Concept: Freq comb cannabis with - prescrip sedatives/anxiety meds - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Prescription sedatives or anti-anxiety medications

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,673	5,494,285	17.7
Rarely	2	42	161,479	0.5
Sometimes	3	33	88,062	0.3
Often	4	21	68,501	0.2
Always	5	55	105,574	0.3
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	105	296,099	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_45F Length: 1.0 Position: 192

Question Name: CAN\_Q45F

Concept: Frequency combined cannabis with - Illicit opioids - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Illicit opioids

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Never		1	1,813	5,892,916	19.0
Valid skip		6	8,364	24,781,452	80.0
Not stated		9	116	321,083	1.0
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_45G Length: 1.0 Position: 193

Question Name: CAN\_Q45G

Concept: Frequency combined cannabis with - Illicit stimulants - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Illicit stimulants

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,765	5,644,691	18.2
Rarely	2	25	123,638	0.4
Sometimes	3	19	100,210	0.3
Often	4	5	33,380	0.1
Always	5	5	11,750	0.0
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	110	300,329	1.0
Total		10,293	30,995,450	100.0

Variable Name: C 45HP Length: 1.0 Position: 194

**Question Name:** 

Concept: Freq comb cannabis with - illicit hallucinogens/dissociatives - 12 mo

Question Text: During the past 12 months, when you used cannabis, how often did you combine it with

any of the following substances? - Illicit hallucinogens or dissociatives

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note: Based on CAN\_45H

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,750	5,574,173	18.0
Rarely	2	44	226,418	0.7
Sometimes/Often/Always	3	25	112,035	0.4
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	110	301,372	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_50A Length: 1.0 Position: 195

Question Name: CAN\_Q50A

Concept: Used with cannabis to get high - Alcohol

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Alcohol

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45A =

2, 3, 4 or 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	541	1,868,466	6.0
No	2	679	2,294,040	7.4
Valid skip	6	9,057	26,781,756	86.4
Not stated	9	16	51,189	0.2
Total		10,293	30,995,450	100.0

Variable Name: CAN\_50B Length: 1.0 Position: 196

Question Name: CAN\_Q50B

Concept: Used with cannabis to get high - tobacco/e-cigarette/vaping

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Tobacco, e-cigarette or vaping device

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45B =

2, 3, 4 or 5

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	177	668,600	2.2
No	2	352	1,096,028	3.5

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Valid skip		6	9,655	28,921,783	93.3
Not stated		9	109	309,039	1.0
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_50C Length: 1.0 Position: 197

Question Name: CAN\_Q50C

Concept: Used with cannabis to get high - prescription pain relievers

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Prescription pain relievers

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45C =

2, 3, 4 or 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	9	36,224	0.1
No	2	56	101,099	0.3
Valid skip	6	10,116	30,476,465	98.3
Not stated	9	112	381,662	1.2
Total		10,293	30,995,450	100.0

Variable Name: CAN\_50D Length: 1.0 Position: 198

Question Name: CAN Q50D

Concept: Used with cannabis to get high - Prescription stimulants

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Prescription stimulants

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45D =

2, 3, 4 or 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	8	54,261	0.2
No	2	25	99,966	0.3
Valid skip	6	10,149	30,545,087	98.5
Not stated	9	111	296,136	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_50E Length: 1.0 Position: 199

Question Name: CAN\_Q50E

Concept: Used with cannabis to get high - prescrip sedatives/anxiety meds

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Prescription sedatives or anti-anxiety medications

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45E =

2, 3, 4 or 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	16	51,895	0.2
No	2	135	371,720	1.2
Valid skip	6	10,037	30,275,736	97.7
Not stated	9	105	296,099	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_50G Length: 1.0 Position: 200

Question Name: CAN\_Q50G

Concept: Used with cannabis to get high - illicit stimulants

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Illicit stimulants

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45G

= 2, 3, 4 or 5

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	36	213,892	0.7
Rarely	2	18	55,086	0.2
Valid skip	6	10,129	30,426,143	98.2
Not stated	9	110	300,329	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_50H Length: 1.0 Position: 201

Question Name: CAN\_Q50H

Concept: Used with cannabis to get high - illicit hallucinogens/dissociatives

Question Text: Did you use these substances in combination with cannabis in order to get stoned or

high? - Illicit hallucinogens or dissociatives

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q45H =

2, 3, 4 or 5

Note:

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	51	240,164	8.0
No	2	17	97,258	0.3
Valid skip	6	10,114	30,355,625	97.9
Not stated	9	111	302,404	1.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_55 Length: 1.0 Position: 202

Question Name: CAN\_Q55

Concept: Consumed more/less/same quant cannabis compared to yr before - 12 mo

Question Text: During the past 12 months, have you consumed more, less or the same quantity of

cannabis compared to the year before?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
More	1	654	1,903,298	6.1
Less	2	444	1,627,813	5.3
The same	3	818	2,642,936	8.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	39,951	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_60 Length: 1.0 Position: 203

Question Name: CAN\_Q60

**Concept:** Frequency used cannabis - 3 mo

**Question Text:** During the past 3 months, how often have you used cannabis?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	333	983,164	3.2
Once or twice	2	555	2,012,102	6.5
Monthly	3	224	781,529	2.5
Weekly	4	316	1,010,943	3.3
Daily or almost daily	5	496	1,417,187	4.6
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	9,073	0.0

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 Total
 10,293
 30,995,450
 100.0

Variable Name: CAN\_70P Length: 2.0 Position: 204

**Question Name:** 

Concept: Frequency used cannabis - 30 days

Question Text: During the past 30 days, how often have you used cannabis?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q60 =

2, 3, 4 or NR

Note: Based on CAN\_70

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not in the past 30 days	01	244	943,241	3.0
1 day in the past 30 days	02	301	1,160,108	3.7
2 or 3 days in the past 30 days	03	242	704,120	2.3
1 or 2 days per week	04	202	598,735	1.9
3 or 4 days per week	05	95	355,336	1.1
5 or 6 days per week/Daily	06	13	46,504	0.2
Valid skip	96	9,193	27,181,803	87.7
Not stated	99	3	5,603	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_80 Length: 2.0 Position: 206

Question Name: CAN\_Q80

Concept: Number of times started day by using cannabis - 30 days

Question Text: In the past 30 days, how many times did you start your day by using cannabis?

Universe: CAN\_Q05A = 1 and CAN\_05B = 1 or NR and CAN\_Q20A = 1 or NR and CAN\_Q70 =

2, 3, 4, 5, 6, 7 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not in the past 30 days	01	1,002	3,233,910	10.4
1 day in the past 30 days	02	48	177,263	0.6
2 or 3 days in the past 30 days	03	84	252,875	0.8
1 or 2 days per week	04	68	211,418	0.7
3 or 4 days per week	05	28	104,358	0.3
5 or 6 days per week	06	17	32,521	0.1
Daily	07	95	253,077	0.8
Valid skip	96	8,941	26,707,857	86.2
Not stated	99	10	22,172	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_105A Length: 1.0 Position: 208

**Question Name:** 

**Concept:** Someone expressed concern about your cannabis use - ever

Question Text: Has a friend or relative or anyone else ever expressed concern about your use of

cannabis?

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR

**Note:** Original question name: CAN\_Q105A

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	132	625,470	2.0
No	2	1,792	5,573,762	18.0
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	14,767	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_105B Length: 1.0 Position: 209

Question Name: CAN\_Q105B

Concept: Someone expressed concern about your cannabis use - 3 mo

Question Text: Was it in the past 3 months?

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR and CAN\_Q105A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	45	278,510	0.9
No	2	83	340,009	1.1
Valid skip	6	10,156	30,355,213	97.9
Not stated	9	9	21,718	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_110A Length: 1.0 Position: 210

**Question Name:** 

Concept: Tried to control/cut down/stop cannabis use but not able - ever

Question Text: Have you ever tried to control, cut down or stop using cannabis but discovered that you

were not able to do so?

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR

Note: Original question name: CAN\_Q110A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	83	411,319	1.3
No	2	1,842	5,793,621	18.7
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	4	9,058	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_110B Length: 1.0 Position: 211

Question Name: CAN\_Q110B

Concept: Tried to control/cut down/stop cannabis use but not able - 3 mo

**Question Text:** Was it in the past 3 months?

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR and CAN\_Q110A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	39	200,075	0.6
No	2	40	177,322	0.6
Valid skip	6	10,206	30,575,073	98.6
Not stated	9	8	42,980	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_112A Length: 1.0 Position: 212

Question Name: CAN\_Q112A

**Concept:** Frequency had strong desire to use cannabis - 3 mo

Question Text: During the past 3 months, how often have you experienced the following situations? -

Had a strong desire or urge to use cannabis

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,448	4,647,130	15.0
Once or twice	2	222	685,133	2.2
Monthly	3	42	178,315	0.6
Weekly	4	94	296,829	1.0
Daily or almost daily	5	114	394,656	1.3
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	9	11,935	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_112B Length: 1.0 Position: 213

Question Name: CAN\_Q112B

Concept: Frequency cannabis use led to health/ soc/legal/financial prob - 3 mo

Question Text: During the past 3 months, how often have you experienced the following situations? -

Use of cannabis led to health, social, legal or financial problems

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR

Note:

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Never	1	1,862	5,969,987	19.3
Once or twice	2	30	106,003	0.3
Monthly	3	7	47,160	0.2
Weekly	4	10	29,787	0.1
Daily or almost daily	5	12	50,517	0.2
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	8	10,544	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_112C Length: 1.0 Position: 214

Question Name: CAN\_Q112C

Concept: Frequency cannabis use affected ability to do expected tasks - 3 mo

Question Text: During the past 3 months, how often have you experienced the following situations? -

Could not do what was normally expected of you because of your use of cannabis

Universe: CAN\_Q05A = 1 and CAN\_Q05B = 1 or NR

Note:

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Never	1	1,824	5,810,835	18.7
Once or twice	2	74	316,364	1.0
Monthly	3	9	30,521	0.1
Daily or almost daily	5	10	37,723	0.1
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	12	18,555	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_115A Length: 1.0 Position: 215

Question Name: CAN\_Q115A

**Concept:** Passenger - driver used cannabis prev 2 h - 12 mo

Question Text: During the past 12 months, have you been a passenger in a vehicle driven by someone

who had been using cannabis in the previous 2 hours?

Universe: All respondents

Note:

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	419	1,350,813	4.4
No	2	9,290	27,996,923	90.3
Don't know	3	584	1,647,714	5.3
Total		10,293	30,995,450	100.0

Variable Name: CAN\_115B Length: 1.0 Position: 216

Question Name: CAN\_Q115B

Concept: Passenger - more than once - driver used cannabis prev 2 h - 12 mo

**Question Text:** Was it more than once?

Universe:  $CAN_Q115A = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	293	960,391	3.1
No	2	122	373,353	1.2
Valid skip	6	9,874	29,644,637	95.6
Not stated	9	4	17,069	0.1
Total		10,293	30,995,450	100.0

Variable Name: CAN\_120A Length: 1.0 Position: 217

Question Name: CAN\_Q120A

Concept: Passenger - driver used alcohol and cannabis prev 2 h - 12 mo

Question Text: During the past 12 months, have you been a passenger in a vehicle driven by someone

who had been using both alcohol and cannabis in the previous 2 hours?

Universe:  $CAN_Q115A = <> 2 \text{ or } ALC_Q105 <> 2$ 

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	63	161,338	0.5
No	2	123	383,958	1.2
Don't know	3	181	706,150	2.3
Valid skip	6	9,923	29,740,924	96.0

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated <b>Total</b>	9	3 10,293	3,080 30,995,450	0.0 100.0

Variable Name: CAN\_120B Length: 1.0 Position: 218

Question Name: CAN\_Q120B

Concept: Pass. more than once - driver used alcohol and cannabis prev 2h

Question Text: Was it more than once?

**Universe:** CAN\_Q115A = <> 2 or ALC\_Q105 <> 2 and CAN\_120A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	48	109,501	0.4
No	2	12	50,108	0.2
Valid skip	6	10,227	30,831,032	99.5
Not stated	9	6	4,809	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_125A Length: 1.0 Position: 219

Question Name: CAN\_Q125A

Concept: Have driven 2 hours following cannabis use - 12 mo

Question Text: During the past 12 months, have you driven a vehicle in the 2 hours following the use of

cannabis?

Universe: CAN\_Q05A = 1 and CAN\_Q20A = 1 and ALC\_Q115 = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	162	513,161	1.7
No	2	1,606	5,089,351	16.4
Valid skip	6	8,523	25,387,655	81.9
Not stated	9	2	5,283	0.0
Total		10,293	30,995,450	100.0

Variable Name: C\_125BP Length: 2.0 Position: 220

**Question Name:** 

Concept: Number of times driven 2 hours following cannabis use - 12 mo

Question Text: During the past 12 months, have you driven a vehicle in the 2 hours following the use of

cannabis?

How many times?

Universe: CAN\_Q05A = 1 and CAN\_Q20A = 1 or NR and ALC\_Q115 = 1 or NR and CAN\_Q125A

= 1

Note: Based on CAN\_125B

Source:

Answer Categories		<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
1 to 5 times		01	78	257,881	0.8
6 to 10 times		02	19	61,426	0.2
11 to 20 times		03	8	11,303	0.0
21 to 50 times		04	11	34,243	0.1
51 to 100 times		05	13	35,905	0.1
101 to 300 times		06	11	22,385	0.1
301 to 500 times		07	11	39,547	0.1
Valid skip		96	10,129	30,477,006	98.3
Not stated		99	13	55,755	0.2
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_130 Length: 3.0 Position: 222

Question Name: CAN Q130

**Concept:** Number of vehicle accidents as driver cannabis prev 2 h - 12 mo

Question Text: During the past 12 months, how many times have you been in a vehicle accident or

collision with you as a driver after having used cannabis in the previous 2 hours?

Universe: CAN\_Q05A = 1 and CAN\_Q20A = 1 and CAN\_Q125A = 1 or NR and ALC\_Q125A = 1

or NR

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Number of times		000 - 000	13	41,535	0.1
Valid skip		996	10,278	30,948,632	99.8
Not stated		999	2	5,283	0.0
	Total		10,293	30,995,450	100.0

Variable Name: CAN\_135 Length: 1.0 Position: 225

Question Name: CAN\_Q135

Concept: Interaction with law enforcement involving DUI cannabis - 12 mo

Question Text: During the past 12 months, have you, as the driver, had any interaction with law en-

forcement involving driving under the influence of cannabis?

Universe: CAN\_Q05A = 1 and CAN\_Q20A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	6	27,992	0.1
No	2	1,762	5,574,520	18.0
Valid skip	6	8,523	25,387,655	81.9
Not stated	9	2	5,283	0.0
Total		10,293	30,995,450	100.0

Variable Name: CAN\_140 Length: 1.0 Position: 226

Question Name: CAN\_Q140

**Concept:** Arrested for driving violation related to cannabis use - 12 mo

Question Text: During the past 12 months, have you been arrested for a driving violation related to

cannabis use?

Universe: CAN\_Q05A = 1 and CAN\_Q20A = 1 and CAN\_Q135 = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	6	27,992	0.1
Valid skip	6	10,285	30,962,176	99.9
Not stated	9	2	5,283	0.0
То	al	10,293	30,995,450	100.0

Variable Name: CAN\_145 Length: 1.0 Position: 227

Question Name: CAN\_Q145

**Concept:** Willingness publicly say use cannabis for non-med increased now legal

Question Text: Has your willingness to publicly say that you currently use cannabis or have used

cannabis in the past for non-medical purposes increased because non-medical cannabis

use is now legal?

Universe: CAN\_Q05A = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, you are more willing to do so	1	1,113	3,436,624	11.1
No, you were already willing to do so	2	1,796	5,226,755	16.9
No, you are not more willing to do so	3	1,440	4,156,738	13.4
Valid skip	6	5,895	18,061,471	58.3
Not stated	9	49	113,861	0.4
Total		10,293	30,995,450	100.0

Variable Name: MEX\_05 Length: 1.0 Position: 228

Question Name: MEX\_Q05

Concept: Gave birth - past 5 years

Question Text: Have you given birth during the past 5 years?

**Universe:** AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	415	1,345,830	4.3
No	2	1,072	3,715,604	12.0
Valid skip	6	8,465	23,739,747	76.6
Not stated	9	341	2,194,270	7.1
Total		10,293	30,995,450	100.0

Variable Name: MEX\_10 Length: 1.0 Position: 229

Question Name: MEX\_Q10

Concept: Used cannabis during last pregnancy

Question Text: After you learned that you were pregnant with your last child, did you use cannabis dur-

ing the pregnancy?

Universe: AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44) and MEX\_Q05 =

1 or NR) and  $(CAN_Q05A = 1 \text{ or NR})$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	10	29,207	0.1
No	2	203	608,002	2.0
Valid skip	6	9,740	28,166,335	90.9
Not stated	9	340	2,191,906	7.1
Total		10,293	30,995,450	100.0

Variable Name: MEX\_15 Length: 1.0 Position: 230

Question Name: MEX\_Q15

Concept: Gave breast milk to last child

Question Text: Did you give your breast milk to your last child?

Universe: AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44) and MEX\_Q05 =

1 or NR) and  $(CAN_Q05A = 1 \text{ or NR})$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	191	558,500	1.8
No	2	22	78,709	0.3
Valid skip	6	9,740	28,166,335	90.9
Not stated	9	340	2,191,906	7.1
Total		10,293	30,995,450	100.0

Variable Name: MEX\_20 Length: 1.0 Position: 231

Question Name: MEX\_Q20

Concept: Used cannabis during period when gave breast milk to last child

Question Text: During the period in which you were giving your breast milk to your last child, did you

use cannabis?

Universe: AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44) and MEX\_Q05 =

1 or NR) and (CAN\_Q05A = 1 or NR) and MEX\_Q15 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	11	35,661	0.1
No	2	180	522,839	1.7
Valid skip	6	9,762	28,245,044	91.1
Not stated	9	340	2,191,906	7.1
Total		10,293	30,995,450	100.0

Variable Name: MEX\_25P Length: 2.0 Position: 232

**Question Name:** 

Concept: Frequency drank alcohol during last pregnancy

Question Text: After you learned that you were pregnant with your last child, how often did you drink

alcohol during the pregnancy?

**Universe:** AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44) and (MEX\_Q05 =

1 or NR) and  $(ALC_Q05 = 1 \text{ or NR})$ 

Note: Based on MEX\_25

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	01	317	946,793	3.1
Once or twice only	02	40	151,774	0.5
Less than once a month	03	9	45,182	0.1
Once a month/Once a week	04	5	13,029	0.0
Valid skip	96	9,581	27,644,474	89.2

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated	99	341	2,194,199	7.1
Total		10,293	30,995,450	100.0

Variable Name: MEX\_30A Length: 1.0 Position: 234

Question Name: MEX\_Q30A

Concept: Number of drinks consumed - During last pregnancy

Question Text: During your last pregnancy, on the days when you drank alcoholic beverages, how many

drinks did you usually have?

Universe: AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44) and (MEX\_Q05 =

1 or NR) and (ALC\_Q05 = 1 or NR) and MEX\_Q25 <> 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than a drink	1	50	184,204	0.6
One drink or more	2	5	28,073	0.1
Valid skip	6	9,898	28,591,267	92.2
Not stated	9	340	2,191,906	7.1
Total		10,293	30,995,450	100.0

Variable Name: MEX\_30BP Length: 1.0 Position: 235

**Question Name:** 

Concept: Number of drinks consumed - During last pregnancy

Question Text: During your last pregnancy, on the days when you drank alcoholic beverages, how many

drinks did you usually have?

**Universe:** AGS\_Q05 = 2 and (AGS\_Q20A, B, C = 15-44 or AGS\_Q25 = 15-44) and (MEX\_Q05 =

1 or NR) and (ALC\_Q05 = 1 or NR) and MEX\_Q25  $\Leftrightarrow$  1 and MEX\_Q30A = 2

Note: Based on MEX\_30B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
1 or 2 drinks	1	5	28,073	0.1
Valid skip	6	9,948	28,775,471	92.8
Not stated	9	340	2,191,906	7.1
Total		10,293	30,995,450	100.0

Variable Name: COC\_05 Length: 1.0 Position: 236

Question Name: COC\_Q05

Concept: Used or tried cocaine or crack - ever

Question Text: Have you ever used or tried cocaine or crack?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	769	2,629,176	8.5
No	2	9,523	28,363,749	91.5
Not stated	9	1	2,525	0.0
Total		10,293	30,995,450	100.0

Variable Name: COC\_10P Length: 2.0 Position: 237

**Question Name:** 

**Concept:** Age first tried - cocaine or crack

**Question Text:** How old were you when you first tried cocaine or crack?

Universe: COC\_Q05 = 1

Note: Based on COC\_10 and DV\_AGEP

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Age in years	07 - 63	754	2,540,876	8.2
Valid skip	96	9,523	28,363,749	91.5
Not stated	99	16	90,825	0.3
Total		10,293	30,995,450	100.0

Variable Name: COC\_15A Length: 1.0 Position: 239

Question Name: COC\_Q15A

Concept: Used or tried cocaine or crack - 12 mo.

Question Text: During the past 12 months, have you used or tried cocaine or crack?

Universe:  $COC_Q05 = 1$ 

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	123	605,115	2.0
No	2	645	2,021,342	6.5
Valid skip	6	9,523	28,363,749	91.5
Not stated	9	2	5,243	0.0
Total		10,293	30,995,450	100.0

Variable Name: COC\_15B Length: 1.0 Position: 240

Question Name: COC\_Q15B

Concept: Used or tried cocaine or crack - 30 days

Question Text: Was it in the past 30 days?

Universe: COC\_Q05 = 1 and COC\_Q15A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	51	230,475	0.7
No	2	71	374,233	1.2
Valid skip	6	10,168	30,385,091	98.0
Not stated	9	3	5,651	0.0
Total		10,293	30,995,450	100.0

Variable Name: MET\_05 Length: 1.0 Position: 241

Question Name: MET\_Q05

Concept: Used or tried amphetamines or methamphetamine - ever

**Question Text:** Have you ever used or tried amphetamines or methamphetamine?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	271	986,997	3.2
No	2	10,021	30,008,388	96.8
Not stated	9	1	65	0.0
Total		10,293	30,995,450	100.0

Variable Name: MET\_10P Length: 2.0 Position: 242

**Question Name:** 

**Concept:** Age first tried - amphetamines/methamphetamine

**Question Text:** How old were you when you first tried amphetamines or methamphetamine?

Universe: MET\_Q05 = 1

Note: Based on MET\_10 and DV\_AGEP

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		11 - 63	265	971,272	3.1
Valid skip		96	10,021	30,008,388	96.8
Not stated		99	7	15,790	0.1
	Total		10,293	30,995,450	100.0

Variable Name: MET\_15 Length: 1.0 Position: 244

Question Name: MET\_Q15

Concept: Used or tried amphetamines or methamphetamine - 12 mo

Question Text: During the past 12 months, have you used or tried amphetamines or methamphetamine?

Universe: MET\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	29	142,325	0.5
No	2	242	844,672	2.7
Valid skip	6	10,021	30,008,388	96.8
Not stated	9	1	65	0.0
Tota	al	10,293	30,995,450	100.0

Variable Name: XTC\_05 Length: 1.0 Position: 245

Question Name: XTC\_Q05

Concept: Used or tried ecstasy - ever

Question Text: Have you ever used or tried ecstasy?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	533	2,051,309	6.6
No	2	9,759	28,943,924	93.4
Not stated	9	1	216	0.0
Total		10,293	30,995,450	100.0

Variable Name: XTC\_10P Length: 2.0 Position: 246

**Question Name:** 

**Concept:** Age first tried - ecstasy

Question Text: How old were you when you first tried ecstasy?

Universe:  $XTC_Q05 = 1$ 

Note: Based on XTC\_10 and DV\_AGEP

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		09 - 55	522	2,003,789	6.5
Valid skip		96	9,759	28,943,924	93.4
Not stated		99	12	47,736	0.2
	Total		10,293	30,995,450	100.0

Variable Name: XTC\_15 Length: 1.0 Position: 248

Question Name: XTC\_Q15

Concept: Used or tried ecstasy - 12 mo

**Question Text:** During the past 12 months, have you used or tried ecstasy?

Universe:  $XTC_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	59	352,821	1.1
No	2	474	1,698,488	5.5
Valid skip	6	9,759	28,943,924	93.4
Not stated	9	1	216	0.0
Total		10,293	30,995,450	100.0

Variable Name: HAL\_05 Length: 1.0 Position: 249

Question Name: HAL\_Q05

Concept: Used or tried hallucinogens - ever

**Question Text:** Have you ever used or tried hallucinogens?

Universe: All respondents

Note:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,196	3,658,470	11.8
No	2	9,092	27,331,132	88.2
Not stated	9	5	5,848	0.0
Total		10,293	30,995,450	100.0

Variable Name: HAL\_10P Length: 2.0 Position: 250

**Question Name:** 

**Concept:** Age first tried - hallucinogens

Question Text: How old were you when you first tried hallucinogens?

Universe: HAL\_Q05 = 1

Note: Based on HAL\_10 and DV\_AGEP

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		05 - 63	1,180	3,600,074	11.6
Valid skip		96	9,092	27,331,132	88.2
Not stated		99	21	64,244	0.2
	Total		10,293	30,995,450	100.0

Variable Name: HAL\_15 Length: 1.0 Position: 252

Question Name: HAL\_Q15

**Concept:** Used or tried hallucinogens - 12 mo.

**Question Text:** During the past 12 months, have you used or tried hallucinogens?

Universe:  $HAL_Q05 = 1$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	113	586,526	1.9
No	2	1,083	3,071,945	9.9
Valid skip	6	9,092	27,331,132	88.2
Not stated	9	5	5,848	0.0
Total		10,293	30,995,450	100.0

Variable Name: GLU\_05 Length: 1.0 Position: 253

Question Name: GLU\_Q05

Concept: Sniffed of huffed solvents - ever

Question Text: Have you ever sniffed or huffed glue, gasoline or other solvents?

Universe: All respondents

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	98	260,069	0.8
No	2	10,194	30,734,960	99.2
Not stated	9	1	421	0.0
Total		10,293	30,995,450	100.0

Variable Name: GLU\_10 Length: 4.0 Position: 254

Question Name: GLU\_Q10

**Concept:** Age first tried - solvents

Question Text: How old were you when you first tried sniffing or huffing glue, gasoline or other solvents?

Universe: GLU\_Q05 = 1

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		0005 - 0029	96	257,582	0.8
Valid skip		9996	10,194	30,734,960	99.2
Not stated		9999	3	2,908	0.0
	Total		10,293	30,995,450	100.0

Variable Name: GLU\_15 Length: 1.0 Position: 258

Question Name: GLU\_Q15

**Concept:** Sniffed or huffed solvents - 12 mo.

Question Text: During the past 12 months, have you sniffed or huffed glue, gasoline or other solvents?

Universe: GLU\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	5	28,641	0.1
No	2	93	231,428	0.7
Valid skip	6	10,194	30,734,960	99.2
Not stated	9	1	421	0.0
Total		10,293	30,995,450	100.0

Variable Name: HER\_05 Length: 1.0 Position: 259

Question Name: HER\_Q05

Concept: Used or tried heroin - ever

Question Text: Have you ever used or tried heroin?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	44	152,257	0.5
No	2	10,248	30,840,668	99.5
Not stated	9	1	2,525	0.0
Tota		10,293	30,995,450	100.0

Variable Name: HER\_10P Length: 2.0 Position: 260

**Question Name:** 

Concept: Age first tried - heroin

**Question Text:** How old were you when you first tried heroin?

Universe: HER\_Q05 = 1

Note: Based on HER\_10 and DV\_AGEP

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Age in years	16 - 35	43	151,926	0.5
Valid skip	96	10,248	30,840,668	99.5
Not stated	99	2	2,856	0.0
	Total	10,293	30,995,450	100.0

Variable Name: HER\_15A Length: 1.0 Position: 262

Question Name: HER\_Q15A

Concept: Used or tried heroin - 12 mo.

**Question Text:** During the past 12 months, have you used or tried heroin?

Universe: HER\_Q05 = 1

Note:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	41	146,885	0.5
Valid skip		6	10,248	30,840,668	99.5
Not stated		9	4	7,898	0.0
	Total		10,293	30,995,450	100.0

Variable Name: HER\_25P Length: 1.0 Position: 263

**Question Name:** 

**Concept:** Easy to get heroin if wanted some today

Question Text: How easy would it be for you to get heroin if you wanted some today?

Universe: HER\_Q05 = 1

Note: Based on HER\_25

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Very easy/Easy	1	14	41,701	0.1
Difficult	3	9	16,410	0.1
Very difficult	4	11	61,043	0.2
Impossible	5	8	31,235	0.1
Valid skip	6	10,248	30,840,668	99.5
Not stated	9	3	4,393	0.0
7	otal	10,293	30,995,450	100.0

Variable Name: SAL\_05A Length: 1.0 Position: 264

Question Name: SAL\_Q05A

Concept: Used or tried salvia - ever

**Question Text:** Have you ever used or tried salvia?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	176	677,057	2.2
No	2	10,116	30,315,868	97.8
Not stated	9	1	2,525	0.0
Tota	ıl	10,293	30,995,450	100.0

Variable Name: SAL\_05B Length: 1.0 Position: 265

Question Name: SAL\_Q05B

Concept: Used or tried salvia - 12 mo

Question Text: Was it in the past 12 months?

Universe: SAL\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	175	676,329	2.2
Valid skip	6	10,116	30,315,868	97.8
Not stated	9	2	3,253	0.0
Total		10,293	30,995,450	100.0

Variable Name: SPI\_05A Length: 1.0 Position: 266

Question Name: SPI\_Q05A

Concept: Used or tried synthetic cannabinoids - ever

Question Text: Have you ever used or tried synthetic cannabinoids?

Universe: All respondents

Note:

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	33	149,961	0.5
No		2	10,259	30,842,964	99.5
Not stated		9	1	2,525	0.0
	Total		10,293	30,995,450	100.0

Variable Name: SPI\_05B Length: 1.0 Position: 267

Question Name: SPI\_Q05B

Concept: Used or tried synthetic cannabinoids - 12 mo

Question Text: Was it in the past 12 months?

Universe: SPI\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	5	13,370	0.0
No	2	28	136,591	0.4
Valid skip	6	10,259	30,842,964	99.5
Not stated	9	1	2,525	0.0
Total		10,293	30,995,450	100.0

Variable Name: MEP\_05A Length: 1.0 Position: 268

Question Name: MEP\_Q05A

Concept: Used or tried mephedrone - ever

Question Text: Have you ever used or tried mephedrone?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	12	26,591	0.1
No	2	10,280	30,966,334	99.9
Not stated	9	1	2,525	0.0
Total		10,293	30,995,450	100.0

Variable Name: MEP\_05B Length: 1.0 Position: 269

Question Name: MEP\_Q05B

Concept: Used or tried mephedrone - 12 mo

Question Text: Was it in the past 12 months?

Universe: MEP\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	10	23,569	0.1
Valid skip	6	10,280	30,966,334	99.9
Not stated	9	3	5,547	0.0
Т	otal	10,293	30,995,450	100.0

Variable Name: BZP\_05A Length: 1.0 Position: 270

Question Name: BZP\_Q05A

Concept: Used or tried BZP or TFMPP - ever

**Question Text:** Have you ever used or tried BZP or TFMPP?

Universe: All respondents

Note:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	10,287	30,983,596	100.0
Not stated		9	6	11,854	0.0
	Total		10,293	30,995,450	100.0

Variable Name: KRT\_05A Length: 1.0 Position: 271

Question Name: KRT\_Q05A

Concept: Used or tried kratom - ever

Question Text: Have you ever used or tried kratom?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	26	158,073	0.5
No	2	10,265	30,834,786	99.5
Not stated	9	2	2,590	0.0
Total		10,293	30,995,450	100.0

Variable Name: KRT\_05B Length: 1.0 Position: 272

Question Name: KRT\_Q05B

Concept: Used or tried kratom - 12 mo

Question Text: Was it in the past 12 months?

Universe: KRT\_Q05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	12	62,137	0.2
No	2	14	95,937	0.3
Valid skip	6	10,265	30,834,786	99.5
Not stated	9	2	2,590	0.0
Total		10,293	30,995,450	100.0

Variable Name: ODS\_05 Length: 1.0 Position: 273

Question Name: ODS\_Q05

Concept: Used or tried any other drug to get high - ever

Question Text: Have you ever used or tried any other drug or substance, apart from those mentioned

so far, for the experience or to get high?

Universe: All respondents

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	119	464,949	1.5
No		2	10,157	30,487,666	98.4
Not stated		9	17	42,835	0.1
	Total		10,293	30,995,450	100.0

Variable Name: ODS\_10 Length: 1.0 Position: 274

Question Name: ODS\_Q10

Concept: Used or tried [other drug] to get high - more than once

Question Text: Have you used [^ODS\_S05/this other drug or substance] more than once?

Universe: ODS\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	86	357,007	1.2
No	2	33	107,942	0.3
Valid skip	6	10,157	30,487,666	98.4
Not stated	9	17	42,835	0.1
	Total	10,293	30,995,450	100.0

Variable Name: ODS\_15P Length: 2.0 Position: 275

**Question Name:** 

**Concept:** Age first tried - [other drug]

**Question Text:** How old were you when you first tried [ODS\_S05/this other drug or substance]?

Universe: ODS\_Q05 = 1

Note: Based on ODS\_15 and DV\_AGEP

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Age in years	05 - 55	117	463,096	1.5
Valid skip	96	10,157	30,487,666	98.4
Not stated	99	19	44,688	0.1
Tota	ıl	10,293	30,995,450	100.0

Variable Name: ODS\_20 Length: 1.0 Position: 277

Question Name: ODS\_Q20

Concept: Used or tried [other drug] - 12 mo

Question Text: During the past 12 months, have you used or tried [ODS S05/this other drug or sub-

stance]?

Universe: ODS\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	16	107,281	0.3
No	2	103	357,668	1.2
Valid skip	6	10,157	30,487,666	98.4
Not stated	9	17	42,835	0.1
Total		10,293	30,995,450	100.0

Variable Name: ODS\_25 Length: 1.0 Position: 278

Question Name: ODS Q25

**Concept:** Used drug to get high w/out knowing what it was - 12 mo

Question Text: During the past 12 months, have you used a drug or substance to get high without ask-

ing or knowing what it was?

Universe:  $PR_Q15B = 1 \text{ or } PR_Q45 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{$ 

 $STI\_Q25 = 1$  or  $STI\_Q30 = 1$  or  $SED\_Q20 = 1$  or  $SED\_Q25 = 1$  or  $SED\_Q30 = 1$  or  $OTC\_Q05 = 1$  or  $CAN\_Q20A = 1$  or  $COC\_Q15A = 1$  or  $MET\_Q15 = 1$  or  $ATC\_Q15 = 1$  or AT

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	12	39,496	0.1
No	2	2,174	6,978,189	22.5
Valid skip	6	8,004	23,733,084	76.6
Not stated	9	103	244,681	0.8
Total		10,293	30,995,450	100.0

Variable Name: ODS\_30 Length: 1.0 Position: 279

Question Name: ODS\_Q30

Concept: Purchased drug to get high w/out knowing what it was - 12 mo

Question Text: During the past 12 months, have you purchased a drug or substance to get high without

asking or knowing what it was?

**Universe:**  $PR_Q15B = 1 \text{ or } PR_Q45 = 1 \text{ or } PR_Q50 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{$ 

 $\begin{array}{l} STI\_Q25 = 1 \ or \ STI\_Q30 = 1 \ or \ SED\_Q20 = 1 \ or \ SED\_Q25 = 1 \ or \ SED\_Q30 = 1 \ or \ OTC\_Q05 = 1 \ or \ CAN\_Q20A = 1 \ or \ COC\_Q15A = 1 \ or \ MET\_Q15 = 1 \ or \ XTC\_Q15 = 1 \ or \ HAL\_Q15 = 1 \ or \ GLU\_Q15 = 1 \ or \ HER\_Q15A = 1 \ or \ SAL\_Q05B = 1 \ or \ SPI\_Q05B = 1 \ or \ SPI\_Q05B$ 

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	2,180	7,005,107	22.6
Valid skip	6	8,004	23,733,084	76.6
Not stated	9	109	257,259	8.0
Tota	ıl	10,293	30,995,450	100.0

Variable Name: ODS\_35 Length: 1.0 Position: 280

Question Name: ODS\_Q35

Concept: Used drug get high, that was not what you thought it was - 12 mo

Question Text: During the past 12 months, have you used a drug or substance to get high that was not

what you thought it was?

Universe: PR\_Q15B = 1 or PR\_Q45 = 1 or PR\_Q50 = 1 or PR\_Q55B = 1 or STI\_Q20 = 1 or

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	17	90,397	0.3
No	2	2,168	6,888,561	22.2
Valid skip	6	8,004	23,733,084	76.6
Not stated	9	104	283,407	0.9
Total		10,293	30,995,450	100.0

Variable Name: IDU\_05A Length: 1.0 Position: 281

Question Name: IDU\_Q05A

Concept: Have injected any drug - ever

Question Text: Have you ever injected any drug?

Universe: (PR\_Q05 = 1) or (STI\_Q05A = 1) or (SED\_Q05A = 1) or (OTC\_Q05 = 1) or (CAN\_Q05A

= 1) or  $(COC\_Q05 = 1)$  or  $(MET\_Q05 = 1)$  or  $(XTC\_Q05 = 1)$  or  $(HAL\_Q05 = 1)$  or  $(GLU\_Q05 = 1)$  or  $(HER\_Q05 = 1)$  or  $(SAL\_Q05A = 1)$  or  $(SPI\_Q05A = 1)$  or

 $(MEP_Q05A = 1)$  or  $(BZP_Q05A = 1)$  or  $(KRT_Q05A = 1)$  or  $(ODS_Q05 = 1)$ 

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	84	199,132	0.6
No	2	7,010	20,447,487	66.0

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Valid skip		6	3,184	10,319,757	33.3
Not stated		9	15	29,074	0.1
	Total		10,293	30,995,450	100.0

Variable Name: IDU\_05B Length: 1.0 Position: 282

Question Name: IDU\_Q05B

Concept: Have injected any drug - more than once

**Question Text:** Have you done it more than once?

Universe: PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and IDU\_05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	67	160,598	0.5
No	2	17	38,534	0.1
Valid skip	6	10,194	30,767,244	99.3
Not stated	9	15	29,074	0.1
Total		10,293	30,995,450	100.0

Variable Name: IDU\_10P Length: 2.0 Position: 283

**Question Name:** 

**Concept:** Age first started injecting drugs

Question Text: How old were you when you first started injecting drugs?

Universe: PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or  $COC\_Q05 = 1$  or  $MET\_Q05 = 1$  or  $XTC\_Q05 = 1$  or  $HAL\_Q05 = 1$  or  $GLU\_Q05 = 1$  or  $HER\_Q05 = 1$  or  $SAL\_Q05A = 1$  or  $SPI\_Q05A = 1$  or  $MEP\_Q05A = 1$  or  $SPI\_Q05A$ 

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and IDU\_05A = 1

Note: Based on IDU\_10 and DV\_AGEP

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Age in years		14 - 65	79	188,830	0.6
Valid skip		96	10,194	30,767,244	99.3
Not stated		99	20	39,376	0.1
	Total		10,293	30,995,450	100.0

Variable Name: IDU\_15 Length: 1.0 Position: 285

Question Name: IDU\_Q15

Concept: Have injected any drug - 12 mo

Question Text: During the past 12 months, have you injected any drug?

Universe: PR Q05 = 1 or STI Q05A = 1 or SED Q05A = 1 or OTC Q05 = 1 or CAN Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and IDU\_05A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	21	63,707	0.2
No	2	60	130,187	0.4
Valid skip	6	10,194	30,767,244	99.3
Not stated	9	18	34,313	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_05A Length: 1.0 Position: 286

Question Name: DHA Q05A

Concept: Drug affects friendships or social life - 12 mo

Question Text: During the past 12 months, was there a time that you felt your drug use had a harmful

effect on any of the following? - Your friendships or social life

Universe: PR\_Q15B = 1 or PR\_Q45 = 1 or PR\_Q50 = 1 or PR\_Q55B = 1 or STI\_Q20 = 1 or

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	74	351,855	1.1
No	2	2,101	6,640,746	21.4
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	17	32,758	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_05B Length: 1.0 Position: 287

Question Name: DHA\_Q05B

**Concept:** Drug affects physical health - 12 mo

Question Text: During the past 12 months, was there a time that you felt your drug use had a harmful

effect on any of the following? - Your physical health

Universe:  $PR_Q15B = 1 \text{ or } PR_Q45 = 1 \text{ or } PR_Q50 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ o$ 

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	139	631,377	2.0
No	2	2,037	6,366,478	20.5
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	16	27,505	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_05C Length: 1.0 Position: 288

Question Name: DHA\_Q05C

Concept: Drug affects mental health - 12 mo

Question Text: During the past 12 months, was there a time that you felt your drug use had a harmful

effect on any of the following? - Your mental health

Universe:  $PR_Q15B = 1 \text{ or } PR_Q45 = 1 \text{ or } PR_Q50 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ o$ 

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	144	643,842	2.1
No	2	2,033	6,338,736	20.5
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	15	42,782	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_05D Length: 1.0 Position: 289

Question Name: DHA\_Q05D

Concept: Drug affects home life, family or relationship - 12 mo

Question Text: During the past 12 months, was there a time that you felt your drug use had a harmful

effect on any of the following? - Your home life, family or relationship

Universe: PR\_Q15B = 1 or PR\_Q45 = 1 or PR\_Q50 = 1 or PR\_Q55B = 1 or STI\_Q20 = 1 or

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	86	370,671	1.2
No	2	2,092	6,632,602	21.4
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	14	22,087	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_05E Length: 1.0 Position: 290

Question Name: DHA\_Q05E

Concept: Drug affects work, studies, or employment opportunities - 12 mo

Question Text: During the past 12 months, was there a time that you felt your drug use had a harmful

effect on any of the following? - Your work, studies, or employment opportunities

Universe: PR\_Q15B = 1 or PR\_Q45 = 1 or PR\_Q50 = 1 or PR\_Q55B = 1 or STI\_Q20 = 1 or

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL Q15 = 1 or GLU Q15 = 1 or HER Q15A = 1 or SAL Q05B = 1 or SPI Q05B =

1 or MEP Q05B = 1 or BZP Q05B = 1 or KRT Q05B = 1 or ODS Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	70	306,769	1.0
No	2	2,105	6,689,077	21.6
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	17	29,513	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_05F Length: 1.0 Position: 291

Question Name: DHA\_Q05F

Concept: Drug affects financial position - 12 mo

Question Text: During the past 12 months, was there a time that you felt your drug use had a harmful

effect on any of the following? - Your financial position

Universe:  $PR_Q15B = 1 \text{ or } PR_Q45 = 1 \text{ or } PR_Q50 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ o$ 

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

_	
C	-
SOL	rce

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	81	351,691	1.1
No	2	2,094	6,639,991	21.4
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	17	33,678	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_10A Length: 1.0 Position: 292

Question Name: DHA\_Q10A

Concept: Had legal problems because of drug use - 12 mo

Question Text: During the past 12 months, was there a time when you had any of the following prob-

lems because of your drug use? - Legal problems

Universe: PR\_Q15B = 1 or PR\_Q45 = 1 or PR\_Q50 = 1 or PR\_Q55B = 1 or STI\_Q20 = 1 or

 $STI\_Q25 = 1$  or  $STI\_Q30 = 1$  or  $SED\_Q20 = 1$  or  $SED\_Q25 = 1$  or  $SED\_Q30 = 1$  or  $OTC\_Q05 = 1$  or  $CAN\_Q20A = 1$  or  $COC\_Q15A = 1$  or  $CAN\_Q20A = 1$  or  $COC\_Q15A = 1$  or  $CAN\_Q20A = 1$  or

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	6	36,991	0.1
No	2	2,170	6,958,055	22.4
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	16	30,314	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA\_10B Length: 1.0 Position: 293

Question Name: DHA\_Q10B

Concept: Had housing problems because of drug use - 12 mo

Question Text: During the past 12 months, was there a time when you had any of the following prob-

lems because of your drug use? - Housing problems

Universe: PR\_Q15B = 1 or PR\_Q45 = 1 or PR\_Q50 = 1 or PR\_Q55B = 1 or STI\_Q20 = 1 or

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	14	71,452	0.2
No	2	2,160	6,921,626	22.3
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	18	32,282	0.1
Total		10,293	30,995,450	100.0

Variable Name: DHA 10C Length: 1.0 Position: 294

Question Name: DHA\_Q10C

Concept: Had difficulty learning things because of drug use - 12 mo

Question Text: During the past 12 months, was there a time when you had any of the following prob-

lems because of your drug use? - Learning difficulties

Universe:  $PR_Q15B = 1 \text{ or } PR_Q45 = 1 \text{ or } PR_Q50 = 1 \text{ or } PR_Q55B = 1 \text{ or } STI_Q20 = 1 \text{ o$ 

STI\_Q25 = 1 or STI\_Q30 = 1 or SED\_Q20 = 1 or SED\_Q25 = 1 or SED\_Q30 = 1 or OTC\_Q05 = 1 or CAN\_Q20A = 1 or COC\_Q15A = 1 or MET\_Q15 = 1 or XTC\_Q15 = 1 or HAL\_Q15 = 1 or GLU\_Q15 = 1 or HER\_Q15A = 1 or SAL\_Q05B = 1 or SPI\_Q05B =

1 or MEP\_Q05B = 1 or BZP\_Q05B = 1 or KRT\_Q05B = 1 or ODS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	31	156,832	0.5
No	2	2,144	6,838,086	22.1
Valid skip	6	8,101	23,970,090	77.3
Not stated	9	17	30,442	0.1
Total		10,293	30,995,450	100.0

Variable Name: OD 05 Length: 1.0 Position: 295

Question Name: OD Q05

Concept: Has overdosed - ever

**Question Text:** Have you ever overdosed?

**Universe:** PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1

Note:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	93	327,444	1.1
No	2	6,984	20,273,960	65.4
Valid skip	6	3,184	10,319,757	33.3
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD 10A Length: 1.0 Position: 296

Question Name: OD\_Q10

Concept: Last time overdosed - someone called ambulance/brought to hospital

**Question Text:** The last time it happened, did someone take any of the following actions to assist you?

- Call for an ambulance or bring you to the hospital

**Universe:** PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT Q05A = 1 or ODS Q05 = 1 and OD Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	42	134,270	0.4
No	2	51	193,174	0.6
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD\_10B Length: 1.0 Position: 297

Question Name: OD\_Q10

Concept: Last time overdosed - someone placed in rescue position

Question Text: The last time it happened, did someone take any of the following actions to assist you?

- Place you in rescue position

**Universe:** PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or  $COC\_Q05 = 1$  or  $MET\_Q05 = 1$  or  $XTC\_Q05 = 1$  or  $HAL\_Q05 = 1$  or  $GLU\_Q05 = 1$  or  $HER\_Q05 = 1$  or  $SAL\_Q05A = 1$  or  $SPL\_Q05A = 1$ 

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and OD\_Q05 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	15	76,178	0.2
No	2	78	251,266	8.0
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD 10CDP Length: 1.0 Position: 298

**Question Name:** 

Concept: Last time overdosed - someone performed CPR or administered naloxone

Question Text: The last time it happened, did someone take any of the following actions to assist you?

- Perform rescue breathing, heart massage or cardiopulmonary resuscitation (CPR) on

you OR Administer naloxone to you

**Universe:** PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and OD\_Q05 = 1

Note: Based on OD 10C and OD 10D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, someone performed CPR or someone administered naloxone	1	9	66,466	0.2
No, no one performed CPR or no one administered naloxone	2	84	260,977	8.0
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD\_10E Length: 1.0 Position: 299

Question Name: OD Q10

Concept: Last time overdosed - someone provided another kind of assistance

**Question Text:** The last time it happened, did someone take any of the following actions to assist you?

- Provide you with another kind of assistance not already mentioned

Universe: PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and OD\_Q05 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	20	87,566	0.3
No	2	73	239,878	0.8
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD\_10F Length: 1.0 Position: 300

Question Name: OD\_Q10

Concept: Last time overdosed - did not receive assistance

Question Text: The last time it happened, did someone take any of the following actions to assist you?

- You did not receive assistance

Universe: PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and OD\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	22	84,594	0.3
No	2	71	242,850	8.0
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD\_10G Length: 1.0 Position: 301

Question Name: OD Q10

Concept: Last time overdosed - don't know if someone took action

**Question Text:** The last time it happened, did someone take any of the following actions to assist you?

- Don't know

Universe: PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or CAN\_Q05A = 1

or COC\_Q05 = 1 or MET\_Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A

= 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and OD\_Q05 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	8	24,210	0.1
No	2	85	303,234	1.0
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: OD\_15 Length: 1.0 Position: 302

Question Name: OD\_Q15

Concept: Have seen someone have a drug overdose - ever

Question Text: Have you ever seen someone have a drug overdose?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	906	2,934,035	9.5
No	2	9,320	27,856,388	89.9
Not stated	9	67	205,027	0.7
Total		10,293	30,995,450	100.0

Variable Name: OD\_20 Length: 1.0 Position: 303

Question Name: OD\_Q20

Concept: Have obtained a naloxone kit - 12 mo

Question Text: In the past 12 months, have you obtained a naloxone kit?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	97	541,723	1.7
No		2	10,103	30,202,310	97.4
Not stated		9	93	251,417	0.8
	Total		10,293	30,995,450	100.0

Variable Name: OD\_25 Length: 1.0 Position: 304

Question Name: OD\_Q25

**Concept:** Main reason obtained a naloxone kit

**Question Text:** What is the main reason you obtained a naloxone kit?

**Universe:** OD\_Q20 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
In case you need it for yourself	1	7	65,842	0.2
In case someone in your family needs it	2	7	27,501	0.1
In case a friend needs it	3	14	66,078	0.2
In case someone on the street or at a venue needs it	4	46	279,268	0.9
Other	5	23	103,033	0.3
Valid skip	6	10,103	30,202,310	97.4
Not stated	9	93	251,417	0.8
Total		10,293	30,995,450	100.0

Variable Name: TT\_05 Length: 1.0 Position: 305

Question Name: TT\_Q05

**Concept:** Felt needed professional help for alcohol or drug use - ever

Question Text: Have you ever felt that you needed professional help for your alcohol or drug use?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

 $CAN_Q05A = 1$  or  $COC_Q05 = 1$  or  $MET_Q05 = 1$  or  $XTC_Q05 = 1$  or  $HAL_Q05 = 1$  or  $GLU_Q05 = 1$  or  $HER_Q05 = 1$  or  $SAL_Q05A = 1$  or  $SPL_Q05A = 1$  or  $MEP_Q05A$ 

= 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	258	744,727	2.4
No	2	9,408	27,413,826	88.4
Valid skip	6	588	2,695,847	8.7
Not stated	9	39	141,051	0.5
Total		10,293	30,995,450	100.0

Variable Name: TT\_10A Length: 1.0 Position: 306

Question Name: TT\_Q10A

Concept: Sought professional help for alcohol or drug use - ever

Question Text: Have you ever sought professional help for your alcohol or drug use?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A

= 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	217	559,415	1.8
No	2	9,442	27,668,493	89.3
Valid skip	6	588	2,695,847	8.7

	Weighted Frequency	<u>%</u>
46 10 293	71,695 30,995,450	0.2 100.0
	46 10,293	- ,

Variable Name: TT\_10B Length: 1.0 Position: 307

Question Name: TT\_Q10B

Concept: Sought professional help for alcohol or drug use - 12 mo

Question Text: Was it in the past 12 months?

Universe: ALC\_Q05 = 1 or  $PR_Q05 = 1$  or  $STI_Q05A = 1$  or  $SED_Q05A = 1$  or  $OTC_Q05 = 1$  or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A

= 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and TT\_Q10A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	32	114,611	0.4
No	2	179	429,061	1.4
Valid skip	6	10,030	30,364,340	98.0
Not stated	9	52	87,438	0.3
Total		10,293	30,995,450	100.0

Variable Name: TT 20 Length: 1.0 Position: 308

Question Name: TT Q20

Concept: Offered professional help for alcohol or drug use - ever

Question Text: Have you ever been offered professional help for your alcohol or drug use?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

 $CAN\_Q05A = 1$  or  $COC\_Q05 = 1$  or  $MET\_Q05 = 1$  or  $XTC\_Q05 = 1$  or  $HAL\_Q05 = 1$  or  $GLU\_Q05 = 1$  or  $HER\_Q05 = 1$  or  $SAL\_Q05A = 1$  or  $SPI\_Q05A = 1$  or  $MEP\_Q05A$ 

= 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	196	630,650	2.0
No	2	9,462	27,548,849	88.9
Valid skip	6	588	2,695,847	8.7
Not stated	9	47	120,104	0.4
Total		10,293	30,995,450	100.0

Variable Name: TT\_25A Length: 1.0 Position: 309

Question Name: TT\_Q25A

Concept: Received professional help for alcohol or drug use - ever

**Question Text:** Have you ever received professional help for your alcohol or drug use?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

 $CAN_Q05A = 1$  or  $COC_Q05 = 1$  or  $MET_Q05 = 1$  or  $XTC_Q05 = 1$  or  $HAL_Q05 = 1$  or  $GLU_Q05 = 1$  or  $HER_Q05 = 1$  or  $SAL_Q05A = 1$  or  $SPI_Q05A = 1$  or  $MEP_Q05A$ 

= 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	215	550,612	1.8
No	2	9,481	27,739,757	89.5
Valid skip	6	588	2,695,847	8.7
Not stated	9	9	9,235	0.0
Total		10,293	30,995,450	100.0

Variable Name: TT\_25BP Length: 2.0 Position: 310

**Question Name:** 

**Concept:** Num of times received professional help for alcohol or drug use - ever

**Question Text:** Have you ever received professional help for your alcohol or drug use?

How many times?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A

= 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and TT\_Q25A = 1

Note: Based on TT 25B

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
1 time	01	94	237,406	0.8
2 times	02	33	69,555	0.2
3 times	03	19	38,090	0.1
4 times	04	10	17,853	0.1
5 times	05	9	23,065	0.1
6 times	06	10	27,255	0.1
7 times or more	07	37	134,109	0.4
Valid skip	96	10,069	30,435,604	98.2
Not stated	99	12	12,514	0.0
Total		10,293	30,995,450	100.0

Variable Name: TT\_30 Length: 1.0 Position: 312

Question Name: TT\_Q30

**Concept:** Received professional help for alcohol or drug use - 12 mo

Question Text: During the past 12 months, have you received professional help for your alcohol or drug

use?

**Universe:** ALC Q05 = 1 or PR Q05 = 1 or STI Q05A = 1 or SED Q05A = 1 or OTC Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A

= 1 or BZP Q05A = 1 or KRT Q05A = 1 or ODS Q05 = 1 and TT Q25A = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	29	112,370	0.4
No	2	186	438,242	1.4
Valid skip	6	10,069	30,435,604	98.2
Not stated	9	9	9,235	0.0
Total		10,293	30,995,450	100.0

Variable Name: TT\_35 Length: 1.0 Position: 313

Question Name: TT Q35

**Concept:** Issue for which received professional help - 12 mo

Question Text: During the past 12 months, for which issue did you receive professional help?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and TT\_Q25A = 1 and TT\_Q30

= 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
For an alcohol issue only	1	12	29,920	0.1
For a drug issue only	2	13	54,058	0.2
Valid skip	6	10,255	30,873,846	99.6
Not stated	9	13	37,626	0.1
Total		10,293	30,995,450	100.0

Variable Name: TT\_40 Length: 1.0 Position: 314

Question Name: TT\_Q40

**Concept:** Type of issue - inpatient/outpatient/both - 12 mo

Question Text: During the past 12 months, when you received professional help for your [alcohol is-

sue/drug issue/alcohol and drug issues/alcohol or drug issue], was it as an inpatient,

an outpatient or both?

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and TT\_Q25A = 1 and TT\_Q30

= 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
An outpatient	2	24	87,053	0.3
Both	3	5	25,316	0.1
Valid skip	6	10,255	30,873,846	99.6
Not stated	9	9	9,235	0.0
Total		10,293	30,995,450	100.0

Variable Name: TT\_45P Length: 1.0 Position: 315

**Question Name:** 

Concept: Time waited to begin treatment

Question Text: For the treatment you received in the past 12 months, how long did you have to wait to

begin treatment or receive professional help?

Universe: All respondents

Note: Based on TT\_45A and TT\_45B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 days to less than 1 month	1	20	70,183	0.2
1 month or more	2	8	37,183	0.1
Valid skip	6	10,255	30,873,846	99.6
Not stated	9	10	14,238	0.0
Total		10,293	30,995,450	100.0

Variable Name: TT\_50 Length: 1.0 Position: 316

Question Name: TT\_Q50

Concept: Helpfulness of treatment received - 12 mo

Question Text: How helpful was the treatment or professional help that you received in the past 12

months?

Universe: ALC Q05 = 1 or PR Q05 = 1 or STI Q05A = 1 or SED Q05A = 1 or OTC Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and TT\_Q25A = 1 and TT\_Q30

= 1 or NR

Note:

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Very helpful	1	18	70,380	0.2
Somewhat helpful	2	9	35,662	0.1
Valid skip	6	10,255	30,873,846	99.6
Not stated	9	11	15,563	0.1
Tota		10,293	30,995,450	100.0

Variable Name: TT\_60A Length: 1.0 Position: 317

Question Name: TT Q60A

Concept: Obstacle to receiving help - Waiting list too long

Question Text: Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- The waiting list was too long

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT Q20 = 1) and TT Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	10	28,109	0.1
Agree	2	14	49,398	0.2
Neither agree nor disagree	3	65	227,384	0.7
Disagree	4	21	58,476	0.2
Strongly disagree	5	21	78,858	0.3
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	19	77,374	0.2
Total		10,293	30,995,450	100.0

Variable Name: TT\_60B Length: 1.0 Position: 318

Question Name: TT\_Q60B

**Concept:** Obstacle to receiving help - Treatment type desired not available

**Question Text:** Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- The type of treatment desired was not available

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

Page 118 - 187

= 1 or TT\_Q20 = 1) and TT\_Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	6	17,130	0.1
Agree	2	15	72,031	0.2
Neither agree nor disagree	3	63	204,763	0.7
Disagree	4	29	78,625	0.3
Strongly disagree	5	18	69,676	0.2
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	19	77,374	0.2
Total		10,293	30,995,450	100.0

Variable Name: TT\_60C Length: 1.0 Position: 319

Question Name: TT\_Q60C

**Concept:** Obstacle to receiving help - Treatment not covered by insurance

Question Text: Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- The treatment was not covered by insurance

**Universe:** ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT\_Q20 = 1) and TT\_Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	10	39,318	0.1
Agree	2	21	105,490	0.3
Neither agree nor disagree	3	65	205,678	0.7
Disagree	4	17	21,589	0.1
Strongly disagree	5	15	48,678	0.2
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	22	98,846	0.3
Total		10,293	30,995,450	100.0

Variable Name: TT\_60D Length: 1.0 Position: 320

Question Name: TT\_Q60D

Concept: Obstacle to receiving help - Transportation difficult

Question Text: Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- Transportation was difficult

**Universe:** ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT Q20 = 1) and TT Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	5	17,607	0.1
Agree	2	12	39,372	0.1
Neither agree nor disagree	3	56	190,238	0.6
Disagree	4	29	81,169	0.3
Strongly disagree	5	28	93,028	0.3
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	20	98,186	0.3
Total		10,293	30,995,450	100.0

Variable Name: TT 60E Length: 1.0 Position: 321

Question Name: TT Q60E

Concept: Obstacle to receiving help - Personal/family responsibilities

**Question Text:** Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- You had personal or family responsibilities

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT Q20 = 1) and TT Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	13	41,533	0.1
Agree	2	20	99,703	0.3
Neither agree nor disagree	3	56	161,897	0.5
Disagree	4	22	59,292	0.2
Strongly disagree	5	20	79,800	0.3
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	19	77,374	0.2
Total		10,293	30,995,450	100.0

Variable Name: TT\_60F Length: 1.0 Position: 322

Question Name: TT\_Q60F

**Concept:** Obstacle to receiving help - Too busy

Question Text: Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- You were too busy

Universe: ALC Q05 = 1 or PR Q05 = 1 or STI Q05A = 1 or SED Q05A = 1 or OTC Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT\_Q20 = 1) and TT\_Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>	
Strongly agree	1	12	46,318	0.1	
Agree	2	29	127,665	0.4	
Neither agree nor disagree	3	48	133,399	0.4	
Disagree	4	24	76,458	0.2	
Strongly disagree	5	17	57,975	0.2	
Valid skip	6	10,143	30,475,851	98.3	
Not stated	9	20	77,783	0.3	
Total		10,293	30,995,450	100.0	

Variable Name: TT 60G Length: 1.0 Position: 323

Question Name: TT Q60G

Concept: Obstacle to receiving help - Felt did not need treatment

Question Text: Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- You felt you did not need treatment

Universe:  $ALC_Q05 = 1 \text{ or } PR_Q05 = 1 \text{ or } STI_Q05A = 1 \text{ or } SED_Q05A = 1 \text{ or } OTC_Q05 = 1 \text{ or } STI_Q05A = 1 \text{ or } S$ 

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT\_Q20 = 1) and TT\_Q25A = 2

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Strongly agree	1	21	79,084	0.3
Agree	2	43	170,030	0.5
Neither agree nor disagree	3	28	95,579	0.3
Disagree	4	28	70,516	0.2
Strongly disagree	5	12	37,495	0.1
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	18	66,896	0.2

Answer Categories Code Frequency Weighted Frequency %

**Total** 10,293 30,995,450 100.0

Variable Name: TT\_60H Length: 1.0 Position: 324

Question Name: TT\_Q60H

**Concept:** Obstacle to receiving help - Language or cultural difficulties

**Question Text:** Each of the following statements describes potential obstacles to receiving professional

help for your alcohol or drug use.

Indicate to what extent you agree or disagree with each of the following statements.

- You had language or cultural difficulties

Universe: ALC\_Q05 = 1 or PR\_Q05 = 1 or STI\_Q05A = 1 or SED\_Q05A = 1 or OTC\_Q05 = 1 or

CAN\_Q05A = 1 or COC\_Q05 = 1 or MET\_ Q05 = 1 or XTC\_Q05 = 1 or HAL\_Q05 = 1 or GLU\_Q05 = 1 or HER\_Q05 = 1 or SAL\_Q05A = 1 or SPI\_Q05A = 1 or MEP\_Q05A = 1 or BZP\_Q05A = 1 or KRT\_Q05A = 1 or ODS\_Q05 = 1 and (TT\_Q05 = 1 or TT\_Q10A)

= 1 or TT\_Q20 = 1) and TT\_Q25A = 2

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Neither agree nor disagree	3	39	131,964	0.4
Disagree	4	39	106,465	0.3
Strongly disagree	5	48	176,572	0.6
Valid skip	6	10,143	30,475,851	98.3
Not stated	9	24	104,599	0.3
Total		10,293	30,995,450	100.0

Variable Name: SS 05 Length: 1.0 Position: 325

Question Name: SS\_Q05

Concept: Smoked at least 100 cigarettes - lifetime

**Question Text:** Have you smoked at least 100 cigarettes in your life?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	4,522	11,166,471	36.0
No	2	5,159	15,378,333	49.6
Not stated	9	612	4,450,646	14.4
Total		10,293	30,995,450	100.0

Variable Name: SS 10 Length: 1.0 Position: 326

Question Name: SS\_Q10

**Concept:** Frequency smoke cigarretes - present time

Question Text: At the present time, do you smoke cigarettes daily, occasionally or not at all?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Daily	1	990	2,548,938	8.2
Occasionally	2	375	1,209,512	3.9
Not at all	3	8,331	22,828,352	73.7
Not stated	9	597	4,408,648	14.2
Total		10,293	30,995,450	100.0

Variable Name: SS\_15 Length: 1.0 Position: 327

Question Name: SS\_Q15

Concept: Smoked cigarettes - 30 days

Question Text: During the past 30 days, did you smoke any cigarettes?

**Universe:**  $SS_Q10 = 2, 3 \text{ or NR}$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	373	1,207,876	3.9
No	2	8,319	22,783,342	73.5
Valid skip	6	990	2,548,938	8.2
Not stated	9	611	4,455,294	14.4
Total		10,293	30,995,450	100.0

Variable Name: SS\_20 Length: 1.0 Position: 328

Question Name: SS\_Q20

Concept: Used or tried e-cigarette or vaping device - ever

**Question Text:** Have you ever used or tried an e-cigarette or vaping device?

Universe: All respondents

Note:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	1,554	5,760,439	18.6
No		2	8,737	25,231,313	81.4
Not stated		9	2	3,698	0.0
	Total		10,293	30,995,450	100.0

Variable Name: SS\_25 Length: 1.0 Position: 329

Question Name: SS\_Q25

Concept: Used e-cigarette or vaping device every day - 30 days

Question Text: In the past 30 days, did you use an e-cigarette or vaping device every day?

Universe: SS\_Q20 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	219	738,951	2.4
No	2	1,332	5,013,478	16.2
Valid skip	6	8,737	25,231,313	81.4
Not stated	9	5	11,709	0.0
Total		10,293	30,995,450	100.0

Variable Name: DEM\_05P Length: 1.0 Position: 330

**Question Name:** 

Concept: Marital status

Question Text: What is your marital status?

Universe: All respondents

Note: Based on DEM\_05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Married/Living common law	1	6,043	18,520,542	59.8
Separated/Divorced/Widowed (not living	2	2,157	3,956,565	12.8
common law)				
Never married (not living common law)	3	1,470	4,051,868	13.1
Not stated	9	623	4,466,475	14.4
Total		10,293	30,995,450	100.0

Variable Name: AB\_15 Length: 1.0 Position: 331

**Question Name:** 

**Concept:** Aboriginal identity

Question Text: Are you an Aboriginal person, that is, First Nations (North American Indian), Métis or

Inuk (Inuit)?

Universe: All respondents

Note: Based on DEM\_15A to DEM\_15D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, aboriginal identity	1	304	576,241	1.9
No, aboriginal identity	2	9,953	30,243,136	97.6
Not stated	9	36	176,073	0.6
Total		10,293	30,995,450	100.0

Variable Name: DEM\_20 Length: 2.0 Position: 332

Question Name: DEM\_Q20

Concept: Highest certificate, diploma or degree completed

Question Text: What is the highest certificate, diploma or degree that you have completed?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than high school diploma or its equivalent	01	857	1,869,824	6.0
High school diploma or a high school equivalency certificate	02	2,168	5,671,891	18.3
Trade certificate or diploma	03	1,016	2,368,042	7.6
College/CEGEP/other non-university certificate or diploma	04	2,048	5,535,311	17.9
University certificate or diploma below the bachelor's level	05	477	1,372,078	4.4
Bachelor's degree (e.g. B.A., B.Sc., LL.B.)	06	1,967	6,196,660	20.0
University certificate, diploma, degree above the BA level	07	1,113	3,446,215	11.1
Not stated	99	647	4,535,428	14.6
Total		10,293	30,995,450	100.0

Variable Name: DEM\_25 Length: 1.0 Position: 334

Question Name: DEM\_Q25

Concept: Currently attending a school, college, CEGEP or university

**Question Text:** Are you currently attending a school, college, CEGEP or university?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	256	1,057,546	3.4
No	2	9,423	25,462,018	82.1
Not stated	9	614	4,475,886	14.4
	Total	10,293	30,995,450	100.0

Variable Name: DEM\_27A Length: 1.0 Position: 335

Question Name: DEM\_Q27

**Concept:** Type attending - Elementary, junior high school or high school

Question Text: What type of educational institution are you attending? - Elementary, junior high school

or high school

Universe: DEM\_Q25 = 1 or NR

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
No	2	233	971,292	3.1
Valid skip	6	9,423	25,462,018	82.1
Not stated	9	637	4,562,140	14.7
Total		10,293	30,995,450	100.0

Variable Name: DEM\_27B Length: 1.0 Position: 336

Question Name: DEM\_Q27

**Concept:** Type attending - non-university institution

Question Text: What type of educational institution are you attending? - Trade school, college, CEGEP

or other non-university institution

Universe: DEM\_Q25 = 1 or NR

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	83	349,843	1.1
No	2	150	621,450	2.0
Valid skip	6	9,423	25,462,018	82.1
Not stated	9	637	4,562,140	14.7
Total		10,293	30,995,450	100.0

Variable Name: DEM\_27C Length: 1.0 Position: 337

Question Name: DEM\_Q27

**Concept:** Type attending - university

**Question Text:** What type of educational institution are you attending? - University

Universe:  $DEM_Q25 = 1 \text{ or NR}$ 

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	151	621,571	2.0
No	2	82	349,721	1.1
Valid skip	6	9,423	25,462,018	82.1
Not stated	9	637	4,562,140	14.7
Total		10,293	30,995,450	100.0

Variable Name: DEM\_30 Length: 1.0 Position: 338

Question Name: DEM\_Q30

Concept: Worked at a job or business last week

Question Text: Last week, did you work at a job or business?

Universe: All respondents

Note:

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	5,206	16,063,733	51.8
No	2	4,471	10,473,073	33.8
Not stated	9	616	4,458,644	14.4
Total		10,293	30,995,450	100.0

Variable Name: DEM\_35 Length: 1.0 Position: 339

Question Name: DEM Q35

Concept: Absent from job or business last week

Question Text: Last week, did you have a job or business from which you were absent?

Universe: DEM\_Q30 = 2

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	416	1,180,852	3.8
No	2	4,036	9,247,903	29.8
Valid skip	6	5,206	16,063,733	51.8
Not stated	9	635	4,502,962	14.5
Total		10,293	30,995,450	100.0

Variable Name: DEM\_40P Length: 2.0 Position: 340

**Question Name:** 

Concept: Reason for absence from work last week

Question Text: What was the main reason you were absent from work last week?

**Universe:** DEM\_Q30 = 2 and DEM\_35 = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Vacation	01	167	517,049	1.7
Own illness or disability	02	98	234,734	8.0
Caring for own children/for elder relative	03	7	14,799	0.0
Maternity or parental leave	05	59	203,489	0.7
Other personal or family responsibilities	06	8	32,222	0.1
Temporary layoff due to business	08	5	8,206	0.0
conditions				
Seasonal layoff/Seasonal business	09	24	33,964	0.1
Casual job, no work available	10	5	21,175	0.1
Work schedule	11	8	13,518	0.0
Self-employed, no work available	12	7	20,512	0.1
Other	14	28	81,184	0.3
Valid skip	96	9,242	25,311,636	81.7
Not stated	99	635	4,502,962	14.5
Total		10,293	30,995,450	100.0

Variable Name: DEM\_45 Length: 1.0 Position: 342

Question Name: DEM\_Q45

Concept: Employee or self-employed

**Question Text:** Were you an employee or self-employed?

Universe: DEM\_Q30 = 1 or (DEM\_Q35 = radio 1 and DEM\_Q40 = (1, 2, 3, 4, 5, 6, 7, 11, 12, 13

or 14))

Note:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Employee	1	4,582	13,882,548	44.8
Self-employed	2	962	3,192,592	10.3

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Valid skip		6	4,069	9,311,115	30.0
Not stated		9	680	4,609,196	14.9
	Total		10,293	30,995,450	100.0

Variable Name: INC\_50 Length: 2.0 Position: 343

**Question Name:** 

Concept: Household income

Question Text: What is your best estimate of your total household income received by all household

members, from all sources, before taxes and deductions, during the year ending De-

cember 31, 2018?

Universe: All respondents

Note: Based on DEM\_47 + DEM\_50A to C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than \$20,000	01	675	1,556,222	5.0
\$20,000 to less than \$40,000	02	1,504	3,653,629	11.8
\$40,000 to less than \$60,000	03	1,497	3,641,116	11.7
\$60,000 to less than \$80,000	04	1,319	3,433,861	11.1
\$80,000 to less than \$100,000	05	1,008	2,802,946	9.0
\$100,000 to less than \$150,000	06	1,537	4,694,462	15.1
\$150,000 and over	07	1,392	4,935,783	15.9
Not stated	99	1,361	6,277,431	20.3
Total		10,293	30,995,450	100.0

Variable Name: ALCPTRN Length: 2.0 Position: 345

**Question Name:** 

Concept: Alcohol pattern

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q15 and ALC\_Q05

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Abstainer	01	899	4,041,561	13.0
Former drinker	02	1,449	3,256,527	10.5
Current drinker, less than once a month	03	1,995	5,814,102	18.8
Current drinker, once a month	04	726	2,355,423	7.6
Current drinker, 2 to 3 times a month	05	1,241	3,562,787	11.5
Current drinker, once a week	06	1,089	3,248,580	10.5
Current drinker, 2 to 3 times a week	07	1,618	5,019,857	16.2
Current drinker, 4 to 5 times a week	08	608	1,718,857	5.5

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Current drinker, daily or almost daily  Total	09	668 10,293	1,977,756 30,995,450	6.4 100.0

Variable Name: ALCSTAT3 Length: 1.0 Position: 347

**Question Name:** 

Concept: Drinking Status

**Question Text:** 

Universe: All respondents

Note: Based on ALCPTRN

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Abstainer		1	899	4,041,561	13.0
Former drinker		2	1,449	3,256,527	10.5
Current drinker		3	7,945	23,697,363	76.5
	Total		10,293	30,995,450	100.0

Variable Name: ALC12M Length: 1.0 Position: 348

**Question Name:** 

Concept: Alcohol use - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Used alcohol in the past 12 months	1	7,945	23,697,363	76.5
Did not use alcohol in the past 12 months	2	2,348	7,298,087	23.5
Total		10,293	30,995,450	100.0

Variable Name: ALC30D Length: 1.0 Position: 349

**Question Name:** 

Concept: Alcohol use - 30 days

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q45, ALC\_Q15, ALC\_Q05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Used alcohol in the past 30 days	1	6,375	19,177,395	61.9
Did not use alcohol in the past 30 days	2	3,906	11,793,260	38.0
Not stated	9	12	24,795	0.1
Total		10,293	30,995,450	100.0

Variable Name: ALC1\_2R Length: 3.0 Position: 350

**Question Name:** 

**Concept:** Frequency drank alcoholic beverages - 12 mo

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
0 time	000	2,348	7,298,087	23.5
6 times	006	1,995	5,814,102	18.8
12 times	012	726	2,355,423	7.6
30 times	030	1,241	3,562,787	11.5
52 times	052	1,089	3,248,580	10.5
130 times	130	1,618	5,019,857	16.2
234 times	234	608	1,718,857	5.5
365 times	365	668	1,977,756	6.4
Te	otal	10,293	30,995,450	100.0

Variable Name: ALCLEV4 Length: 1.0 Position: 353

**Question Name:** 

Concept: Estimated daily alcohol consumption level - 12 months - 4 cat

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q20, ALC1\_2R and AGS\_Q05

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Abstinence or <1.5 drinks/week	0	6,186	18,340,969	59.2
Low	1	3,551	10,921,212	35.2
Hazardous	2	360	1,168,003	3.8
Harmful	3	131	377,982	1.2
Not stated	9	65	187,284	0.6
Total		10,293	30,995,450	100.0

Variable Name: ALCLEV4D Length: 1.0 Position: 354

**Question Name:** 

Concept: Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT and AGS\_Q05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Abstinence or <1.5 drinks/week	0	6,199	18,562,725	59.9
Low	1	3,492	10,590,350	34.2
Hazardous	2	389	1,195,656	3.9
Harmful	3	121	396,610	1.3
Not stated	9	92	250,108	8.0
Total		10,293	30,995,450	100.0

Variable Name: AHEAVYMN Length: 1.0 Position: 355

**Question Name:** 

Concept: Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q25, ALC\_Q30, SEX

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,115	6,699,960	21.6
No	2	8,171	24,285,365	78.4
Not stated	9	7	10,125	0.0
Total		10,293	30,995,450	100.0

Variable Name: AHEAVYWK Length: 1.0 Position: 356

**Question Name:** 

**Concept:** Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q25, ALC\_Q30, SEX

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	892	2,850,418	9.2
No	2	9,394	28,134,907	90.8
Not stated	9	7	10,125	0.0
Total		10,293	30,995,450	100.0

Variable Name: NUMDRNKM Length: 1.0 Position: 357

**Question Name:** 

**Concept:** Usually drinks 5 or more drinks per occasion-Males - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on ALC\_Q20, ALC\_Q15, SEX, ALC\_Q05

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	469	1,538,646	5.0
No		2	4,173	13,660,442	44.1
Valid skip		6	5,624	15,702,195	50.7
Not stated		9	27	94,167	0.3
	Total		10,293	30,995,450	100.0

Variable Name: NUMDRNKF Length: 1.0 Position: 358

**Question Name:** 

**Concept:** Usually drinks 4 or more drinks per occasion-Females - 12 mo.

**Question Text:** 

Universe: Al respondents

Note: Based on ALC\_Q20, ALC\_Q15, SEX, ALC\_Q05

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	483	1,425,346	4.6
No	2	5,103	14,183,732	45.8
Valid skip	6	4,669	15,293,255	49.3
Not stated	9	38	93,117	0.3
Total		10,293	30,995,450	100.0

Variable Name: DRNKDYCF Length: 1.0 Position: 359

**Question Name:** 

Concept: New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT, SEX

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
2 drinks or fewer per day, everyday	1	4,826	13,224,814	42.7
3 drinks or more on at least one day	2	775	2,418,483	7.8
Valid skip	6	4,669	15,293,255	49.3
Not stated	9	23	58,898	0.2
Total		10,293	30,995,450	100.0

Variable Name: DRNKDYCM Length: 1.0 Position: 360

**Question Name:** 

Concept: New LRDG Indicator male resp 3+ drnks in 1 day- drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT, SEX

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
3 drinks or fewer per day, everyday	1	3,799	12,366,825	39.9
4 drinks or more on at least one day	2	829	2,805,993	9.1
Valid skip	6	5,624	15,702,195	50.7
Not stated	9	41	120,437	0.4
Total		10,293	30,995,450	100.0

Variable Name: DKDYSTRF Length: 1.0 Position: 361

**Question Name:** 

Concept: New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT, SEX

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
3 drinks or fewer per day, everyday	1	5,126	14,133,715	45.6
4 drinks or more on at least one day	2	472	1,500,812	4.8
Valid skip	6	4,669	15,293,255	49.3

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Not stated	9	26	67,668	0.2
•	otal	10,293	30,995,450	100.0

Variable Name: DKDYSTRM Length: 1.0 Position: 362

**Question Name:** 

Concept: New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT, SEX

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
4 drinks or fewer per day, everyday	1	4,021	13,093,637	42.2
5 drinks or more on at least one day	2	598	2,057,734	6.6
Valid skip	6	5,624	15,702,195	50.7
Not stated	9	50	141,883	0.5
Total		10,293	30,995,450	100.0

Variable Name: ALC16WK Length: 1.0 Position: 363

**Question Name:** 

Concept: New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT and sex

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
15 or fewer drinks per week	1	4,270	14,068,272	45.4
16 or more drinks per week	2	338	1,051,506	3.4
Valid skip	6	5,624	15,702,195	50.7
Not stated	9	61	173,477	0.6
Total		10,293	30,995,450	100.0

Variable Name: LRSKDRKM Length: 1.0 Position: 364

**Question Name:** 

Concept: Chronic LRDG - week preceding the survey - Males

**Question Text:** 

Universe: All respondents

Note: Based on ALC16WK, DRNKDYCM, SEX

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Within LRDG for chronic disease	1	3,771	12,308,102	39.7
Exceeds LRDG for chronic disease	2	857	2,864,716	9.2
Valid skip	6	5,624	15,702,195	50.7
Not stated	9	41	120,437	0.4
Total		10,293	30,995,450	100.0

Variable Name: ALC11WK Length: 1.0 Position: 365

**Question Name:** 

Concept: New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel

**Question Text:** 

Universe: All respondents

Note: Based on SUN, MON, TUES, WED, THURS, FRI, SAT and sex

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
10 or fewer drinks per week	1	5,266	14,630,599	47.2
11 or more drinks per week	2	327	994,965	3.2
Valid skip	6	4,669	15,293,255	49.3
Not stated	9	31	76,631	0.2
Total		10,293	30,995,450	100.0

Variable Name: LRSKDRKF Length: 1.0 Position: 366

**Question Name:** 

Concept: Chronic LRDG - week preceding the survey - Females

**Question Text:** 

Universe: All respondents

Note: Based on ALC11WK, DRNKDYCF, SEX

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Within LRDG for chronic disease	1	4,773	13,098,760	42.3
Exceeds LRDG for chronic disease	2	828	2,544,537	8.2
Valid skip	6	4,669	15,293,255	49.3
Not stated	9	23	58,898	0.2
Total		10,293	30,995,450	100.0

Page 136 - 187
Totals may not add up due to rounding.

Variable Name: LRDGCHRC Length: 1.0 Position: 367

**Question Name:** 

Concept: Exceeded low-risk drinking guideline - chronic effects- tot. pop.-7d

**Question Text:** 

Universe: All respondents

Note: Based on LRSKDRKF, LRSKDRKM

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Exceeded LRDG for chronic disease	1	1,685	5,409,254	17.5
Within LRDG for chronic disease	2	8,544	25,406,862	82.0
Not stated	9	64	179,334	0.6
Total		10,293	30,995,450	100.0

Variable Name: LRDGCH12 Length: 1.0 Position: 368

**Question Name:** 

**Concept:** Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d

**Question Text:** 

Universe: All respondents

Note: Based on ALC12M, LRDGCHRC

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Current drinkers exceeded LRDG for chronic disease	1	1,685	5,409,254	17.5
Current drinkers within LRDG for chronic disease	2	6,196	18,108,775	58.4
Valid skip	6	2,348	7,298,087	23.5
Not stated	9	64	179,334	0.6
Total		10,293	30,995,450	100.0

Variable Name: LRDGSTM Length: 1.0 Position: 369

**Question Name:** 

Concept: Acute/Short-term LRDG - week preceding the survey - Males

**Question Text:** 

Universe: All respondents

Note: Based on ALC16WK, DKDYSTRM, SEX

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Within LRDG for short-term risk	1	3,947	12,896,587	41.6
Exceeds LRDG for short-term risk	2	672	2,254,785	7.3
Valid skip	6	5,624	15,702,195	50.7
Not stated	9	50	141,883	0.5
Total		10,293	30,995,450	100.0

Variable Name: LRDGSTF Length: 1.0 Position: 370

**Question Name:** 

**Concept:** Acute/Short-term LRDG - week preceding the survey - Females

**Question Text:** 

Universe: All respondents

Note: Based on ALC11WK, DKDYSTRF, AGS\_Q05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Within LRDG for short-term risk	1	5,023	13,858,749	44.7
Exceeds LRDG for short-term risk	2	575	1,775,778	5.7
Valid skip	6	4,669	15,293,255	49.3
Not stated	9	26	67,668	0.2
Total		10,293	30,995,450	100.0

Variable Name: LRDGACUT Length: 1.0 Position: 371

**Question Name:** 

**Concept:** Exceeded low-risk drinking guideline - acute effects - tot. popl'n

**Question Text:** 

Universe: All respondents

Note: Based on SEX,LRDGSTF, LRDGSTM

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Exceeded LRDG for acute risk	1	1,247	4,030,563	13.0
Within LRDG for acute risk	2	8,970	26,755,336	86.3
Not stated	9	76	209,551	0.7
Total		10,293	30,995,450	100.0

Variable Name: LRDGAC12 Length: 1.0 Position: 372

**Question Name:** 

Concept: Exceeded low-risk drinking guideline -acute effects - current drinkers

**Question Text:** 

Universe: All respondents

Note: Based on ALC12M, LRDGACUT

Source:

Code	Frequency	Weighted Frequency	<u>%</u>
1	1,247	4,030,563	13.0
2	6,622	19,457,248	62.8
6	2,348	7,298,087	23.5
9	76	209,551	0.7
	10,293	30,995,450	100.0
	1 2 6	1 1,247 2 6,622 6 2,348 9 76	1 1,247 4,030,563 2 6,622 19,457,248 6 2,348 7,298,087 9 76 209,551

Variable Name: PAIN12MA Length: 1.0 Position: 373

**Question Name:** 

Concept: Used pain relievers - 12 months - including low-dose

**Question Text:** 

Universe: All respondents

**Note:** Based on PR\_Q05, PR\_Q10, PR\_Q20, PR\_Q25, PR\_Q30, PR\_Q35

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,516	4,374,044	14.1
No	2	8,725	26,474,779	85.4
Not stated	9	52	146,627	0.5
Total		10,293	30,995,450	100.0

Variable Name: PAIN12MB Length: 1.0 Position: 374

**Question Name:** 

Concept: Used pain relievers - 12 months - excluding low-dose

**Question Text:** 

Universe: All respondents

Note: Based on PR\_Q05, PR\_Q20, PR\_Q25, PR\_Q30, PR\_Q35

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	777	2,127,762	6.9
No	2	9,463	28,713,760	92.6
Not stated	9	53	153,928	0.5

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 Total
 10,293
 30,995,450
 100.0

Variable Name: PAINNDA Length: 1.0 Position: 375

**Question Name:** 

Concept: Used pain relievers not as directed - 12 mo. - including low-dose

**Question Text:** 

Universe: All respondents

Note: Based on PAIN12MA, PR\_Q15B, PR\_Q45, PR\_Q50, PR\_Q75

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	166	541,151	1.7
No	2	9,358	28,148,634	90.8
Not stated	9	769	2,305,665	7.4
•	otal	10,293	30,995,450	100.0

Variable Name: PAINNDB Length: 1.0 Position: 376

**Question Name:** 

Concept: Used pain relievers not as directed - 12 mo. - excluding low-dose

**Question Text:** 

Universe: All respondents

Note: Based on PAIN12MB, PR\_Q45, PR\_Q50, PR\_Q75

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	123	390,085	1.3
No		2	10,109	30,427,472	98.2
Not stated		9	61	177,892	0.6
	Total		10,293	30,995,450	100.0

Variable Name: PAINABUA Length: 1.0 Position: 377

**Question Name:** 

Concept: Abused pain relievers - 12 mo. - including low-dose

**Question Text:** 

Universe: All respondents

Note: Based on PAIN12MA, PR\_Q15A, PR\_Q55A, PR\_Q55B

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	74	268,799	0.9
No	2	10,173	30,594,036	98.7
Not stated	9	46	132,615	0.4
Total		10,293	30,995,450	100.0

Variable Name:PAINABUBLength: 1.0Position: 378

**Question Name:** 

Concept: Abused pain relievers - 12 mo. - excluding low-dose

**Question Text:** 

Universe: All respondents

Note: Based on PAIN12MB, PR\_Q55A, PR\_Q55B

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	31	111,989	0.4
No		2	10,251	30,853,634	99.5
Not stated		9	11	29,827	0.1
	Total		10,293	30,995,450	100.0

Variable Name: STIM12M Length: 1.0 Position: 379

**Question Name:** 

Concept: Used stimulants - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on STI\_Q05A, STI\_Q05B, STI\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	137	660,780	2.1
No	2	10,150	30,320,456	97.8
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: STIMND Length: 1.0 Position: 380

**Question Name:** 

Concept: Used stimulants not as directed - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on STIM12M, STI\_Q20, STI\_Q25, STI\_Q35

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	34	255,004	8.0
No	2	10,251	30,720,556	99.1
Not stated	9	8	19,890	0.1
Total		10,293	30,995,450	100.0

Variable Name: STIMABUS Length: 1.0 Position: 381

**Question Name:** 

Concept: Abused stimulants - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on STIM12M, STI\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	31	244,262	0.8
No	2	10,256	30,736,973	99.2
Not stated	9	6	14,214	0.0
Total		10,293	30,995,450	100.0

Variable Name: SED12M Length: 1.0 Position: 382

**Question Name:** 

Concept: Used sedatives - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on SED\_Q05A, SED\_Q05B, SED\_Q15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,355	3,301,107	10.7
No	2	8,933	27,681,925	89.3
Not stated	9	5	12,417	0.0
•	otal	10,293	30,995,450	100.0

Variable Name: SEDND Length: 1.0 Position: 383

**Question Name:** 

Concept: Used sedatives not as directed - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on SED12M, SED\_Q20, SED\_Q25, SED\_Q35

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	102	329,622	1.1
No	2	10,181	30,637,827	98.8
Not stated	9	10	28,001	0.1
Total		10,293	30,995,450	100.0

Variable Name: SEDHIGH Length: 1.0 Position: 384

**Question Name:** 

Concept: Used sedatives to get high - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on SED\_Q12M, SED\_Q30

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	22	84,957	0.3
No	2	10,261	30,894,877	99.7
Not stated	9	10	15,616	0.1
Tot	al	10,293	30,995,450	100.0

Variable Name: PHAR12MA Length: 1.0 Position: 385

**Question Name:** 

Concept: Used pharmaceuticals - Include low-dose pain relievers - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on PAIN12MA, STIM12M, SED12M

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,557	7,015,025	22.6
No	2	7,686	23,835,397	76.9
Not stated	9	50	145,029	0.5
Tota		10,293	30,995,450	100.0

Variable Name: PHAR12MB Length: 1.0 Position: 386

**Question Name:** 

**Concept:** Used pharmaceuticals - Exclude low-dose pain relievers - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on PAIN12MB, STIM12M, SED12M

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	1,971	5,226,944	16.9
No		2	8,270	25,615,849	82.6
Not stated		9	52	152,657	0.5
	Total		10,293	30,995,450	100.0

Variable Name: PHARNDA Length: 1.0 Position: 387

**Question Name:** 

Concept: Used pharmaceutic not as directed - incl. low-dose pain reliev.-12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on PAINNDA, STIMND, SEDND

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	278	997,641	3.2
No	2	9,251	27,711,387	89.4
Not stated	9	764	2,286,422	7.4
Total		10,293	30,995,450	100.0

Variable Name: PHARNDB Length: 1.0 Position: 388

**Question Name:** 

Concept: Used pharmaceutic not as directed - excl. low-dose pain reliev.-12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on PAINNDB, STIMND, SEDND

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	237	848,703	2.7
No	2	9,984	29,950,500	96.6
Not stated	9	72	196,247	0.6
Total		10,293	30,995,450	100.0

Variable Name: PHARABUA Length: 1.0 Position: 389

**Question Name:** 

Concept: Abused pharmaceuticals - Include low-dose pain relievers - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on PAINABUA, STIMABUS, SEDHIGH

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	111	492,879	1.6
No	2	10,127	30,361,612	98.0
Not stated	9	55	140,959	0.5
Total		10,293	30,995,450	100.0

Variable Name:PHARABUBLength: 1.0Position: 390

**Question Name:** 

**Concept:** Abused pharmaceuticals - Exclude low-dose pain relievers - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on PAINABUB, STIMABUS, SEDHIGH

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	70	345,665	1.1
No	2	10,201	30,607,836	98.7
Not stated	9	22	41,950	0.1
То	tal	10,293	30,995,450	100.0

Variable Name: CAN12M Length: 1.0 Position: 391

**Question Name:** 

Concept: Cannabis use - 12 months

**Question Text:** 

Universe:

Note: Based on CAN\_Q05A, CAN\_Q20A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,995	6,410,257	20.7
No	2	8,296	24,579,910	79.3
Not stated	9	2	5,283	0.0
To	al	10,293	30,995,450	100.0

Variable Name: CAN3M Length: 1.0 Position: 392

**Question Name:** 

Concept: Cannabis use - 3 months

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q05A, CAN\_Q20A, CAN\_Q60

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,591	5,221,761	16.8
No	2	8,629	25,563,074	82.5
Not stated	9	73	210,615	0.7
Total		10,293	30,995,450	100.0

Variable Name: CAN30D Length: 1.0 Position: 393

**Question Name:** 

Concept: Cannabis use - 30 days

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q05A, CAN\_Q20A, CAN\_Q60, CAN\_Q70

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	1,349	4,281,990	13.8
No		2	8,873	26,506,315	85.5
Not stated		9	71	207,145	0.7
	Total		10,293	30,995,450	100.0

Variable Name: CANPAT Length: 1.0 Position: 394

**Question Name:** 

Concept: Cannabis use status - three categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q05A, CAN12M

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never used cannabis	1	5,895	18,061,471	58.3
Former user; has not used in past 12 months	2	2,401	6,518,439	21.0
Current user; has used in the past 12 months	3	1,995	6,410,257	20.7
Not stated	9	2	5,283	0.0
Total		10,293	30,995,450	100.0

Variable Name: CANPRCC Length: 1.0 Position: 395

**Question Name:** 

**Concept:** Types of products used - Cannabis concentrates

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q25\_2 and CAN\_Q25\_5 and CAN\_Q25\_6

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, used cannabis concentrates	1	392	1,409,474	4.5
No, did not use cannabis concentrates	2	1,532	4,787,103	15.4
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name:CANPREDLength: 1.0Position: 396

**Question Name:** 

Concept: Types of products used - Edibles containing cannabis

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q25\_7 and CAN\_Q25\_8

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, used edibles containing cannabis	1	732	2,644,741	8.5
No, did not use edibles containing	2	1,192	3,551,835	11.5
cannabis				
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	5	17,421	0.1
Total		10,293	30,995,450	100.0

Variable Name: DCAN12M Length: 1.0 Position: 397

**Question Name:** 

**Concept:** Frequency use cannabis - Marijuana or herb - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	765	2,607,498	8.4
Monthly	2	197	780,745	2.5
Weekly	3	235	742,936	2.4
Daily or almost daily	4	412	1,253,760	4.0
Valid skip	6	8,670	25,544,108	82.4
Not stated	9	14	66,403	0.2
Total		10,293	30,995,450	100.0

Variable Name: HASH12M Length: 1.0 Position: 398

**Question Name:** 

Concept: Frequency use cannabis - Hashish or kief - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30B

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	175	584,187	1.9
Monthly	2	47	194,852	0.6
Weekly	3	23	123,178	0.4
Daily or almost daily	4	10	35,220	0.1
Valid skip	6	10,005	29,926,840	96.6
Not stated	9	33	131,173	0.4
Total		10,293	30,995,450	100.0

Variable Name: COIL12M Length: 1.0 Position: 399

**Question Name:** 

Concept: Frequency use cannabis - Cannabis oil - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	374	1,077,229	3.5
Monthly	2	69	231,403	0.7
Weekly	3	81	249,497	8.0
Daily or almost daily	4	106	221,232	0.7
Valid skip	6	9,634	29,125,428	94.0
Not stated	9	29	90,660	0.3
Total		10,293	30,995,450	100.0

Variable Name: CCVP12M Length: 1.0 Position: 400

**Question Name:** 

**Concept:** Frequency use cannabis - Cartridges/disposable vape pens - 4 cat.

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30D

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	175	630,182	2.0
Monthly	2	48	186,465	0.6
Weekly	3	23	88,317	0.3
Daily or almost daily	4	17	40,833	0.1
Valid skip	6	10,018	30,012,792	96.8
Not stated	9	12	36,861	0.1
Total		10,293	30,995,450	100.0

Variable Name: LCON12MP Length: 1.0 Position: 401

**Question Name:** 

**Concept:** Frequency use cannabis - Liquid concentrate - 3 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30EP

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	83	285,416	0.9
Monthly	2	17	49,929	0.2
Weekly / Daily or almost daily	3	9	32,544	0.1
Valid skip	6	10,165	30,578,054	98.7
Not stated	9	19	49,507	0.2
Total		10,293	30,995,450	100.0

Variable Name: SCON12M Length: 1.0 Position: 402

**Question Name:** 

Concept: Frequency use cannabis - Solid concentrate - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30F

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	102	383,346	1.2
Monthly	2	26	86,280	0.3
Weekly	3	12	28,221	0.1
Daily or almost daily	4	20	37,668	0.1
Valid skip	6	10,123	30,423,565	98.2
Not stated	9	10	36,370	0.1
Total		10,293	30,995,450	100.0

Variable Name: EDIB12M Length: 1.0 Position: 403

**Question Name:** 

Concept: Frequency use cannabis - edibles - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30G

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Less than monthly	1	552	2,020,914	6.5
Monthly	2	97	364,730	1.2
Weekly	3	36	133,269	0.4
Daily or almost daily	4	22	53,287	0.2
Valid skip	6	9,569	28,358,065	91.5
Not stated	9	17	65,186	0.2
Total		10,293	30,995,450	100.0

Variable Name: LIQU12MP Length: 1.0 Position: 404

**Question Name:** 

**Concept:** Frequency use cannabis - Liquid - 3 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30HP

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Less than monthly	1	40	99,493	0.3
Monthly	2	10	13,852	0.0
Weekly / Daily or almost daily	3	7	15,065	0.0
Valid skip	6	10,228	30,832,753	99.5
Not stated	9	8	34,287	0.1
Total		10,293	30,995,450	100.0

Variable Name: OTHR12MP Length: 1.0 Position: 405

**Question Name:** 

**Concept:** Frequency use cannabis products - Other - 3 categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q30IP

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Less than monthly	1	17	31,014	0.1
Monthly	2	5	9,202	0.0
Weekly / Daily or almost daily	3	7	23,709	0.1
Valid skip	6	10,256	30,906,302	99.7
Not stated	9	8	25,223	0.1
Total		10,293	30,995,450	100.0

Variable Name: CANALCEV Length: 1.0 Position: 406

**Question Name:** 

Concept: Used cannabis with Alcohol - 2 freq categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	693	2,000,304	6.5
Ever consumed	2	1,223	4,192,831	13.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	13	20,863	0.1
Total		10,293	30,995,450	100.0

Variable Name: CANTOBEV Length: 1.0 Position: 407

**Question Name:** 

Concept: Used cannabis with Tobacco, e-cig or vaping device - 2 freq categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,291	4,140,331	13.4
Ever consumed	2	533	1,783,575	5.8
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	105	290,092	0.9
Total		10,293	30,995,450	100.0

Variable Name: CANPREV Length: 1.0 Position: 408

**Question Name:** 

Concept: Used cannabis with prescribed pain relievers - 2 freq categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45C

ш	rc	

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,752	5,695,014	18.4
Ever consumed	2	65	137,322	0.4
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	112	381,662	1.2
Total		10,293	30,995,450	100.0

Variable Name: CANSTIEV Length: 1.0 Position: 409

**Question Name:** 

Concept: Used cannabis with prescribed stimulants - 2 freq categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,785	5,763,635	18.6
Ever consumed	2	33	154,227	0.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	111	296,136	1.0
Total		10,293	30,995,450	100.0

Variable Name: CANSEDEV Length: 1.0 Position: 410

**Question Name:** 

**Concept:** Used cannabis with prescr sedatives/anti-anxiety medic - 2 freq cat.

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45E

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,673	5,494,285	17.7
Ever consumed	2	151	423,615	1.4
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	105	296,099	1.0
Total		10,293	30,995,450	100.0

Variable Name: CANOPIEV Length: 1.0 Position: 411

**Question Name:** 

Concept: Used cannabis with illicit opioids - 2 frequency categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45F

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,813	5,892,916	19.0
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	116	321,083	1.0
Т	otal	10,293	30,995,450	100.0

Variable Name: CANISTEV Length: 1.0 Position: 412

**Question Name:** 

Concept: Used cannabis with illicit stimulants - 2 freq. categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45G

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,765	5,644,691	18.2
Ever consumed	2	54	268,978	0.9
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	110	300,329	1.0
Total		10,293	30,995,450	100.0

Variable Name: CANHALEV Length: 1.0 Position: 413

**Question Name:** 

**Concept:** Used cannabis with hallucinogens or dissociatives - 2 freq categories

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q45H

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,750	5,574,173	18.0
Ever consumed	2	69	338,453	1.1

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	110	301,372	1.0
Total		10,293	30,995,450	100.0

Variable Name: CANRXEV4 Length: 1.0 Position: 414

**Question Name:** 

Concept: Used cannabis with prescribed medications - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CANPREV, CANSTIEV, CANSEDEV

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,600	5,237,509	16.9
Ever consumed	2	213	591,276	1.9
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	116	385,213	1.2
Total		10,293	30,995,450	100.0

Variable Name: CANILEV4 Length: 1.0 Position: 415

**Question Name:** 

Concept: Used cannabis with illicit substances - 4 categories

**Question Text:** 

Universe: All respondents

Note: Based on CANOPIEV, CANISTEV, CANHALEV

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never consumed	1	1,717	5,424,170	17.5
Ever consumed	2	95	468,446	1.5
Valid skip	6	8,364	24,781,452	80.0
Not stated	9	117	321,383	1.0
Total		10,293	30,995,450	100.0

Variable Name: ASCAN1 Length: 1.0 Position: 416

**Question Name:** 

**Concept:** Frequency of cannabis use in the past 3 months

**Question Text:** 

Universe: All respondents

Note: Based on CAN3M, CAN\_Q60

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	0	8,629	25,563,074	82.5
Once or twice	2	555	2,012,102	6.5
Monthly	3	224	781,529	2.5
Weekly	4	316	1,010,943	3.3
Daily or almost daily	5	496	1,417,187	4.6
Not stated	9	73	210,615	0.7
Total		10,293	30,995,450	100.0

Variable Name: ASCAN2 Length: 2.0 Position: 417

**Question Name:** 

**Concept:** Freq of strong desire / urge to use cannabis - 3 mo.

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, CAN\_Q112A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	00	9,812	29,428,581	94.9
Once or twice	03	222	685,133	2.2
Monthly	04	42	178,315	0.6
Weekly	05	94	296,829	1.0
Daily or almost daily	06	114	394,656	1.3
Not stated	99	9	11,935	0.0
Total		10,293	30,995,450	100.0

Variable Name: ASCAN3 Length: 2.0 Position: 419

**Question Name:** 

**Concept:** Freq of health, soc, legal / finan prob due to cannabis use - 3 mo.

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, CAN\_Q112B

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	00	10,226	30,751,439	99.2
Once or twice	04	30	106,003	0.3
Monthly	05	7	47,160	0.2
Weekly	06	10	29,787	0.1
Daily or almost daily	07	12	50,517	0.2
Not stated	99	8	10,544	0.0
Total		10,293	30,995,450	100.0

Variable Name: ASCAN4 Length: 2.0 Position: 421

**Question Name:** 

**Concept:** Freq of failure to do normal tasks due to cannabis use - 3 mo.

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, CAN\_Q112C

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Never	00	10,188	30,592,287	98.7
Once or twice	05	74	316,364	1.0
Monthly	06	9	30,521	0.1
Daily or almost daily	08	10	37,723	0.1
Not stated	99	12	18,555	0.1
Total		10,293	30,995,450	100.0

Variable Name: ASCAN5 Length: 2.0 Position: 423

**Question Name:** 

**Concept:** Relative or friend expressed concern about cannabis use

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, CAN\_Q105A, CAN\_Q105B

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	00	10,156	30,355,213	97.9
Yes, but not in the past 3 months	03	83	340,009	1.1
Yes, in the last three months	06	45	278,510	0.9
Not stated	99	9	21,718	0.1
Total		10,293	30,995,450	100.0

Variable Name: ASCAN6 Length: 2.0 Position: 425

**Question Name:** 

**Concept:** Failed to control cannabis use

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, CAN\_Q110A, CAN\_Q110B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Never	00	10,206	30,575,073	98.6
Yes, but not in the past 3 months	03	40	177,322	0.6
Yes, in the last three months	06	39	200,075	0.6
Not stated	99	8	42,980	0.1
Total		10,293	30,995,450	100.0

Variable Name: ASISTCN3 Length: 1.0 Position: 427

**Question Name:** 

Concept: Risk level for problems due to cannabis consumption - 3 cat

**Question Text:** 

Universe: All respondents

Note: Based on ASCAN1, ASCAN2, ASCAN3, ASCAN4, ASCAN5, ASCAN6

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Low risk of developing health and other problems	1	9,274	27,786,824	89.6
Moderate risk of developing health and other problems	2	980	3,063,360	9.9
High risk of developing health, other problems, dependency	3	13	72,361	0.2
Not stated Total	9	26 10,293	72,904 30,995,450	0.2 100.0

Variable Name: MEXALCBA Length: 1.0 Position: 428

**Question Name:** 

Concept: Alcohol or cannabis use while pregnant or breastfeeding

**Question Text:** 

Universe: All respondents

Note: Based on MEX\_Q05, MEX\_Q10, MEX\_Q20, MEX\_Q25, AGS\_Q05, DV\_AGE

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Yes	1	65	247,434	8.0
No	2	308	912,313	2.9
Valid skip	6	9,537	27,455,351	88.6
Not stated	9	383	2,380,352	7.7
Total		10,293	30,995,450	100.0

Variable Name: COC12M Length: 1.0 Position: 429

**Question Name:** 

Concept: Cocaine use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on COC\_Q05, COC\_Q15A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	123	605,115	2.0
No	2	10,168	30,385,091	98.0
Not stated	9	2	5,243	0.0
Total		10,293	30,995,450	100.0

Variable Name: COC30D Length: 1.0 Position: 430

**Question Name:** 

Concept: Cocaine use - 30 days

**Question Text:** 

Universe: All respondents

Note: Based on COC\_Q05, COC\_Q15B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	51	230,475	0.7
No	2	10,239	30,759,324	99.2
Not stated	9	3	5,651	0.0
Total		10,293	30,995,450	100.0

Variable Name: SPMETH12 Length: 1.0 Position: 431

**Question Name:** 

Concept: Speed and/or methamphetamine use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on MET\_Q05, MET\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	29	142,325	0.5
No	2	10,263	30,853,060	99.5
Not stated	9	1	65	0.0
Total		10,293	30,995,450	100.0

Variable Name: XTC12M Length: 1.0 Position: 432

**Question Name:** 

Concept: Ecstasy use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on XTC\_Q05, XTC\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	59	352,821	1.1
No	2	10,233	30,642,413	98.9
Not stated	9	1	216	0.0
Total		10,293	30,995,450	100.0

Variable Name: HAL12M Length: 1.0 Position: 433

**Question Name:** 

Concept: Hallucinogens use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on HAL\_Q05, HAL\_Q15

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	113	586,526	1.9
No	2	10,175	30,403,077	98.1
Not stated	9	5	5,848	0.0

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 Total
 10,293
 30,995,450
 100.0

Variable Name: INH12M Length: 1.0 Position: 434

**Question Name:** 

Concept: Inhalant use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on GLU\_Q05, GLU\_Q15

Source:

Code **Answer Categories** Frequency **Weighted Frequency** <u>%</u> 5 28,641 0.1 Yes No 2 10,287 30,966,387 99.9 Not stated 9 421 0.0 Total 10,293 30,995,450 100.0

Variable Name: HER12M Length: 1.0 Position: 435

**Question Name:** 

Concept: Heroin use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on HER\_Q05, HER\_Q15A

Source:

**Answer Categories** Code Frequency **Weighted Frequency** % 30,987,552 100.0 No 2 10.289 Not stated 9 7,898 0.0 Total 10,293 30,995,450 100.0

Variable Name: SALV12M Length: 1.0 Position: 436

**Question Name:** 

Concept: Salvia use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on SAL\_Q05A, SAL\_Q05B

Source:

**Answer Categories** Frequency Weighted Frequency Code % No 10,291 30,992,197 100.0 Not stated 9 3,253 0.0 Total 10,293 30,995,450 100.0

Variable Name: SPI12M Length: 1.0 Position: 437

**Question Name:** 

**Concept:** Synthetic cannabinoids use - 12 months

**Question Text:** 

Universe: All respondents

Note: Based on SPI\_Q05A, SPI\_Q05B

Source:

Answer Categories		Code	Frequency	Weighted Frequency	<u>%</u>
Yes		1	5	13,370	0.0
No		2	10,287	30,979,555	99.9
Not stated		9	1	2,525	0.0
	Total		10,293	30,995,450	100.0

Variable Name: MEPH12M Length: 1.0 Position: 438

**Question Name:** 

Concept: Mephedrone use - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on MEP\_Q05A, MEP\_Q05B

Source:

<b>Answer Categories</b>		Code	Frequency	Weighted Frequency	<u>%</u>
No		2	10,290	30,989,903	100.0
Not stated		9	3	5,547	0.0
	Total		10,293	30,995,450	100.0

Variable Name: KRAT12M Length: 1.0 Position: 439

**Question Name:** 

Concept: Kratom use - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on KRT\_Q05A, KRT\_Q05B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	12	62,137	0.2
No	2	10,279	30,930,723	99.8
Not stated	9	2	2,590	0.0
Total		10,293	30,995,450	100.0

Variable Name: ODS12M Length: 1.0 Position: 440

**Question Name:** 

Concept: Other drugs or substance use - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on ODS\_Q05, ODS\_Q20

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	16	107,281	0.3
No	2	10,260	30,845,334	99.5
Not stated	9	17	42,835	0.1
Total		10,293	30,995,450	100.0

Variable Name: IDU12M Length: 1.0 Position: 441

**Question Name:** 

Concept: Injectable drug use - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on IDU\_Q05A, IDU\_Q15

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	21	63,707	0.2
No	2	7,070	20,577,674	66.4
Valid skip	6	3,184	10,319,757	33.3
Not stated	9	18	34,313	0.1
Total		10,293	30,995,450	100.0

Variable Name: AWDS12M Length: 1.0 Position: 442

**Question Name:** 

**Concept:** Aware of drugs or substances used excluding alcohol - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on ODS\_Q25, ODS\_Q30, ODS\_Q35

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Aware of all drugs taken	1	2,154	6,854,473	22.1
Unaware of at least one drug taken	2	23	107,782	0.3
Valid skip	6	8,004	23,733,084	76.6
Not stated	9	112	300,111	1.0
Total		10,293	30,995,450	100.0

Variable Name: ANY11DYR Length: 1.0 Position: 443

**Question Name:** 

Concept: Used at least 1 of 11 drugs - includes cannabis - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, COC12M, SPMETH12, XTC12M, HAL12M, HER12M, INH12M,

SALV12M, PAINABUA, STIMABUS, SEDHIGH

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,064	6,670,757	21.5
No	2	8,187	24,235,124	78.2
Not stated	9	42	89,569	0.3
Total		10,293	30,995,450	100.0

Variable Name: ANY16DYR Length: 1.0 Position: 444

**Question Name:** 

Concept: Used at least 1 of 16 drugs - includes cannabis - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, COC12M, SPMETH12, XTC12M, HAL12M, INH12M, HER12M,

SALV12M, SPI12M, MEPH12M, BZP12M, KRAT12M, ODS12M, PAINABUA, STIMABUS,

SEDHIGH

Source:

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Yes	1	2,067	6,674,214	21.5
No	2	8,173	24,201,425	78.1
Not stated	9	53	119,811	0.4
Total		10,293	30,995,450	100.0

Variable Name: ANY14DYR Length: 1.0 Position: 445

**Question Name:** 

Concept: Used at least 1 of 14 drugs to get high excluding cannabis - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on COC12M, SPMETH12, XTC12M, HAL12M, INH12M, HER12M, SALV12M,

SPI12M, MEPH12M, BZP12M, KRAT12M, ODS12M, PAINABUA, STIMABUS, SED-

HIGH

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	327	1,427,711	4.6
No	2	9,894	29,397,597	94.8
Not stated	9	72	170,142	0.5
Total		10,293	30,995,450	100.0

Variable Name: ANY10DYR Length: 1.0 Position: 446

**Question Name:** 

Concept: Used at least 1 of 10 drugs - excluding cannabis - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on COC12M, SPMETH12, XTC12M, HAL12M, HER12M, INH12M, SALV12M,

PAINABUA, STIMABUS, SEDHIGH

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	309	1,346,769	4.3
No	2	9,928	29,518,321	95.2
Not stated	9	56	130,360	0.4
Total		10,293	30,995,450	100.0

Variable Name: IL6D12 Length: 1.0 Position: 447

**Question Name:** 

Concept: Used at least 1 of 6 drugs - including cannabis - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on CAN12M, COC12M, SPMETH12, XTC12M, HAL12M, HER12M, SALV12M

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	2,022	6,518,800	21.0
No	2	8,263	24,462,844	78.9
Not stated	9	8	13,807	0.0
Total		10,293	30,995,450	100.0

Variable Name: IL5D12 Length: 1.0 Position: 448

**Question Name:** 

Concept: Used at least 1 of 5 drugs - excluding cannabis - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on COC12M, SPMETH12, XTC12M, HAL12M, HER12M, SALV12M

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	230	1,081,095	3.5
No	2	10,054	29,902,320	96.5
Not stated	9	9	12,035	0.0
Total		10,293	30,995,450	100.0

Variable Name: AMPH312M Length: 1.0 Position: 449

**Question Name:** 

Concept: Used at least 1 of 3 amphetamines - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on SPMETH12, XTC12M, STIMABUS

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	91	505,224	1.6
No	2	10,194	30,475,730	98.3
Not stated	9	8	14,496	0.0

 Answer Categories
 Code
 Frequency
 Weighted Frequency
 %

 Total
 10,293
 30,995,450
 100.0

Variable Name: ANY14DLF Length: 1.0 Position: 450

**Question Name:** 

Concept: Used at least 1 of 14 drugs - excluding cannabis - ever

**Question Text:** 

Universe: All respondents

Note: Based on COC\_Q05, MET\_Q05, XTC\_Q05, HAL\_Q05, GLU\_Q05, HER\_Q05, SAL\_Q05A,

SPI\_Q05A, MEP\_Q05A, BZP\_Q05A, KRT\_Q05A, ODS\_Q05, PAINABUA, STIMABUS,

SEDHIGH

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,676	5,394,029	17.4
No	2	8,563	25,478,336	82.2
Not stated	9	54	123,085	0.4
7	otal	10,293	30,995,450	100.0

Variable Name: ANY15DLF Length: 1.0 Position: 451

**Question Name:** 

Concept: Used at least 1 of 15 drugs - including cannabis - ever

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q05A, COC\_Q05, MET\_Q05, XTC\_Q05, HAL\_Q05, GLU\_Q05, HER\_Q05,

SAL\_Q05A, SPI\_Q05A, MEP\_Q05A, BZP\_Q05A, KRT\_Q05A, ODS\_Q05, PAINABUA,

STIMABUS, SEDHIGH

Source:

Answer Categories	Code	Frequency	<b>Weighted Frequency</b>	<u>%</u>
Yes	1	4,503	13,244,879	42.7
No	2	5,756	17,669,073	57.0
Not stated	9	34	81,498	0.3
Total		10,293	30,995,450	100.0

Variable Name: IL6DL Length: 1.0 Position: 452

**Question Name:** 

Concept: Used at least 1 of 6 drugs - including cannabis - ever

**Question Text:** 

Universe: All respondents

Note: Based on CAN\_Q05A, COC\_Q05, MET\_Q05, XTC\_Q05, HAL\_Q05, HER\_Q05, SAL\_Q05A

Source:

Answer Categories	<u>Code</u>	Frequency	Weighted Frequency	<u>%</u>
Yes	1	4,460	13,110,900	42.3
No	2	5,828	17,877,751	57.7
Not stated	9	5	6,799	0.0
Total		10,293	30,995,450	100.0

Variable Name: IL5DL Length: 1.0 Position: 453

**Question Name:** 

Concept: Used at least 1 of 5 drugs - excluding cannabis - ever

**Question Text:** 

Universe: All respondents

Note: Based on COC\_Q05, MET\_Q05, XTC\_Q05, HAL\_Q05, HER\_Q05, SAL\_Q05A

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,555	5,003,302	16.1
No	2	8,732	25,985,283	83.8
Not stated	9	6	6,864	0.0
Total		10,293	30,995,450	100.0

Variable Name: DHAR12 Length: 1.0 Position: 454

**Question Name:** 

**Concept:** One or more types of harms due to drug use - 12 mo.

**Question Text:** 

Universe: All respondents

Note: Based on DHA\_Q05A-F, DHA\_Q10A-C, ANY15DLF

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Yes	1	271	1,097,857	3.5
No	2	7,577	23,275,041	75.1
Valid skip	6	2,420	6,545,969	21.1
Not stated	9	25	76,583	0.2
Total		10,293	30,995,450	100.0

Variable Name: ASSISTOD Length: 1.0 Position: 455

**Question Name:** 

**Concept:** Received assistance during overdose

**Question Text:** 

Universe: All respondents

Note: Based on OD\_Q10A-G

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes, received assistance	1	63	218,640	0.7
No, did not receive assistance	2	22	84,594	0.3
Don't know	3	8	24,210	0.1
Valid skip	6	10,168	30,593,717	98.7
Not stated	9	32	74,290	0.2
Total		10,293	30,995,450	100.0

Variable Name: DVSST1 Length: 1.0 Position: 456

**Question Name:** 

**Concept:** Smoking Status Type 1 - Traditional definition

**Question Text:** 

Universe: All respondents

Note: Based on SS\_Q10, SS\_Q05

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Current smoker	1	1,365	3,758,450	12.1
Former smoker	2	3,196	7,555,144	24.4
Never smoked	3	5,123	15,246,297	49.2
Not stated	9	609	4,435,559	14.3
Total		10,293	30,995,450	100.0

Variable Name: DVSS1 Length: 1.0 Position: 457

**Question Name:** 

Concept: Smoking Status Type 1 - Using 30 days definition

**Question Text:** 

Universe: All respondents

Note: Based on SS\_Q10, SS\_Q15, SS\_Q05

ш	rc	

Answer Categories	Code	<b>Frequency</b>	Weighted Frequency	<u>%</u>
Smoked in last 30 days	1	1,363	3,756,814	12.1
Didn't smoke last 30 days - smoked 100 cigarettes in life	2	3,191	7,556,956	24.4
Didn't smoke last 30 days -smoked less than 100 cig in life	3	5,116	15,199,475	49.0
Not stated	9	623	4,482,205	14.5
Total		10,293	30,995,450	100.0

Variable Name: CIG30 Length: 1.0 Position: 458

**Question Name:** 

Concept: Use of cigarette in the past 30 days

**Question Text:** 

Universe: All respondents

Note: Based on SS\_Q10 and SS\_Q15

Source:

Answer Categories	Code	Frequency	Weighted Frequency	<u>%</u>
Yes	1	1,363	3,756,814	12.1
No	2	8,319	22,783,342	73.5
Not stated	9	611	4,455,294	14.4
Total		10,293	30,995,450	100.0

Variable Name: WEIGHTP Length: 12.4 Position: 459

**Question Name:** 

**Concept:** Survey weight

**Question Text:** 

Universe: All respondents

Note:

Source:

Variable Name: VERDATE Length: 10.0 Position: 471

**Question Name:** 

Concept: Version date of when the file was created

**Question Text:** 

Universe:	All respondents
Note:	
Source:	

### **Topical Index**

<u>Variable</u>	<u>Description</u> <u>Pa</u>	age
AGS: Sex, gender a	nd age	
DVURBAN	Characteristics of community where the respondent lives	. 12
DV AGEP	Respondent age	
PROV	Province of the selected respondent	
SEX	Respondent's sex at birth	. 13
ALC: Alcohol		
AHEAVYMN	Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo	
AHEAVYWK	Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo.	
ALC11WK	New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel	
ALC12M	Alcohol use - 12 mo.	
ALC16WK	New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel	
ALC1_2R	Frequency drank alcoholic beverages - 12 mo	
ALC30D	Alcohol use - 30 days	
ALCLEV4	Estimated daily alcohol consumption level - 12 months - 4 cat	
ALCLEV4D	Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel	
ALCPTRN	Alcohol pattern	
ALCSTAT3	Drinking Status	
ALC_05	Have had a drink - ever	
ALC_100A	Relative/friend/doctor concerned about your alchohol use - ever	
ALC_100B	Relative/friend/doctor concerned about alchohol use - 12 mo	
ALC_105	Passenger vehicle driven someone 2+ drinks alcohol prev 2 h - 12 mo	
ALC_10P	Age had first alcoholic beverage	
ALC_110A	Has driver's licence	
ALC_110B	Type of driver's licence	
ALC_115	Driven a vehicle - 12 mo	
ALC_120A ALC 125A	Driven a vehicle after having 2+ drinks alcohol prev 2 h - 12 mo	
ALC_125A ALC_130	In vehicle accident or collision while driving - 12 mo	
ALC 15	Frequency drank alcoholic beverages - 12 mo	
ALC 20P	Number of drinks consumed on those days - 12 mo.	
ALC 25	Frequency drank four or more drinks on one occasion - 12 mo.	
ALC 30	Frequency drank five or more drinks on one occasion - 12 mo.	18
ALC 35	Where most often had a drink - 12 mo	
ALC 40	Where last time had a drink	
ALC 45	Have had a drink - 30 days	
ALC_50P	Number of drinks consumed on those days - 30 days	
ALC 55	Frequency drank four or more drinks on one occasion - 30 days	
ALC 60	Frequency drank five or more drinks on one occasion - 30 days	
ALC 65	Have had a drink - 7 days	
ALC 70AP	Number of drinks Day 1	
ALC_70BP	Number of drinks Day 2	
ALC 70CP	Number of drinks Day 3	
ALC 70DP	Number of drinks Day 4	
ALC 70EP	Number of drinks Day 5	. 23
ALC 70FP	Number of drinks Day 6	
ALC 70GP	Number of drinks Day 7	
ALC_75	Have had an energy drink - 12 mo	.25
ALC_80P	Frequency consumed an energy drink mixed with alcohol - 12 mo	. 25
ALC_90A	Frequency found not able to stop drinking once had started - 12 mo	
ALC_90B	Frequency alcohol use affected ability to do expected tasks - 12 mo	
ALC_90C	Freq needed drink in morning to get going after heavy drinking - 12 mo	. 27
ALC_90D	Frequency unable to recall night before because of drinking - 12 mo	
ALC_90E	Frequency had feeling of guilt or remorse after drinking - 12 mo	
ALC_95	You/someone ever physically injured as result of your drinking - ever	
AL_120BP	Driven vehicle after hav. 2+ drinks alcohol prev 2 h - Nb times	. 31

AL 125BP	Vehicle acc. or coll. while driving - Nb times	. 32
DKDYSTRF	New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel	
DKDYSTRM	New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel	135
DRNKDYCF	New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel	
DRNKDYCM	New LRDG Indicator male resp 3+ drnks in 1 day- drinking wheel	
LRDGAC12	Exceeded low-risk drinking guideline -acute effects - current drinkers	
LRDGACUT	Exceeded low-risk drinking guideline - acute effects - tot. popl'n	
LRDGCH12	Exceeded low-risk drinking guideline- chronic eff- current drnkers -7d	
LRDGCHRC	Exceeded low-risk drinking guideline - chronic effects- tot. pop7d	
LRDGSTF	Acute/Short-term LRDG - week preceding the survey - Females	
LRDGSTM	Acute/Short-term LRDG - week preceding the survey - Males	
LRSKDRKF	Chronic LRDG - week preceding the survey - Females	
LRSKDRKM	Chronic LRDG - week preceding the survey - Males	
NUMDRNKF	Usually drinks 4 or more drinks per occasion-Females - 12 mo.	
NUMDRNKM	Usually drinks 5 or more drinks per occasion-Males - 12 mo	133
BZP: BZP or TFMPP		
BZP_05A	Used or tried BZP or TFMPP - ever	. 98
CAN: Cannabis		
ASCAN1	Frequency of cannabis use in the past 3 months	155
ASCAN2	Freq of strong desire / urge to use cannabis - 3 mo.	
ASCAN3	Freq of health, soc, legal / finan prob due to cannabis use - 3 mo	
ASCAN4	Freq of failure to do normal tasks due to cannabis use - 3 mo	
ASCAN5	Relative or friend expressed concern about cannabis use	
ASCAN6	Failed to control cannabis use	
ASISTCN3	Risk level for problems due to cannabis consumption - 3 cat	
CAN12M	Cannabis use - 12 months	
CAN30D	Cannabis use - 30 days	
CAN3M	Cannabis use - 3 months	146
CANALCEV	Used cannabis with Alcohol - 2 freq categories	152
CANHALEV	Used cannabis with hallucinogens or dissociatives - 2 freq categories	154
CANILEV4	Used cannabis with illicit substances - 4 categories	
CANISTEV	Used cannabis with illicit stimulants - 2 freq. categories	154
CANOPIEV	Used cannabis with illicit opioids - 2 frequency categories	153
CANPAT	Cannabis use status - three categories	
CANPRCC	Types of products used - Cannabis concentrates	
CANPRED	Types of products used - Edibles containing cannabis	
CANPREV	Used cannabis with prescribed pain relievers - 2 freq categories	
CANRXEV4	Used cannabis with prescribed medications - 4 categories	
CANSEDEV	Used cannabis with prescr sedatives/anti-anxiety medic - 2 freq cat	
CANSTIEV	Used cannabis with prescribed stimulants - 2 freq categories	
CANTOBEV	Used cannabis with Tobacco, e-cig or vaping device - 2 freq categories	
CAN_05A	Used or tried cannabis - ever	
CAN_05B	Used cannabis - more than once	
CAN_105A	Someone expressed concern about your cannabis use - ever	
CAN_105B	Someone expressed concern about your cannabis use - 3 mo	
CAN_110A	Tried to control/cut down/stop cannabis use but not able - ever	
CAN_110B	Tried to control/cut down/stop cannabis use but not able - 3 mo	
CAN_112A	Frequency had strong desire to use cannabis - 3 mo	
CAN_112B	Frequency cannabis use led to health/ soc/legal/financial prob - 3 mo	
CAN_112C	Frequency cannabis use affected ability to do expected tasks - 3 mo	
CAN_115A	Passenger - driver used cannabis prev 2 h - 12 mo	
CAN_115B	Passenger - more than once - driver used cannabis prev 2 h - 12 mo	
CAN_120A	Passenger - driver used alcohol and cannabis prev 2 h - 12 mo	
CAN_120B	Pass. more than once - driver used alcohol and cannabis prev 2h	
CAN_125A	Number of vehicle accidents as driver cannabis prev 2 h - 12 mo	
CAN_130		
CAN_135 CAN_140	Interaction with law enforcement involving DUI cannabis - 12 mo	
CAN_140	Willingness publicly say use cannabis for non-med increased now legal	. 65 85

CAN_15P	Age first tried - cannabis	
CAN_20A	Used or tried cannabis - 12 mo	
CAN_20B	Used cannabis - for medical and/or non-medical reasons - 12 mo	
CAN_22	Use cannabis for - Main symptom - 12 mo	
CAN_23	Use cannabis for - Main medical condition - 12 mo	
CAN_25A	Cannabis products used - Marijuana or herb - 12 mo	
CAN_25B	Cannabis products used - Hashish or kief - 12 mo	. 59
CAN_25C	Cannabis products used - Cannabis oil - 12 mo	60
CAN_25D	Cannabis products used - Cartridges/vape pens - 12 mo	
CAN_25E	Cannabis products used - Liquid concentrate - 12 mo	61
CAN_25F	Cannabis products used - Solid concentrate - 12 mo	61
CAN_25G	Cannabis products used - Edibles - 12 mo	.61
CAN_25H	Cannabis products used - Liquid - 12 mo	
CAN_25I	Cannabis products used - Other - 12 mo	
CAN_30_A	Frequency used cannabis products - Marijuana or herb - 12 mo	63
CAN_30_B	Frequency used cannabis products - Hashish or kief - 12 mo	63
CAN_30_C	Frequency used cannabis products - Cannabis oil - 12 mo	. 64
CAN_30_D	Frequency used cannabis products - Cartridges/vape pens - 12 mo	.64
CAN_30_F	Frequency used cannabis products - Solid concentrate - 12 mo	. 65
CAN_30_G	Frequency used cannabis products - Edibles - 12 mo	. 65
CAN_35A	Methods used to consume cannabis - Smoked - 12 mo	. 67
CAN_35B	Methods used to consume cannabis - Ate - 12 mo	. 67
CAN_35C	Methods used to consume cannabis - Drank - 12 mo	. 68
CAN_35D	Methods used to consume cannabis - Vaporizer 12 mo	. 68
CAN_35E	Methods used to consume cannabis - Vape pen or e-cig - 12 mo	68
CAN_35F	Methods used to consume cannabis - Dabbed - 12 mo	69
CAN_35G	Methods used to consume cannabis - Other - 12 mo	69
CAN_40	Where usually get cannabis - 12 mo	.70
CAN_45A	Frequency combined cannabis with - Alcohol - 12 mo	.70
CAN_45B	Freq comb cannabis with - Tobacco/e-cigarette/vaping device - 12 mo	. 71
CAN_45C	Frequency combined cannabis with - Prescription pain relievers - 12 mo	. 71
CAN_45E	Freq comb cannabis with - prescrip sedatives/anxiety meds - 12 mo	
CAN_45F	Frequency combined cannabis with - Illicit opioids - 12 mo	
CAN_45G	Frequency combined cannabis with - Illicit stimulants - 12 mo	
CAN_50A	Used with cannabis to get high - Alcohol	
CAN_50B	Used with cannabis to get high - tobacco/e-cigarette/vaping	
CAN_50C	Used with cannabis to get high - prescription pain relievers	
CAN_50D	Used with cannabis to get high - Prescription stimulants	
CAN_50E	Used with cannabis to get high - prescrip sedatives/anxiety meds	
CAN_50G	Used with cannabis to get high - illicit stimulants	
CAN_50H	Used with cannabis to get high - illicit hallucinogens/dissociatives	
CAN_55	Consumed more/less/same quant cannabis compared to yr before - 12 mo	
CAN_60	Frequency used cannabis - 3 mo	
CAN_70P	Frequency used cannabis - 30 days	
CAN_80	Number of times started day by using cannabis - 30 days	
CCVP12M	Frequency use cannabis - Cartridges/disposable vape pens - 4 cat.	
COIL12M	Frequency use cannabis - Cannabis oil - 4 categories	
C_125BP	Number of times driven 2 hours following cannabis use - 12 mo	
C_30_EP	Frequency used cannabis products - Liquid concentrate - 12 mo	
C_30_HP	Frequency used cannabis products - Liquid - 12 mo	
C_30_IP	Frequency used cannabis products - Other - 12 mo	
C_45DP	Frequency combined cannabis with - Prescription stimulants - 12 mo	
C_45HP	Freq comb cannabis with - illicit hallucinogens/dissociatives - 12 mo	
DCAN12M	Frequency use cannabis - Marijuana or herb - 4 categories	
EDIB12M	Frequency use cannabis - edibles - 4 categories	
HASH12M	Frequency use cannabis - Hashish or kief - 4 categories	
LCON12MP	Frequency use cannabis - Liquid concentrate - 3 categories	
LIQU12MP	Frequency use cannabis - Liquid - 3 categories	
OTHR12MP	Frequency use cannabis products - Other - 3 categories	
SCON12M	Frequency use cannabis - Solid concentrate - 4 categories	100

COC: Cocaine

COC12M	Cocaine use - 12 months	159
COC30D	Cocaine use - 30 days	
COC 05	Used or tried cocaine or crack - ever	
COC_10P	Age first tried - cocaine or crack	
COC_15A	Used or tried cocaine or crack - 12 mo.	
COC_15B	Used or tried cocaine or crack - 30 days	. 90
DEM: Demographics		
AB_15	Aboriginal identity	124
DEM_05P	Marital status	124
DEM_20	Highest certificate, diploma or degree completed	125
DEM 25	Currently attending a school, college, CEGEP or university	125
DEM 27A	Type attending - Elementary, junior high school or high school	
DEM 27B	Type attending - non-university institution	
DEM 27C	Type attending - university	
DEM 30	Worked at a job or business last week	
DEM 35	Absent from job or business last week	
DEM 40P	Reason for absence from work last week	
<del>-</del>		
DEM_45	Employee or self-employed	
INC_50	Household income	129
DHA: Effects of drug	use	
DUAD40	One or many homes of houses due to during the during the	100
DHAR12	One or more types of harms due to drug use - 12 mo.	
DHA_05A	Drug affects friendships or social life - 12 mo	
DHA_05B	Drug affects physical health - 12 mo	
DHA_05C	Drug affects mental health - 12 mo	
DHA_05D	Drug affects home life, family or relationship - 12 mo	105
DHA_05E	Drug affects work, studies, or employment opportunities - 12 mo	106
DHA_05F	Drug affects financial position - 12 mo	106
DHA 10A	Had legal problems because of drug use - 12 mo	107
DHA 10B	Had housing problems because of drug use - 12 mo	
DHA_10C	Had difficulty learning things because of drug use - 12 mo	
GLU: Inhalants		
GLU 05	Sniffed of huffed solvents - ever	വാ
_		
GLU_10	Age first tried - solvents	
GLU_15	Sniffed or huffed solvents - 12 mo.	
INH12M	Inhalant use - 12 months	161
HAL: Hallucinogens		
HAL12M	Hallucinogens use - 12 months	
HAL_05	Used or tried hallucinogens - ever	. 92
HAL_10P	Age first tried - hallucinogens	.93
HAL_15	Used or tried hallucinogens - 12 mo.	. 93
HER: Heroin		
LIED40M	Harain usa 10 mantha	101
HER12M	Heroin use - 12 months	
HER_05	Used or tried heroin - ever	
HER_10P	Age first tried - heroin	
HER_15A	Used or tried heroin - 12 mo.	
HER_25P	Easy to get heroin if wanted some today	.96
HHI: Household Inform	mation	
HDSIZE	Number of people living in household - total	11
HHI 01	Type of dwelling	
MHHTYPEB	Type of household, based on age composition	
IVILIELED	TYPE OF HOUSEHOLD, DASED OH AUE COHIDOSILIOH	. 14

HWB: General Healt	h
HWB_05 HWB_10	Health status
IDU: Injectable drug	use
IDU12M IDU_05A IDU_05B IDU_10P IDU_15	Injectable drug use - 12 mo. 163 Have injected any drug - ever 102 Have injected any drug - more than once 103 Age first started injecting drugs 103 Have injected any drug - 12 mo 103
ILD: Illegal Drugs - D	Perived Variables
AMPH312M ANY10DYR ANY11DYR ANY14DLF ANY14DYR ANY15DLF ANY16DYR IL5D12 IL5DL IL6D12 IL6DL	Used at least 1 of 3 amphetamines - 12 mo.166Used at least 1 of 10 drugs - excluding cannabis - 12 mo.165Used at least 1 of 11 drugs - includes cannabis - 12 mo.164Used at least 1 of 14 drugs - excluding cannabis - ever167Used at least 1 of 14 drugs to get high excluding cannabis - 12 mo.165Used at least 1 of 15 drugs - including cannabis - ever167Used at least 1 of 16 drugs - includes cannabis - 12 mo.164Used at least 1 of 5 drugs - excluding cannabis - 12 mo.166Used at least 1 of 5 drugs - excluding cannabis - ever168Used at least 1 of 6 drugs - including cannabis - 12 mo.165Used at least 1 of 6 drugs - including cannabis - ever168Used at least 1 of 6 drugs - including cannabis - ever165
KRT: Kratom	
KRAT12M KRT_05A KRT_05B	Kratom use - 12 mo
MEP: Mephedrone	
MEPH12M MEP_05A MEP_05B	Mephedrone use - 12 mo.162Used or tried mephedrone - ever97Used or tried mephedrone - 12 mo98
MET: Amphetamines	s or methamphetamine
MET_05 MET_10P MET_15 SPMETH12	Used or tried amphetamines or methamphetamine - ever90Age first tried - amphetamines/methamphetamine90Used or tried amphetamines or methamphetamine - 12 mo91Speed and/or methamphetamine use - 12 months159
MEX: Maternal expe	riences with cannabis and alcohol
MEXALCBA MEX_05 MEX_10 MEX_15 MEX_20 MEX_25P MEX_30A MEX_30BP	Alcohol or cannabis use while pregnant or breastfeeding
OD: Overdose	
ASSISTOD OD_05 OD_10A OD_10B	Received assistance during overdose169Has overdosed - ever108Last time overdosed - someone called ambulance/brought to hospital109Last time overdosed - someone placed in rescue position109

OD 10CDP	Last time overdosed - someone performed CPR or administered naloxone	110
<del>_</del>		
OD_10E	Last time overdosed - someone provided another kind of assistance	
OD_10F	Last time overdosed - did not receive assistance	
OD_10G	Last time overdosed - don't know if someone took action	
OD_15	Have seen someone have a drug overdose - ever	
OD_20	Have obtained a naloxone kit - 12 mo	112
OD_25	Main reason obtained a naloxone kit	112
_		
ODS: Other drugs or	substances	
J		
AWDS12M	Aware of drugs or substances used excluding alcohol - 12 mo	164
ODS12M	Other drugs or substance use - 12 mo.	
ODS 05	Used or tried any other drug to get high - ever	
ODS 10	Used or tried [other drug] to get high - more than once	
<del>-</del>		
ODS_15P	Age first tried - [other drug]	
ODS_20	Used or tried [other drug] - 12 mo	
ODS_25	Used drug to get high w/out knowing what it was - 12 mo	
ODS_30	Purchased drug to get high w/out knowing what it was - 12 mo	
ODS_35	Used drug get high, that was not what you thought it was - 12 mo	102
OTC: Over-the-counted	er medications	
0.70 0.5		
OTC_05	Used or tried over-the-counter products to get high - 12 mo	. 56
PR: Pain Relievers		
rn. raili nelleveis		
PAIN12MA	Used pain relievers - 12 months - including low-dose	130
PAIN12MB	Used pain relievers - 12 months - excluding low-dose	
PAINABUA	Abused pain relievers - 12 mo including low-dose	
PAINABUB	Abused pain relievers - 12 mo excluding low-dose	
PAINNDA	Used pain relievers not as directed - 12 mo including low-dose	
PAINNDB	Used pain relievers not as directed - 12 mo excluding low-dose	
PHAR12MA	Used pharmaceuticals - Include low-dose pain relievers - 12 mo.	
PHAR12MB	Used pharmaceuticals - Exclude low-dose pain relievers - 12 mo.	
PHARABUA	Abused pharmaceuticals - Include low-dose pain relievers - 12 mo	145
PHARABUB	Abused pharmaceuticals - Exclude low-dose pain relievers - 12 mo.	145
PHARNDA	Used pharmaceutic not as directed - incl. low-dose pain reliev12 mo.	144
PHARNDB	Used pharmaceutic not as directed - excl. low-dose pain reliev12 mo	144
PR 05	Used pain relievers - ever	
PR_10	Used low-dose codeine products - 12 mo	
PR 100	Where obtained pain relievers not prescribed to self	
PR 105A	Obtained pain relievers - Persuaded doctor to obtain prescript - 12 mo	
PR_105B	Obtained pain relievers - forging a prescription - 12 mo	
PR_105C	Obtained pain relievers - multiple doctors for prescript - 12 mo	
PR 105D	Obtained pain relievers - none of the above - 12 mo	
PR_15A	Used low-dose codeine for reasons other than pain relief - ever	
PR 15B	Used low-dose codeine for reasons other than pain relief - 12 mo	
<del>_</del>		
PR_16P	Age first used low-dose codeine for reasons other than pain relief	
PR_17P	Frequency low-dose codeine reasons other than pain relief - 12 mo	
PR_18A	Tampered with low-dose codeine products before taking them - ever	
PR_20	Excl. low-dose codeine - used other codeine pain relieving prod - 12 m	
PR_25	Used oxycodone pain relieving products - 12 mo	
PR_30	Used fentanyl - 12 mo	
PR_35	Used other opioid pain relieving products - 12 mo	
PR_45	Excl. low-dose codeine - took higher dose pain relievers - 12 mo	
PR_50	Excl. low-dose codeine - took pain relievers more often - 12 mo	
PR_53	Excl. low-dose codeine - frequency used pain relievers - 12 mo	
PR_55A	Excl. low-dose codeine - used pain relievers reasons other - ever	
PR_55B	Excl. low-dose codeine - used pain relievers reasons other - 12 mo	
PR_60P	Age first used pain relievers for reasons other than pain relief	
PR_70P	Frequency pain relievers reasons other than pain relief - 12 mo	
PR_75	Excl. low-dose codeine - all pain relievers prescribed to self - 12 mo	. 40
PR 80A	Excl. low-dose codeine - tampered pain relievers before taking - ever	41

PR_80B PR_90 PR_95	Excl. low-dose codeine - tampered pain relievers before taking - 12 mo
SAL: Salvia	
SALV12M	Salvia use - 12 months
SAL 05A	Used or tried salvia - ever
SAL_05B	Used or tried salvia - 12 mo96
SED: Sedatives or an	ti-anxiety medications
SED12M	Used sedatives - 12 mo
SEDHIGH	Used sedatives to get high - 12 months
-	
SEDND	Used sedatives not as directed - 12 months
SED_05A	Used sedative/anti-anxiety meds - ever50
SED_05B	Used sedatives/anti-anxiety meds - 12 mo
SED 15	Frequency used sedatives/anti-anxiety meds - 12 mo51
SED 20	Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo
<del>-</del>	Took sedatives/anti-anxiety meds more often than recommended - 12 mo
SED_25	
SED_30	Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo
SED_35	All sedatives/anti-anxiety meds used prescribed to self -12 mo
SED_40	Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo
SED 45	Sold sedatives/anti-anxiety meds prescribed to self - 12 mo
SED 50	Where obtained sedatives/anti-anxiety meds not prescribed to self
SED 55A	Obtained sedatives - Persuaded doctor to obtain prescript 12 mo
<del>-</del>	
SED_55B	Obtained sedatives - forging a prescription - 12 mo
SED_55C	Obtained sedatives - multiple doctors for prescript - 12 mo
SED_55D	Obtained sedatives - none of the above - 12 mo
SPI: Spice	
SPI12M	Synthetic cannabinoids use - 12 months
_	
SPI_05A	Used or tried synthetic cannabinoids - ever
SPI_05B	Used or tried synthetic cannabinoids - 12 mo
SRV: Survey Related	Variables
PUMFID	Public use microdata file identifier
REFMONTH	Survey month
REFYEAR	Survey year
VERDATE	Version date of when the file was created
WEIGHTP	Survey weight
SS: Cigarette use	
CIG30	Use of cigarette in the past 30 days
DVSS1	Smoking Status Type 1 - Using 30 days definition
DVSST1	Smoking Status Type 1 - Traditional definition
SS_05	Smoked at least 100 cigarettes - lifetime
SS_10	Frequency smoke cigarretes - present time
SS_15	Smoked cigarettes - 30 days
SS 20	Used or tried e-cigarette or vaping device - ever
SS_25	Used e-cigarette or vaping device every day - 30 days
STI: Stimulants	
STIM12M	Used stimulants - 12 months
STIMABUS	Abused stimulants - 12 months
STIMND	Used stimulants not as directed - 12 months
STI_05A	Used stimulants - ever
STI_05B	Used stimulants - 12 mo
STI_15P	Frequency used stimulants - 12 mo

STI 20	Took higher dose of stimulants than recommended - 12 mo
STI 25	Took stimulants more often than recommended - 12 mo
STI 30	Used stimulants for reasons other than recommended - 12 mo
STI 35	All stimulants used were prescribed to self -12 mo
STI 40	Gave away stimulants prescribed to self - 12 mo
STI 45	Sold stimulants prescribed to self - 12 mo
STI 50	Where obtained stimulants not prescribed to self
STI 55A	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo
STI 55B	Obtained stimulants - forging a prescription - 12 mo
STI 55C	Obtained stimulants - multiple doctors for prescript - 12 mo
STI 55D	Obtained stimulant prescription - none of above - 12 mo
011_00B	Obtained difficult probabilition from or above 12 mo
TT: Treatment	
TT 05	Felt needed professional help for alcohol or drug use - ever
TT_03	Sought professional help for alcohol or drug use - ever
_	Sought professional help for alcohol or drug use - ever
TT_10B TT_20	Offered professional help for alcohol or drug use - ever
_	
TT_25A	Received professional help for alcohol or drug use - ever
TT_25BP	Num of times received professional help for alcohol or drug use - ever
TT_30	Received professional help for alcohol or drug use - 12 mo
TT_35	Issue for which received professional help - 12 mo
TT_40	Type of issue - inpatient/outpatient/both - 12 mo
TT_45P	Time waited to begin treatment
TT_50	Helpfulness of treatment received - 12 mo
TT_60A	Obstacle to receiving help - Waiting list too long
TT_60B	Obstacle to receiving help - Treatment type desired not available
TT_60C	Obstacle to receiving help - Treatment not covered by insurance
TT_60D	Obstacle to receiving help - Transportation difficult
TT_60E	Obstacle to receiving help - Personal/family responsibilities
TT_60F	Obstacle to receiving help - Too busy
TT_60G	Obstacle to receiving help - Felt did not need treatment
TT_60H	Obstacle to receiving help - Language or cultural difficulties
XTC: Ecstasy	
XTC12M	Ecstasy use - 12 months
XTC_05	Used or tried ecstasy - ever91
XTC 10P	Age first tried - ecstasy91
XTC 15	Used or tried ecstasy - 12 mo

#### Variable Index

variable	Description	ige
AB 15	Aboriginal identity	12/
AHEAVYMN	Heavy weekly alcohol use once per mo. / more often - 4+F 5+M - 12 mo.	
AHEAVYWK	Heavy weekly alcohol use once per week / more often - 4+F 5+M - 12 mo	
ALC11WK	New LRDG Indicator female resp 10+ drnks in 1 week- drinking wheel	
ALC12M	Alcohol use - 12 mo.	
ALC12W ALC16WK	New LRDG Indicator male resp 15+ drnks in 1 week- drinking wheel	
ALC1_2R	Frequency drank alcoholic beverages - 12 mo	
ALC30D	Alcohol use - 30 days	
ALCLEV4	Estimated daily alcohol consumption level - 12 months - 4 cat	
ALCLEV4D	Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel	
ALCPTRN	Alcohol pattern	
ALCSTAT3	Drinking Status	
ALC_05	Have had a drink - ever	
ALC_100A	Relative/friend/doctor concerned about your alchohol use - ever	
ALC_100B	Relative/friend/doctor concerned about alchohol use - 12 mo	
ALC_105	Passenger vehicle driven someone 2+ drinks alcohol prev 2 h - 12 mo	
ALC_10P	Age had first alcoholic beverage	
ALC_110A	Has driver's licence	
ALC_110B	Type of driver's licence	
ALC_115	Driven a vehicle - 12 mo	
ALC_120A	Driven a vehicle after having 2+ drinks alcohol prev 2 h - 12 mo	
ALC_125A	In vehicle accident or collision while driving - 12 mo	
ALC_130	Num of vehicle accidents as driver after 2+ drinks prev 2 h - 12 mo	
ALC_15	Frequency drank alcoholic beverages - 12 mo	
ALC_20P	Number of drinks consumed on those days - 12 mo	
ALC_25	Frequency drank four or more drinks on one occasion - 12 mo	. 17
ALC_30	Frequency drank five or more drinks on one occasion - 12 mo	18
ALC_35	Where most often had a drink - 12 mo	. 18
ALC_40	Where last time had a drink	. 19
ALC_45	Have had a drink - 30 days	. 19
ALC_50P	Number of drinks consumed on those days - 30 days	. 20
ALC_55	Frequency drank four or more drinks on one occasion - 30 days	
ALC_60	Frequency drank five or more drinks on one occasion - 30 days	.21
ALC_65	Have had a drink - 7 days	. 21
ALC_70AP	Number of drinks Day 1	. 21
ALC 70BP	Number of drinks Day 2	. 22
ALC 70CP	Number of drinks Day 3	. 22
ALC_70DP	Number of drinks Day 4	. 23
ALC_70EP	Number of drinks Day 5	. 23
ALC 70FP	Number of drinks Day 6	
ALC 70GP	Number of drinks Day 7	. 25
ALC 75	Have had an energy drink - 12 mo	
ALC_80P	Frequency consumed an energy drink mixed with alcohol - 12 mo	
ALC 90A	Frequency found not able to stop drinking once had started - 12 mo	
ALC 90B	Frequency alcohol use affected ability to do expected tasks - 12 mo	
ALC_90C	Freq needed drink in morning to get going after heavy drinking - 12 mo	
ALC 90D	Frequency unable to recall night before because of drinking - 12 mo	
ALC_90E	Frequency had feeling of guilt or remorse after drinking - 12 mo	
ALC_95	You/someone ever physically injured as result of your drinking - ever	
AL 120BP	Driven vehicle after hav. 2+ drinks alcohol prev 2 h - Nb times	
AL 125BP	Vehicle acc. or coll. while driving - Nb times	
AMPH312M	Used at least 1 of 3 amphetamines - 12 mo.	
ANY10DYR	Used at least 1 of 10 drugs - excluding cannabis - 12 mo.	
ANY11DYR	Used at least 1 of 11 drugs - includes cannabis - 12 mo.	
ANY14DLF	Used at least 1 of 14 drugs - excluding cannabis - ever	
ANY14DYR	Used at least 1 of 14 drugs to get high excluding cannabis - 12 mo.	
ANY15DLF	Used at least 1 of 15 drugs - including cannabis - ever	
ANY16DYR	Used at least 1 of 16 drugs - includes cannabis - 12 mo.	
/ III I I I I I I I I I I I I I I I I I	Cood at 10451 FO 110 drugs - Includes carmable - 12 mo.	. 04

ASCAN1	Frequency of cannabis use in the past 3 months	
ASCAN2	Freq of strong desire / urge to use cannabis - 3 mo.	
ASCAN3	Freq of health, soc, legal / finan prob due to cannabis use - 3 mo	
ASCAN4	Freq of failure to do normal tasks due to cannabis use - 3 mo	
ASCAN5	Relative or friend expressed concern about cannabis use	157
ASCAN6	Failed to control cannabis use	158
ASISTCN3	Risk level for problems due to cannabis consumption - 3 cat	158
ASSISTOD	Received assistance during overdose	169
AWDS12M	Aware of drugs or substances used excluding alcohol - 12 mo	164
BZP_05A	Used or tried BZP or TFMPP - ever	. 98
CAN12M	Cannabis use - 12 months	145
CAN30D	Cannabis use - 30 days	146
CAN3M	Cannabis use - 3 months	
CANALCEV	Used cannabis with Alcohol - 2 freq categories	
CANHALEV	Used cannabis with hallucinogens or dissociatives - 2 freq categories	
CANILEV4	Used cannabis with illicit substances - 4 categories	
CANISTEV	Used cannabis with illicit stimulants - 2 freq. categories	
CANOPIEV	Used cannabis with illicit opioids - 2 frequency categories	
CANPAT	Cannabis use status - three categories	
CANPRCC	Types of products used - Cannabis concentrates	
CANPRED	Types of products used - Edibles containing cannabis	
CANPREV	Used cannabis with prescribed pain relievers - 2 freq categories	
CANRXEV4	Used cannabis with prescribed medications - 4 categories	
CANSEDEV	Used cannabis with prescr sedatives/anti-anxiety medic - 2 freq cat	
CANSTIEV	Used cannabis with prescribed stimulants - 2 freq categories	
CANTOBEV	Used cannabis with Tobacco, e-cig or vaping device - 2 freq categories	
CAN 05A	Used or tried cannabis - ever	
CAN 05B	Used cannabis - more than once	
CAN 105A	Someone expressed concern about your cannabis use - ever	
CAN 105B	Someone expressed concern about your cannabis use - 3 mo	
CAN 110A	Tried to control/cut down/stop cannabis use but not able - ever	
CAN_110B	Tried to control/cut down/stop cannabis use but not able - ever	
CAN 112A	Frequency had strong desire to use cannabis - 3 mo	
CAN 112B	Frequency cannabis use led to health/ soc/legal/financial prob - 3 mo	
CAN_112C	Frequency cannabis use affected ability to do expected tasks - 3 mo	
CAN 115A	Passenger - driver used cannabis prev 2 h - 12 mo	
CAN 115B	Passenger - more than once - driver used cannabis prev 2 h - 12 mo	
CAN 120A	Passenger - driver used alcohol and cannabis prev 2 h - 12 mo	
CAN_120B	Pass. more than once - driver used alcohol and cannabis prev 2h	
CAN 125A	Have driven 2 hours following cannabis use - 12 mo	
CAN 130	Number of vehicle accidents as driver cannabis prev 2 h - 12 mo	
<del>_</del>	Interaction with law enforcement involving DUI cannabis - 12 mo	
CAN_135	Arrested for driving violation related to cannabis use - 12 mo	
CAN_146	Willingness publicly say use cannabis for non-med increased now legal	
CAN_145		
CAN_15P	Age first tried - cannabis	
CAN_20A	Used cannabis - for medical and/or non-medical reasons - 12 mo	
CAN_20B	Use cannabis for - Main symptom - 12 mo	
CAN_22	Use cannabis for - Main symptom - 12 mo	
CAN_23	Cannabis products used - Marijuana or herb - 12 mo	
CAN_25A		
CAN_25B	Cannabis products used - Hashish or kief - 12 mo	
CAN_25C	Cannabis products used - Cannabis oil - 12 mo	
CAN_25D	Cannabis products used - Cartridges/vape pens - 12 mo	
CAN_25E	Cannabis products used - Liquid concentrate - 12 mo	
CAN_25F	Cannabis products used - Solid concentrate - 12 mo	
CAN_25G	Cannabis products used - Edibles - 12 mo	
CAN_25H	Cannabis products used - Liquid - 12 mo	
CAN_25I	Cannabis products used - Other - 12 mo	
CAN_30_A	Frequency used cannabis products - Marijuana or herb - 12 mo	
CAN_30_B	Frequency used cannabis products - Hashish or kief - 12 mo	
CAN_30_C	Frequency used cannabis products - Cannabis oil - 12 mo	
CAN_30_D	Frequency used cannabis products - Cartridges/vape pens - 12 mo	
CAN_30_F	Frequency used cannabis products - Solid concentrate - 12 mo	. 65

CAN_30_G	Frequency used cannabis products - Edibles - 12 mo	. 65
CAN 35A	Methods used to consume cannabis - Smoked - 12 mo	. 67
CAN 35B	Methods used to consume cannabis - Ate - 12 mo	
CAN 35C	Methods used to consume cannabis - Drank - 12 mo	
CAN 35D	Methods used to consume cannabis - Vaporizer 12 mo	
CAN 35E	Methods used to consume cannabis - Vape pen or e-cig - 12 mo	
<del>-</del>		
CAN_35F	Methods used to consume cannabis - Dabbed - 12 mo	
CAN_35G	Methods used to consume cannabis - Other - 12 mo	
CAN_40	Where usually get cannabis - 12 mo	
CAN_45A	Frequency combined cannabis with - Alcohol - 12 mo	
CAN_45B	Freq comb cannabis with - Tobacco/e-cigarette/vaping device - 12 mo	
CAN_45C	Frequency combined cannabis with - Prescription pain relievers - 12 mo	
CAN_45E	Freq comb cannabis with - prescrip sedatives/anxiety meds - 12 mo	. 72
CAN_45F	Frequency combined cannabis with - Illicit opioids - 12 mo	.72
CAN_45G	Frequency combined cannabis with - Illicit stimulants - 12 mo	.73
CAN_50A	Used with cannabis to get high - Alcohol	. 74
CAN 50B	Used with cannabis to get high - tobacco/e-cigarette/vaping	. 74
CAN 50C	Used with cannabis to get high - prescription pain relievers	. 75
CAN 50D	Used with cannabis to get high - Prescription stimulants	
CAN_50E	Used with cannabis to get high - prescrip sedatives/anxiety meds	
CAN_50G	Used with cannabis to get high - illicit stimulants	
CAN 50H	Used with cannabis to get high - illicit hallucinogens/dissociatives	
CAN 55	Consumed more/less/same quant cannabis compared to yr before - 12 mo	
CAN 60	Frequency used cannabis - 3 mo	
CAN 70P	Frequency used cannabis - 30 days	
CAN_701 CAN_80	Number of times started day by using cannabis - 30 days	
CCVP12M	Frequency use cannabis - Cartridges/disposable vape pens - 4 cat.	
CIG30	Use of cigarette in the past 30 days	
COC12M	Cocaine use - 12 months	
COC30D	Cocaine use - 30 days	
COC_05	Used or tried cocaine or crack - ever	
COC_10P	Age first tried - cocaine or crack	
COC_15A	Used or tried cocaine or crack - 12 mo	
COC_15B	Used or tried cocaine or crack - 30 days	
COIL12M	Frequency use cannabis - Cannabis oil - 4 categories	
C_125BP	Number of times driven 2 hours following cannabis use - 12 mo	
C_30_EP	Frequency used cannabis products - Liquid concentrate - 12 mo	. 65
C_30_HP	Frequency used cannabis products - Liquid - 12 mo	. 66
C 30 IP	Frequency used cannabis products - Other - 12 mo	.66
C_45DP	Frequency combined cannabis with - Prescription stimulants - 12 mo	. 72
_ C 45HP	Freq comb cannabis with - illicit hallucinogens/dissociatives - 12 mo	
DCAN12M	Frequency use cannabis - Marijuana or herb - 4 categories	
DEM 05P	Marital status	
DEM 20	Highest certificate, diploma or degree completed	
DEM 25	Currently attending a school, college, CEGEP or university	
DEM 27A	Type attending - Elementary, junior high school or high school	
DEM_27B	Type attending - non-university institution	
DEM_27C	Type attending - university institution	
_	Worked at a job or business last week	
DEM_30	•	
DEM_35	Absent from job or business last week  Reason for absence from work last week	
DEM_40P		
DEM_45	Employee or self-employed	
DHAR12	One or more types of harms due to drug use - 12 mo.	
DHA_05A	Drug affects friendships or social life - 12 mo	
DHA_05B	Drug affects physical health - 12 mo	
DHA_05C	Drug affects mental health - 12 mo	
DHA_05D	Drug affects home life, family or relationship - 12 mo	
DHA_05E	Drug affects work, studies, or employment opportunities - 12 mo	
DHA_05F	Drug affects financial position - 12 mo	
DHA_10A	Had legal problems because of drug use - 12 mo	
DHA_10B	Had housing problems because of drug use - 12 mo	
DHA_10C	Had difficulty learning things because of drug use - 12 mo	
DKDYSTRF	New LRDG Indicator female resp 3+ drnks in 1 day - drinking wheel	134

DKDYSTRM	New LRDG Indicator male resp 4+ drnks in 1 day - drinking wheel	135
DRNKDYCF	New LRDG Indicator female resp 2+ drnks in 1 day- drinking wheel	
DRNKDYCM	New LRDG Indicator male resp 3+ drnks in 1 day- drinking wheel	
DVSS1	Smoking Status Type 1 - Using 30 days definition	
DVSST1	Smoking Status Type 1 - Traditional definition	
DVURBAN	Characteristics of community where the respondent lives	
DV_AGEP	Respondent age	
EDIB12M	Frequency use cannabis - edibles - 4 categories	
GLU_05	Sniffed of huffed solvents - ever	
GLU_10	Age first tried - solvents	
GLU_15	Sniffed or huffed solvents - 12 mo.	
HAL12M	Hallucinogens use - 12 months	
HAL_05	Used or tried hallucinogens - ever	
HAL_10P	Age first tried - hallucinogens	
HAL_15 HASH12M	Frequency use cannabis - Hashish or kief - 4 categories	
HDSIZE	Number of people living in household - total	
HER12M	Heroin use - 12 months	
HER 05	Used or tried heroin - ever	
HER 10P	Age first tried - heroin	
HER 15A	Used or tried heroin - 12 mo.	
HER 25P	Easy to get heroin if wanted some today	
HHI 01	Type of dwelling	
HWB 05	Health status	
HWB 10	Status Mental health	
IDU12M	Injectable drug use - 12 mo.	
IDU 05A	Have injected any drug - ever	
IDU 05B	Have injected any drug - more than once	
IDU_10P	Age first started injecting drugs	
IDU_15	Have injected any drug - 12 mo	103
IL5D12	Used at least 1 of 5 drugs - excluding cannabis - 12 mo	166
IL5DL	Used at least 1 of 5 drugs - excluding cannabis - ever	168
IL6D12	Used at least 1 of 6 drugs - including cannabis - 12 mo	
IL6DL	Used at least 1 of 6 drugs - including cannabis - ever	167
INC_50	Household income	
INH12M	Inhalant use - 12 months	
KRAT12M	Kratom use - 12 mo.	
KRT_05A	Used or tried kratom - ever	
KRT_05B	Used or tried kratom - 12 mo	
LCON12MP	Frequency use cannabis - Liquid concentrate - 3 categories	
LIQU12MP	Frequency use cannabis - Liquid - 3 categories	
LRDGAC12 LRDGACUT	Exceeded low-risk drinking guideline -acute effects - tot. popl'n	
LRDGCH12	Exceeded low-risk drinking guideline - acute effects - tot. popin	
LRDGCHRC	Exceeded low-risk drinking guideline - chronic effects- tot. pop7d	
LRDGSTF	Acute/Short-term LRDG - week preceding the survey - Females	
LRDGSTM	Acute/Short-term LRDG - week preceding the survey - Males	
LRSKDRKF	Chronic LRDG - week preceding the survey - Females	
LRSKDRKM	Chronic LRDG - week preceding the survey - Males	
MEPH12M	Mephedrone use - 12 mo.	
MEP_05A	Used or tried mephedrone - ever	
MEP_05B	Used or tried mephedrone - 12 mo	
MET_05	Used or tried amphetamines or methamphetamine - ever	
MET_10P	Age first tried - amphetamines/methamphetamine	
MET_15	Used or tried amphetamines or methamphetamine - 12 mo	
MEXALCBA	Alcohol or cannabis use while pregnant or breastfeeding	158
MEX_05	Gave birth - past 5 years	
MEX_10	Used cannabis during last pregnancy	
MEX_15	Gave breast milk to last child	
MEX_20	Used cannabis during period when gave breast milk to last child	
MEX_25P	Frequency drank alcohol during last pregnancy	
MEX_30A	Number of drinks consumed - During last pregnancy	
MEX_30BP	Number of drinks consumed - During last pregnancy	. 88

MHHTYPEB	Type of household, based on age composition	
NUMDRNKF	Usually drinks 4 or more drinks per occasion-Females - 12 mo.	
NUMDRNKM	Usually drinks 5 or more drinks per occasion-Males - 12 mo	
ODS12M	Other drugs or substance use - 12 mo.	
ODS_05	Used or tried any other drug to get high - ever	
ODS_10	Used or tried [other drug] to get high - more than once	
ODS_15P	Age first tried - [other drug]	
ODS_20	Used or tried [other drug] - 12 mo	
ODS_25	Used drug to get high w/out knowing what it was - 12 mo	
ODS_30	Purchased drug to get high w/out knowing what it was - 12 mo	
ODS_35	Used drug get high, that was not what you thought it was - 12 mo	
OD_05	Has overdosed - ever	
OD_10A	Last time overdosed - someone called ambulance/brought to hospital	
OD_10B	Last time overdosed - someone placed in rescue position	
OD_10CDP	Last time overdosed - someone performed CPR or administered naloxone	
OD_10E	Last time overdosed - someone provided another kind of assistance	
OD_10F	Last time overdosed - did not receive assistance	
OD_10G	Last time overdosed - don't know if someone took action	
OD_15	Have seen someone have a drug overdose - ever	
OD_20	Have obtained a naloxone kit - 12 mo	
OD_25	Main reason obtained a naloxone kit	
OTC_05	Used or tried over-the-counter products to get high - 12 mo	
OTHR12MP	Frequency use cannabis products - Other - 3 categories	
PAIN12MA	Used pain relievers - 12 months - including low-dose	
PAIN12MB	Used pain relievers - 12 months - excluding low-dose	
PAINABUA	Abused pain relievers - 12 mo including low-dose	
PAINABUB	Abused pain relievers - 12 mo excluding low-dose	
PAINNDA	Used pain relievers not as directed - 12 mo including low-dose	
PAINNDB	Used pain relievers not as directed - 12 mo excluding low-dose	
PHAR12MA	Used pharmaceuticals - Include low-dose pain relievers - 12 mo.	
PHAR12MB	Used pharmaceuticals - Exclude low-dose pain relievers - 12 mo.	
PHARABUA	Abused pharmaceuticals - Include low-dose pain relievers - 12 mo.	
PHARABUB	Abused pharmaceuticals - Exclude low-dose pain relievers - 12 mo.	
PHARNDA	Used pharmaceutic not as directed - incl. low-dose pain reliev12 mo.	
PHARNDB	Used pharmaceutic not as directed - excl. low-dose pain reliev12 mo.	
PROV	Province of the selected respondent	
PR_05	Used pain relievers - ever	
PR_10	Used low-dose codeine products - 12 mo	
PR_100	Where obtained pain relievers not prescribed to self	
PR_105A	·	
PR_105B	Obtained pain relievers - forging a prescription - 12 mo	
PR_105C PR_105D	Obtained pain relievers - multiple doctors for prescript - 12 mo	
PR_15A	Used low-dose codeine for reasons other than pain relief - ever	
PR_15B	Used low-dose codeine for reasons other than pain relief - 12 mo	
	Age first used low-dose codeine for reasons other than pain relief	
PR_16P		
PR_17P	Frequency low-dose codeine reasons other than pain relief - 12 mo	
PR_18A PR 20	Excl. low-dose codeine - used other codeine pain relieving prod - 12 m	
PR 25	Used oxycodone pain relieving products - 12 mo	
PR_30	Used fentanyl - 12 mo	
	Used other opioid pain relieving products - 12 mo	
PR_35 PR 45	Excl. low-dose codeine - took higher dose pain relievers - 12 mo	
PR_50	Excl. low-dose codeine - took higher dose pain relievers - 12 mo	
PR_53	Excl. low-dose codeline - took pain relievers more often - 12 mo	
PR 55A	Excl. low-dose codeine - frequency used pain relievers - 12 mo	
PR_55B	Excl. low-dose codeline - used pain relievers reasons other - 12 mo	
PR 60P	Age first used pain relievers for reasons other than pain relief	
PR 70P	Frequency pain relievers reasons other than pain relief - 12 mo	
PR 75	Excl. low-dose codeine - all pain relievers prescribed to self - 12 mo	
PR_80A	Excl. low-dose codeine - all pain relievers prescribed to sell - 12 mo	
PR 80B	Excl. low-dose codeine - tampered pain relievers before taking - ever	
PR 90	Gave away pain relievers prescribed to self - 12 mo	
111_30	dave away pain relieve to prescribed to sell - 12 mo	+2

PR_95	Sold pain relievers prescribed to self - 12 mo	42
PUMFID	Public use microdata file identifier	
REFMONTH	Survey month	
REFYEAR	Survey year	
SALV12M	Salvia use - 12 months	
SAL_05A	Used or tried salvia - ever	
SAL_05B	Used or tried salvia - 12 mo	
SCON12M	Frequency use cannabis - Solid concentrate - 4 categories	150
SED12M	Used sedatives - 12 mo.	
SEDHIGH	Used sedatives to get high - 12 months	143
SEDND	Used sedatives not as directed - 12 months	
SED_05A	Used sedative/anti-anxiety meds - ever	
SED_05B	Used sedatives/anti-anxiety meds - 12 mo	
SED_15	Frequency used sedatives/anti-anxiety meds - 12 mo	51
SED_20	Took higher dose sedatives/anti-anxiety meds than recommended - 12 mo	51
SED_25	Took sedatives/anti-anxiety meds more often than recommended - 12 mo	52
SED_30	Used sedatives/anti-anxiety meds reasons other than why recomm - 12 mo	52
SED_35	All sedatives/anti-anxiety meds used prescribed to self -12 mo	52
SED_40	Gave away sedatives/anti-anxiety meds prescribed to self - 12 mo	53
SED_45	Sold sedatives/anti-anxiety meds prescribed to self - 12 mo	53
SED_50	Where obtained sedatives/anti-anxiety meds not prescribed to self	54
SED 55A	Obtained sedatives - Persuaded doctor to obtain prescript 12 mo	54
SED 55B	Obtained sedatives - forging a prescription - 12 mo	54
SED 55C	Obtained sedatives - multiple doctors for prescript - 12 mo	
SED 55D	Obtained sedatives - none of the above - 12 mo	55
SEX	Respondent's sex at birth	
SPI12M	Synthetic cannabinoids use - 12 months	
SPI 05A	Used or tried synthetic cannabinoids - ever	
SPI 05B	Used or tried synthetic cannabinoids - 12 mo	
SPMETH12	Speed and/or methamphetamine use - 12 months	
SS 05	Smoked at least 100 cigarettes - lifetime	
SS 10	Frequency smoke cigarretes - present time	
SS 15	Smoked cigarettes - 30 days	
SS 20	Used or tried e-cigarette or vaping device - ever	
SS 25	Used e-cigarette or vaping device every day - 30 days	
STIM12M	Used stimulants - 12 months	
STIMABUS	Abused stimulants - 12 months	
STIMND	Used stimulants not as directed - 12 months	
STI 05A	Used stimulants - ever	
STI_05B	Used stimulants - 12 mo	
STI_15P	Frequency used stimulants - 12 mo.	
STI 20	Took higher dose of stimulants than recommended - 12 mo	
STI 25	Took stimulants more often than recommended - 12 mo	
STI_30	Used stimulants for reasons other than recommended - 12 mo	
STI 35	All stimulants used were prescribed to self -12 mo	
STI 40	Gave away stimulants prescribed to self - 12 mo.	
STI 45	Sold stimulants prescribed to self - 12 mo	
STI_50	Where obtained stimulants not prescribed to self	
STI 55A	Obtained stimulant - Persuaded doctor to obtain prescript 12 mo	
STI 55B	Obtained stimulants - forging a prescription - 12 mo	
STI_55C	Obtained stimulants - multiple doctors for prescript - 12 mo	
STI 55D	Obtained stimulant prescription - none of above - 12 mo	
TT 05	Felt needed professional help for alcohol or drug use - ever	
TT_10A	Sought professional help for alcohol or drug use - ever	
TT 10B	Sought professional help for alcohol or drug use - ever	
TT 20	Offered professional help for alcohol or drug use - rz mo	
TT 25A	Received professional help for alcohol or drug use - ever	
TT 25BP	Num of times received professional help for alcohol or drug use - ever	
_	Received professional help for alcohol or drug use - 12 mo	
TT_30	Issue for which received professional help - 12 mo	
TT_35 TT_40	Type of issue - inpatient/outpatient/both - 12 mo	
	· · · · · · · · · · · · · · · · · · ·	
TT_45P TT_50	Time waited to begin treatment  Helpfulness of treatment received - 12 mo	
11 30	neipiuliess oi tieatinent ieceivea - 12 mo	

TT_60A	Obstacle to receiving help - Waiting list too long	
TT 60B	Obstacle to receiving help - Treatment type desired not available	
TT 60C	Obstacle to receiving help - Treatment not covered by insurance	119
TT 60D	Obstacle to receiving help - Transportation difficult	
TT 60E	Obstacle to receiving help - Personal/family responsibilities	
TT 60F	Obstacle to receiving help - Too busy	
TT 60G	Obstacle to receiving help - Felt did not need treatment	
TT 60H	Obstacle to receiving help - Language or cultural difficulties	
VERDATE	Version date of when the file was created	
WEIGHTP	Survey weight	
XTC12M	Ecstasy use - 12 months	
XTC 05	Used or tried ecstasy - ever	
XTC 10P	Age first tried - ecstasy	
XTC 15	Used or tried ecstasy - 12 mo	