Contents

1   algebra

1.1   wallace

1.1.1   distributive property

$$a(b + c) = ac + bc$$

1.1.2   slope

$$m = \frac{\textbf{rise}}{\textbf{run}} = \frac{y_2 - y_1}{x_2 - x_1}$$

1.1.3 properties of exponents

$$a^m a^n = a^{m+n} \quad (ab)^m = a^m b^m \quad \frac{a^m}{a^n} = a^{m-n}$$

$$\left(\frac{a}{b}\right)^m = \frac{a^m}{b^m} \qquad a^{-m} = \frac{1}{a^m} \qquad \frac{1}{a^{-m}} = a^m$$

$$(a^m)^n = a^{mn} \qquad a^0 = 1 \qquad \left(\frac{a}{b}\right)^{-m} = \frac{b^m}{a^m}$$

1.1.4 scientific notation

$$a \times 10^b \text{ where } 1 \leqslant a < 10$$

1.1.5 ways to factor

- GCF

- Grouping

- Trinomials where $a = 1$

  - multiply to $a \times c$
  - add to b

- Trinomials where $a \neq 1$

- Factoring Special Products

1.1.6 factoring special products

$$\begin{aligned}
\text{difference of square} \quad & a^2 - b^2 = (a-b)(a+b) \\
\text{sum of squares} \quad & a^2 + b^2 = \text{Prime} \\
\text{perfect square} \quad & a^2 + 2ab + b^2 = (a+b)^2 \\
\text{sum of cubes} \quad & a^3 + b^3 = (a+b)(a^2 - ab + b^2) \\
\text{difference of cubes} \quad & a^3 - b^3 = (a-b)(a^2 + ab + b^2)
\end{aligned}$$

1.1.7 factoring strategy

- **GCF FIRST**

- **2 terms**: sum of diffs of squares or cubes

- **3 terms**: ac method, watch for perfect squares

- **4 terms**: grouping

1.1.8   cross product

$$\text{if } \frac{a}{b} = \frac{c}{d}, \text{ then } ad = bc$$

1.1.9   definition of radicals

$$\sqrt[m]{a} = b, \text{ if } b^m = a$$

1.1.10   properties of radicals

$$a^m a^n = a^{m+n} \quad (ab)^m = a^m b^m \quad a^{-m} = \frac{1}{a^m}$$

$$\frac{a^m}{a^n} = a^{m-n} \quad \left(\frac{a}{b}\right)^m = \frac{a^m}{b^m} \quad \frac{1}{a^{-m}} = a^m$$

$$(a^m)^n = a^{mn} \quad a^0 = 1 \quad \left(\frac{a}{b}\right)^{-m} = \frac{b^m}{a^m}$$

$$\boxed{\textbf{always rationalize denominator}}$$

1.1.11   radicals of mixed index

1.1.12   definition of rational exponents

$$a^{\frac{n}{m}} = \left(\sqrt[m]{a}\right)^n$$

1.1.13   definition of imaginary numbers

$$i^2 = -1 \left(\text{thus } i = \sqrt{-1}\right)$$

1.1.14   cyclic property of powers of i

$$i^0 = 1$$
$$i \ = i$$
$$i^2 = -1$$
$$i^3 = -i$$

Example

$$i^{35} \quad \text{divide exponent by 4}$$
$$8R3 \quad \text{use remainder as exp of } i$$
$$i^3 \quad \text{simplify}$$
$$-i \quad \text{solution}$$

> **when solving a radical problem with an even index: check answers**

1.1.15 odd root property

$$\text{if } a^n = b, \text{ then } a = \sqrt[n]{b} \text{ when } n \text{ is odd}$$

1.1.16 even root property

$$\text{if } a^n = b, \text{ then } a = \pm\sqrt[n]{b} \text{ when } n \text{ is even}$$

1.1.17 completing the square

$$3x^2 + 18x - 6 = 0 \quad \text{problem}$$
$$3x^2 + 18x = 6 \quad \text{separate consts from vars}$$
$$x^2 + 6x = 2 \quad \text{divide each term by } a$$
$$\left(\frac{1}{2}6\right)^2 = 3^2 = 9 \quad \text{find value to complete sq.}$$
$$x^2 + 6x + 6 = 2 + 6 \quad \text{add it to both sides of equation}$$
$$(x + 3)^2 = 11 \quad \text{factor}$$

2 geometry