

Skill Library

Alle verfügbaren Claude Skills - Kommandos, Funktionen, Anwendungsfälle

128 Skills 10 Kategorien Claude Code

Inhalt

- Sales & CRM (13 Skills)
- Marketing & Content (11 Skills)
- Design & UI (14 Skills)
- Data & Analytics (12 Skills)
- Finance & Compliance (7 Skills)
- Engineering & Product (18 Skills)
- HR & People (8 Skills)
- Knowledge & Productivity (25 Skills)
- Documents & Output (4 Skills)
- Claude & AI (10 Skills)

Sales & CRM

[/account-research](#)

Research a company using Common Room data. Triggers on 'research [company]', 'tell me about [domain]', 'pull up signals for [account]', 'what's going on with [company]', or any account-level question.

[/call-prep](#)

Prepare for a customer or prospect call using Common Room signals. Triggers on 'prep me for my call with [company]', 'prepare for a meeting with [company]', 'what should I know before talking to [company]', or any call p

[/call-summary](#)

Process call notes or a transcript — extract action items, draft follow-up email, generate internal summary. Use when pasting rough notes or a transcript after a discovery, demo, or negotiation call, drafting a customer

[/close-management](#)

Manage the month-end close process with task sequencing, dependencies, and status tracking. Use when planning the close calendar, tracking close progress, identifying blockers, or sequencing close activities by day.

[/compose-outreach](#)

Generate personalized outreach messages using Common Room signals. Triggers on 'draft outreach to [person]', 'write an email to [name]', 'compose a message for [contact]', or any outreach drafting request.

[/contact-research](#)

Research a specific person using Common Room data. Triggers on 'who is [name]', 'look up [email]', 'research [contact]', 'is [name] a warm lead', or any contact-level question.

[/draft-outreach](#)

Research a prospect then draft personalized outreach. Uses web research by default, supercharged with enrichment and CRM. Trigger with "draft outreach to [person/company]", "write cold email to [prospect]", "reach out to

[/email-sequence](#)

Design and draft multi-email sequences with full copy, timing, branching logic, exit conditions, and performance benchmarks. Use when building onboarding, lead nurture, re-engagement, win-back, or product launch flows, w

[/enrich-lead](#)

Instant lead enrichment. Drop a name, company, LinkedIn URL, or email and get the full contact card with email, phone, title, company intel, and next actions.

[/pipeline-review](#)

Analyze pipeline health — prioritize deals, flag risks, get a weekly action plan. Use when running a weekly pipeline review, deciding which deals to focus on this week, spotting stale or stuck opportunities, auditing for

[/prospect](#)

Full ICP-to-leads pipeline. Describe your ideal customer in plain English and get a ranked table of enriched decision-maker leads with emails and phone numbers.

[/sequence-load](#)

Find leads matching criteria and bulk-add them to an Apollo outreach sequence. Handles enrichment, contact creation, deduplication, and enrollment in one flow.

[/draft-offer](#)

Draft an offer letter with comp details and terms. Use when a candidate is ready for an offer, assembling a total comp package (base, equity, signing bonus), writing the offer letter text itself, or prepping negotiation

Marketing & Content

[/brand-guidelines](#)

Applies Anthropic's official brand colors and typography to any sort of artifact that may benefit from having Anthropic's look-and-feel. Use it when brand colors or style guidelines, visual formatting, or company design

[/brand-review](#)

Review content against your brand voice, style guide, and messaging pillars, flagging deviations by severity with specific before/after fixes. Use when checking a draft before it ships, when auditing copy for voice consi

/campaign-plan

Generate a full campaign brief with objectives, audience, messaging, channel strategy, content calendar, and success metrics. Use when planning a product launch, lead-gen push, or awareness campaign, when you need a week

/competitive-brief

Create a competitive analysis brief for one or more competitors or a feature area. Use when informing product strategy or feature prioritization, building sales battle cards, prepping board or investor materials, or deci

/competitive-intelligence

Research your competitors and build an interactive battlecard. Outputs an HTML artifact with clickable competitor cards and a comparison matrix. Trigger with "competitive intel", "research competitors", "how do we compar

/content-creation

Draft marketing content across channels — blog posts, social media, email newsletters, landing pages, press releases, and case studies. Use when writing any marketing content, when you need channel-specific formatting, S

/draft-content

Draft blog posts, social media, email newsletters, landing pages, press releases, and case studies with channel-specific formatting and SEO recommendations. Use when writing any marketing content, when you need headline

/email-sorter

Sortiert E-Mails automatisch in Gmail-Labels/Ordner ein. Nutze diesen Skill immer wenn der User sagt "sortiere meine Emails", "raeum mein Postfach auf", "weise Emails den richtigen Ordnern zu", "emails einordnen", "postf

/instagram-digital-products

7-step Instagram marketing system for digital product creators. Generates product ideas, outlines, bio, carousels, captions, Reels scripts, and DM sequences — all tailored to your niche and audience. Use this skill when

/seo-audit

Run a comprehensive SEO audit — keyword research, on-page analysis, content gaps, technical checks, and competitor comparison. Use when assessing a site's SEO health, when finding keyword opportunities and content gaps c

/comp-analysis

Analyze compensation — benchmarking, band placement, and equity modeling. Trigger with "what should we pay a [role]", "is this offer competitive", "model this equity grant", or when uploading comp data to find outliers a

Design & UI

/algorithmic-art

Creating algorithmic art using p5.js with seeded randomness and interactive parameter exploration. Use this when users request creating art using code, generative art, algorithmic art, flow fields, or particle systems. C

/canvas-design

Create beautiful visual art in .png and .pdf documents using design philosophy. You should use this skill when the user asks to create a poster, piece of art, design, or other static piece. Create original visual designs

/create-an-asset

Generate tailored sales assets (landing pages, decks, one-pagers, workflow demos) from your deal context. Describe your prospect, audience, and goal — get a polished, branded asset ready to share with customers.

/design-critique

Get structured design feedback on usability, hierarchy, and consistency. Trigger with "review this design", "critique this mockup", "what do you think of this screen?", or when sharing a Figma link or screenshot for feed

/design-handoff

Generate developer handoff specs from a design. Use when a design is ready for engineering and needs a spec sheet covering layout, design tokens, component props, interaction states, responsive breakpoints, edge cases, a

/design-system

Audit, document, or extend your design system. Use when checking for naming inconsistencies or hardcoded values across components, writing documentation for a component's variants, states, and accessibility notes, or des

/lux-copy

Write or review UX copy — microcopy, error messages, empty states, CTAs. Trigger with "write copy for", "what should this button say?", "review this error message", or when naming a CTA, wording a confirmation dialog, fi

/lux-design

5 Claude skills for UI/UX designers — UX audits, AI chat UI design, Vercel landing pages, case study writing, and React component conversion — each backed by a specialized GitHub skill. Use this skill when a designer wan

/web-artifacts-builder

Suite of tools for creating elaborate, multi-component claude.ai HTML artifacts using modern frontend web technologies (React, Tailwind CSS, shadcn/ui). Use for complex artifacts requiring state management, routing, or s

/emil-design-eng

Emil Kowalski's philosophy on UI polish, component design, animation decisions, and the invisible details that make software feel great.

/ui-ux-pro-max

Design Intelligence für Claude Code — Typography, Color Systems, Animations. Setzt echte Design-Richtung bevor Code geschrieben wird.

/theme-factory

Toolkit for styling artifacts with a theme. These artifacts can be slides, docs, reportings, HTML landing pages, etc. There are 10 pre-set themes with colors/fonts that you can apply to any artifact that has been creatin

/slack-gif-creator

Knowledge and utilities for creating animated GIFs optimized for Slack. Provides constraints, validation tools, and animation concepts. Use when users request animated GIFs for Slack like "make me a GIF of X doing Y for

/manus-vacu-landing

Full Manus-style prompt for building a premium dark-themed single-page landing page for "VACU" — a vacuum-sealed fresh food delivery brand. Built with React, Tailwind CSS, TypeScript, and Framer Motion. Includes glassmor

Data & Analytics

/analyze

Answer data questions -- from quick lookups to full analyses. Use when looking up a single metric, investigating what's driving a trend or drop, comparing segments over time, or preparing a formal data report for stakeho

/create-viz

Create publication-quality visualizations with Python. Use when turning query results or a DataFrame into a chart, selecting the right chart type for a trend or comparison, generating a plot for a report or presentation,

/data-context-extractor

Generate or improve a company-specific data analysis skill by extracting tribal knowledge from analysts. BOOTSTRAP MODE - Triggers: "Create a data context skill", "Set up data analysis for our warehouse", "Help me create

/data-visualization

Create effective data visualizations with Python (matplotlib, seaborn, plotly). Use when building charts, choosing the right chart type for a dataset, creating publication-quality figures, or applying design principles I

/explore-data

Profile and explore a dataset to understand its shape, quality, and patterns. Use when encountering a new table or file, checking null rates and column distributions, spotting data quality issues like duplicates or suspi

/forecast

Generate a weighted sales forecast with best/likely/worst scenarios, commit vs. upside breakdown, and gap analysis. Use when preparing a quarterly forecast call, assessing gap-to-quota from a pipeline CSV, deciding which

/metrics-review

Review and analyze product metrics with trend analysis and actionable insights. Use when running a weekly, monthly, or quarterly metrics review, investigating a sudden spike or drop, comparing performance against targets

/sql-queries

Write correct, performant SQL across all major data warehouse dialects (Snowflake, BigQuery, Databricks, PostgreSQL, etc.). Use when writing queries, optimizing slow SQL, translating between dialects, or building complex

/statistical-analysis

Apply statistical methods including descriptive stats, trend analysis, outlier detection, and hypothesis testing. Use when analyzing distributions, testing for significance, detecting anomalies, computing correlations, o

/validate-data

QA an analysis before sharing -- methodology, accuracy, and bias checks. Use when reviewing an analysis before a stakeholder presentation, spot-checking calculations and aggregation logic, verifying a SQL query's results

/variance-analysis

Decompose financial variances into drivers with narrative explanations and waterfall analysis. Use when analyzing budget vs. actual, period-over-period changes, revenue or expense variances, or preparing variance comment

/write-query

Write optimized SQL for your dialect with best practices. Use when translating a natural-language data need into SQL, building a multi-CTE query with joins and aggregations, optimizing a query against a large partitioned

Finance & Compliance

/audit-support

Support SOX 404 compliance with control testing methodology, sample selection, and documentation standards. Use when generating testing workpapers, selecting audit samples, classifying control deficiencies, or preparing

/compliance-tracking

Track compliance requirements and audit readiness. Trigger with "compliance", "audit prep", "SOC 2", "ISO 27001", "GDPR", "regulatory requirement", or when the user needs help tracking, preparing for, or documenting comp

/financial-statements

Generate financial statements (income statement, balance sheet, cash flow) with period-over-period comparison and variance analysis. Use when preparing a monthly or quarterly P&L, closing the books and need to flag mater

/journal-entry

Prepare journal entries with proper debits, credits, and supporting detail. Use when booking month-end accruals (AP, payroll, prepaid), recording depreciation or amortization, posting revenue recognition or deferred reve

/journal-entry-prep

Prepare journal entries with proper debits, credits, and supporting documentation for month-end close. Use when booking accruals, prepaid amortization, fixed asset depreciation, payroll entries, revenue recognition, or a

/reconciliation

Reconcile accounts by comparing GL balances to subledgers, bank statements, or third-party data. Use when performing bank reconciliations, GL-to-subledger recs, intercompany reconciliations, or identifying and categorizi

/sox-testing

Generate SOX sample selections, testing workpapers, and control assessments. Use when planning quarterly or annual SOX 404 testing, pulling a sample for a control (revenue, P2P, ITGC, close), building a testing workpaper

Engineering & Product

/accessibility-review

Run a WCAG 2.1 AA accessibility audit on a design or page. Trigger with "audit accessibility", "check a11y", "is this accessible?", or when reviewing a design for color contrast, keyboard navigation, touch target size, o

/architecture

Create or evaluate an architecture decision record (ADR). Use when choosing between technologies (e.g., Kafka vs SQS), documenting a design decision with trade-offs and consequences, reviewing a system design proposal, o

/build-dashboard

Build an interactive HTML dashboard with charts, filters, and tables. Use when creating an executive overview with KPI cards, turning query results into a shareable self-contained report, building a team monitoring snaps

/build-with-claude-code

Replace expensive SaaS tools (Calendly, Mailchimp, Shopify, Intercom) by building them yourself in an afternoon with Claude Code. Each tool costs \$0 instead of \$20–\$50/month. Use this skill when the user wants to build a

/change-request

Create a change management request with impact analysis and rollback plan. Use when proposing a system or process change that needs approval, preparing a change record for CAB review, documenting risk and rollback steps

/code-review

Review code changes for security, performance, and correctness. Trigger with a PR URL or diff, "review this before I merge", "is this code safe?", or when checking a change for N+1 queries, injection risks, missing edge

/debug

Structured debugging session — reproduce, isolate, diagnose, and fix. Trigger with an error message or stack trace, "this works in staging but not prod", "something broke after the deploy", or when behavior diverges from

/deploy-checklist

Pre-deployment verification checklist. Use when about to ship a release, deploying a change with database migrations or feature flags, verifying CI status and approvals before going to production, or documenting rollback

/incident-response

Run an incident response workflow — triage, communicate, and write postmortem. Trigger with "we have an incident", "production is down", an alert that needs severity assessment, a status update mid-incident, or when writ

/mcp-builder

Guide for creating high-quality MCP (Model Context Protocol) servers that enable LLMs to interact with external services through well-designed tools. Use when building MCP servers to integrate external APIs or services,

/product-brainstorming

Brainstorm product ideas, explore problem spaces, and challenge assumptions as a thinking partner. Use when exploring a new opportunity, generating solutions to a product problem, stress-testing an idea, or when a PM nee

/roadmap-update

Update, create, or reprioritize your product roadmap. Use when adding a new initiative and deciding what moves to make room, shifting priorities after new information comes in, moving timelines due to a dependency slip,

/runbook

Create or update an operational runbook for a recurring task or procedure. Use when documenting a task that on-call or ops needs to run repeatably, turning tribal knowledge into exact step-by-step commands, adding troubl

/system-design

Design systems, services, and architectures. Trigger with "design a system for", "how should we architect", "system design for", "what's the right architecture for", or when the user needs help with API design, data mode

/tech-debt

Identify, categorize, and prioritize technical debt. Trigger with "tech debt", "technical debt audit", "what should we refactor", "code health", or when the user asks about code quality, refactoring priorities, or mainte

/testing-strategy

Design test strategies and test plans. Trigger with "how should we test", "test strategy for", "write tests for", "test plan", "what tests do we need", or when the user needs help with testing approaches, coverage, or te

/write-spec

Write a feature spec or PRD from a problem statement or feature idea. Use when turning a vague idea or user request into a structured document, scoping a feature with goals and non-goals, defining success metrics and acc

/browser-use

Gibt Claude Kontrolle über einen echten Browser — Buttons klicken, Forms ausfüllen, Screenshots, parallele Sessions. Kein API nötig.

HR & People

/capacity-plan

Plan resource capacity — workload analysis and utilization forecasting. Use when heading into quarterly planning, the team feels overallocated and you need the numbers, deciding whether to hire or deprioritize, or stress

/interview-prep

Create structured interview plans with competency-based questions and scorecards. Trigger with "interview plan for", "interview questions for", "how should we interview", "scorecard for", or when the user is preparing to

/onboarding

Generate an onboarding checklist and first-week plan for a new hire. Use when someone has a start date coming up, building the pre-start task list (accounts, equipment, buddy), scheduling Day 1 and Week 1, or setting 30/

/org-planning

Headcount planning, org design, and team structure optimization. Trigger with "org planning", "headcount plan", "team structure", "reorg", "who should we hire next", or when the user is thinking about team size, reportin

/people-report

Generate headcount, attrition, diversity, or org health reports. Use when pulling a headcount snapshot for leadership, analyzing turnover trends by team, preparing diversity representation metrics, or assessing span of c

/performance-report

Build a marketing performance report with key metrics, trend analysis, wins and misses, and prioritized optimization recommendations. Use when wrapping a campaign, when preparing weekly, monthly, or quarterly channel sum

/performance-review

Structure a performance review with self-assessment, manager template, and calibration prep. Use when review season kicks off and you need a self-assessment template, writing a manager review for a direct report, preppin

/recruiting-pipeline

Track and manage recruiting pipeline stages. Trigger with "recruiting update", "candidate pipeline", "how many candidates", "hiring status", or when the user discusses sourcing, screening, interviewing, or extending offe

Knowledge & Productivity

/daily-briefing

Start your day with a prioritized sales briefing. Works standalone when you tell me your meetings and priorities, supercharged when you connect your calendar, CRM, and email. Trigger with "morning briefing", "daily brief

/digest

Generate a daily or weekly digest of activity across all connected sources. Use when catching up after time away, starting the day and wanting a summary of mentions and action items, or reviewing a week's decisions and d

/doc-coauthoring

Guide users through a structured workflow for co-authoring documentation. Use when user wants to write documentation, proposals, technical specs, decision docs, or similar structured content. This workflow helps users ef

/documentation

Write and maintain technical documentation. Trigger with "write docs for", "document this", "create a README", "write a runbook", "onboarding guide", or when the user needs help with any form of technical writing — API d

/knowledge-synthesis

Combines search results from multiple sources into coherent, deduplicated answers with source attribution. Handles confidence scoring based on freshness and authority, and summarizes large result sets effectively.

/memory-management

Two-tier memory system that makes Claude a true workplace collaborator. Decodes shorthand, acronyms, nicknames, and internal language so Claude understands requests like a colleague would. CLAUDE.md for working memory, m

/obsidian-wiki

LLM-maintained personal knowledge wiki — ingest sources, query the accumulated knowledge base, and lint for gaps. Built on Karpathy's LLM Wiki pattern with Obsidian as the IDE.

/research-synthesis

Synthesize user research into themes, insights, and recommendations. Use when you have interview transcripts, survey results, usability test notes, support tickets, or NPS responses that need to be distilled into pattern

/search

Search across all connected sources in one query. Trigger with "find that doc about...", "what did we decide on...", "where was the conversation about...", or when looking for a decision, document, or discussion that cou

/search-strategy

Query decomposition and multi-source search orchestration. Breaks natural language questions into targeted searches per source, translates queries into source-specific syntax, ranks results by relevance, and handles ambi

/source-management

Manages connected MCP sources for enterprise search. Detects available sources, guides users to connect new ones, handles source priority ordering, and manages rate limiting awareness.

/synthesize-research

Synthesize user research from interviews, surveys, and feedback into structured insights. Use when you have a pile of interview notes, survey responses, or support tickets to make sense of, need to extract themes and ran

/task-management

Simple task management using a shared TASKS.md file. Reference this when the user asks about their tasks, wants to add/complete tasks, or needs help tracking commitments.

/update

Sync tasks and refresh memory from your current activity. Use when pulling new assignments from your project tracker into TASKS.md, triaging stale or overdue tasks, filling memory gaps for unknown people or projects, or

/weekly-prep-brief

Generate a comprehensive weekly briefing for all external calls in the next 7 days. Triggers on 'weekly prep brief', 'prepare my week', 'what calls do I have this week', 'Monday prep', or any weekly planning request.

/risk-assessment

Identify, assess, and mitigate operational risks. Trigger with "what are the risks", "risk assessment", "risk register", "what could go wrong", or when the user is evaluating risks associated with a project, vendor, proc

/process-doc

Document a business process — flowcharts, RACI, and SOPs. Use when formalizing a process that lives in someone's head, building a RACI to clarify who owns what, writing an SOP for a handoff or audit, or capturing the exc

/process-optimization

Analyze and improve business processes. Trigger with "this process is slow", "how can we improve", "streamline this workflow", "too many steps", "bottleneck", or when the user describes an inefficient process they want t

/schedule

Create a scheduled task that can be run on demand or automatically on an interval.

/standup

Generate a standup update from recent activity. Use when preparing for daily standup, summarizing yesterday's commits and PRs and ticket moves, formatting work into yesterday/today/blockers, or structuring a few rough no

/start

Initialize the productivity system and open the dashboard. Use when setting up the plugin for the first time, bootstrapping working memory from your existing task list, or decoding the shorthand (nicknames, acronyms, pro

/status-report

Generate a status report with KPIs, risks, and action items. Use when writing a weekly or monthly update for leadership, summarizing project health with green/yellow/red status, surfacing risks and decisions that need st

/stakeholder-update

Generate a stakeholder update tailored to audience and cadence. Use when writing a weekly or monthly status for leadership, announcing a launch, escalating a risk or blocker, or translating the same progress into exec-br

/sprint-planning

Plan a sprint — scope work, estimate capacity, set goals, and draft a sprint plan. Use when kicking off a new sprint, sizing a backlog against team availability (accounting for PTO and meetings), deciding what's P0 vs. s

/internal-comms

A set of resources to help me write all kinds of internal communications, using the formats that my company likes to use. Claude should use this skill whenever asked to write some sort of internal communications (status

Documents & Output

/docx

Use this skill whenever the user wants to create, read, edit, or manipulate Word documents (.docx files). Triggers include: any mention of 'Word doc', 'word document', '.docx', or requests to produce professional documen

/pdf

Use this skill whenever the user wants to do anything with PDF files. This includes reading or extracting text/tables from PDFs, combining or merging multiple PDFs into one, splitting PDFs apart, rotating pages, adding w

/pptx

Use this skill any time a .pptx file is involved in any way — as input, output, or both. This includes: creating slide decks, pitch decks, or presentations; reading, parsing, or extracting text from any .pptx file (even

/xlsx

Use this skill any time a spreadsheet file is the primary input or output. This means any task where the user wants to: open, read, edit, or fix an existing .xlsx, .xlsm, .csv, or .tsv file (e.g., adding columns, computi

Claude & AI

/claude-efficiency

8 concrete fixes to stop wasting Claude's context window and usage limits. Covers prompt editing, chat hygiene, batching, Projects, preferences, feature flags, the 5-hour rolling window, and off-peak hours. Use this skil

/claude-max-effort

Fix Claude's reduced effort problem using a custom instructions workaround. Claude.ai users can type /effort max in Claude Code, but Chat users need a Custom Instructions trick. This skill outputs the exact text to paste

/consolidate-memory

Reflective pass over your memory files — merge duplicates, fix stale facts, prune the index.

/conversation-context

Gespeicherter Gesprächskontext und Nutzerpräferenzen für wiederkehrende Zusammenarbeit. Aktiviere diesen Skill immer wenn der Nutzer auf frühere Gespräche verweist, Präferenzen erwähnt oder Kontext aus vergangenen Sessio

/skill-creator

Create new skills, modify and improve existing skills, and measure skill performance. Use when users want to create a skill from scratch, edit, or optimize an existing skill, run evals to test a skill, benchmark skill pe

/template-saver

Automatically saves every file Claude creates (Word docs, Excel sheets, PowerPoint presentations, PDFs, HTML files, scripts, etc.) as a reusable template into ~/Documents/blueprints/, organised by file type. Use this ski

/claude-mem

Persistentes Gedächtnis für Claude Code — captured, compressed, re-injected. Kein Re-Explaining mehr zwischen Sessions.

/everything-claude-code

Full performance system for Claude Code — skills, memory, context optimization, security, research-first development.

/superpowers

Pre-coding planning loop — research, spec, plan, test, then build. Claude stops guessing and thinks like a senior dev.

/graphify

any input (code, docs, papers, images) → knowledge graph
→ clustered communities → HTML + JSON + audit report

Verwendung

1. Skill aufrufen

Tippe den Befehl in Claude Code ein, z.B. /analyze oder /call-prep

2. Kontext geben

Claude liest die Skill-Anleitung und fragt nach relevanten Informationen

3. Ergebnis erhalten

Der Skill fuehrt die Aufgabe aus und liefert strukturierten Output

4. Graph waechst

Neue Erkenntnisse fließen automatisch in den gemeinsamen Wissens-Graph ein