

## AI □□□□□□□□

Diagram illustrating a block cipher structure. The input is a 128-bit block, divided into two 64-bit halves. The first half is processed by a function  $F$ , and the second half is processed by a function  $G$ . The outputs are then swapped and combined to form the 128-bit output block.

— — —

| # |  |
|---|--|
|   |  |

**##**

\* \*\*

[illegible]

\* \*\*

[illegible]

\* \*\*

[illegible]

...

**##**

1. **\*\*Al [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] CoWoS [ ] [ ] [ ]\*\***

\* \*\*|||\*\* |||2330|||2317|||2382|||6187|||

\* \*\* AI Blackwell

[illegible]

2. **\*\*CPO\*\***

\* \*\*

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 \*\* 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 3324 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 3017 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 3081 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

\* \*\* AI

3. **\*\***  **\*\***

\* \*\*\*\* 151915036869

\* \*\*

...

**##**

### 1. [ ]

\* \*\*[ ]\*\* [ ] NVDA[TSMC ADR[AMD[ ]Fed[ ]

\* \*\*[ ]\*\* [ ]

\* \*\*[ ]\*\* [ ]

### 2. [ ]

\* \*\*[ ]\*\* [ ]\*\*[ ]\*\*[ ]

\* \*\*[ ]\*\* [ ]\*\*[ ]2025[ ]\*\*[ ] AI [ ]

\* \*\*[ ]\*\* [ ]\*\*5 [ 6 [\*\*[ ]