6/1/2015 Booking

Overview Package Class Use Tree Deprecated Index Help

 Prev Class
 Next Class
 Frames
 No Frames
 All Classes

 Summary: Nested | Field | Constr | Method
 Detail: Field | Constr | Method

com.helpers

# **Class Booking**

java.lang.Object com.helpers.Booking

public class Booking
extends java.lang.Object

Allows a information of a booking to passed from class to class in a centralized manner.

## **Field Summary**

#### **Fields**

Modifier and Type	Field and Description
private java.lang.String	booking_status The booking status of this booking.
private java.lang.String	bookingDate The booking date of this booking.
private int	bookingId The booking ID of this booking.
private java.lang.String	flightId The flight ID of this booking.
private double	total_price The total price of this booking.

# **Constructor Summary**

#### Constructors

### **Constructor and Description**

Booking()

Default constructor.

Booking(int bid, java.lang.String fid)

Constructor with booking ID and flight ID.

Booking(int bid, java.lang.String fid, java.lang.String b\_status, double total,
java.lang.String date)

Constructor with full attribute list.

# **Method Summary**

Methods

6/1/2015 Booking

Modifier and Type	Method and Description
java.lang.String	<pre>getBookingDate()</pre> Gets the booking date of this booking.
int	<pre>getBookingId() Gets the booking ID of this booking</pre>
java.lang.String	getFlightId() Gets the flight ID of this booking.
java.lang.String	getStatus() Gets the status of this booking.
java.lang.String	<pre>getString() Gets a formatted String with the booking ID, booking status, total price and booking date.</pre>
double	<pre>getTotalPrice() Gets the total price of this booking.</pre>
void	<pre>setBookingDate(java.lang.String bookingDate) Sets the booking date of this booking.</pre>
void	<pre>setBookingId(int bid) Sets the booking ID of this booking.</pre>
void	<pre>setFlightId(java.lang.String fid) Set the flight ID of this booking.</pre>
void	<pre>setStatus(java.lang.String booking_status) Sets the status of this booking.</pre>
void	<pre>setTotalPrice(double total) Sets the total price of this booking.</pre>
java.lang.String	toString() Gets a formatted String with the booking ID, flight ID, booking status, total price and booking date.

# Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

### **Field Detail**

## bookingld

private int bookingId

The booking ID of this booking.

# flightld

private java.lang.String flightId

The flight ID of this booking.

### booking\_status

private java.lang.String booking\_status

The booking status of this booking.